



Australian Notices to Mariners are the authority for correcting Australian Charts

AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 2001 - Copyright restrictions apply to Notices to Mariners



Notices 112-128

Published fortnightly by the Australian Hydrographic Service

B. J. KAUFER,
Hydrographer, RAN

SECTIONS. I. Australian Notices to Mariners, including blocks and notes.
III. Navigational Warnings.
IV. Hydrographic Reports.

New Zealand Notices to Mariners

The substance of these notices should be inserted on the charts affected.

Notices to Mariners information relating to British Admiralty Publications unavailable on this web site at this stage but still available in printed form:-

Section II. Corrections to Admiralty List of Lights, Vol K.
Section V. Amendments to Admiralty List of Radio Signals.
Section VI. Corrections to Sailing Directions.

Bearings are referred to the true compass and are reckoned clockwise from 000° (North) to 359°: those relating to lights are given as seen by an observer from seaward. The range quoted for a light is its nominal range. Fog signals are sounded only during thick or foggy weather, unless otherwise stated. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star () adjacent to the number of a notice indicates that the notice is based on original information.*

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 South Coast Mail Centre, NSW 2521 (Fax 02-4221 8599), e-mail hni.hydro@navy.gov.au or, alternatively by filling in and submitting the **Hydrographic Notes forms, immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).**

Copies of these notices can be obtained from the AUSTRALIAN HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong, and Agents for the sale of charts and hydrographic publications.

The Commonwealth of Australia is the owner of, or is otherwise responsible for, the copyright in this work. It is protected under the Copyright Act 1968 and international convention. Except as expressly authorised below, the work may not be copied, reproduced, adapted, changed or commercially exploited, in whole or in part, or the format in which it is stored altered, without the prior written permission of the Australian Hydrographic Office. The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit.

© Commonwealth of Australia 2001

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 4

16 February 2001

Notices	Aus Chart
112	Aus 195
113	Aus 208
114	Aus 238
115	Aus 373, 374, 832, 4620
116	Aus 373, 374, 832, 833
117	Aus 377, 4603, 4620, INT 603
118	Aus 4070, 4071, INT 70, 71
119(T)	Aus 238
120(T)	Aus 249, 250
121(P)	Aus 249, 250
122(T)	Aus 256
123(T)	Aus 256, 257
124(T)	Aus 262, 830
125(T)	Aus 567, 625, 629
126(T)	Aus 55, 56
127(P)	Aus 4060, 4601, 4602, 4604, INT 60, 601, 602, 604
128(P)	Aus 4060, 4601, 4602, INT 60, 601, 602

112* AUSTRALIA - NEW SOUTH WALES - Port Kembla - Nav aids amended.
AHS (01/255). (AH99/19-02)

Aus 195 [NE 13/10/2000]

Insert	characteristic, <i>F.R.</i> , at light	34° 28'.12 S	150° 54'.81 E
		34° 28'.02 S	150° 54'.80 E

Aus 195 (plan, Port Kembla)

Amend	light characteristic to <i>F.R.14m</i>	34° 28'.12 S	150° 54'.81 E
	light characteristic to <i>2F.G (vert)</i>	34° 27'.78 S	150° 54'.04 E
	light characteristic to <i>5F.G (vert)</i>	34° 27'.71 S	150° 53'.92 E
	light characteristic to <i>5F.R (vert)</i>	34° 27'.84 S	150° 53'.87 E
	light characteristic to <i>2F.R (vert)</i>	34° 27'.89 S	150° 53'.99 E

113* AUSTRALIA - NEW SOUTH WALES - Newcastle - Merewether Street - Light discontinued.

List of Lights Vol K/2001 -- 2757.60

Newcastle Port Corporation (01/370). (AH99/19-02)

Aus 208 [39/2001]

Delete	light	32° 55'.50 S	151° 46'.52 E
--------	-------	--------------	---------------

114* AUSTRALIA - QUEENSLAND - Brisbane River - Bulimba Reach - Light beacon removed.

List of Lights Vol K/2001 -- 2875.30

Queensland Transport Notice 25/2001 (01/377). (AH00/107)

Aus 238 [493/2000]

Delete	light beacon	27° 27'.09 S	153° 03'.12 E
--------	--------------	--------------	---------------

Aus 238 (plan, Bulimba Reach)

Delete	light beacon	27° 27'.09 S	153° 03'.12 E
--------	--------------	--------------	---------------

115* AUSTRALIA - QUEENSLAND - Palfrey Islet - Light range altered.

Former Notice - 721(P)/2000 is cancelled

List of Lights Vol K/2001 -- 3216.00

Auscoast warning 15/01 (01/366). (AH00/137)

Aus 373 [72/2001]

Amend	light range to <i>14M</i>	14° 41'.6 S	145° 26'.5 E
-------	---------------------------	-------------	--------------

Aus 374 [394/2000]

Amend	light range to <i>14M</i>	14° 41'.6 S	145° 26'.5 E
-------	---------------------------	-------------	--------------

Aus 832 [72/2001]

Amend	light range to <i>14M</i>	14° 41'.6 S	145° 26'.5 E
-------	---------------------------	-------------	--------------

Aus 4620 [679/2000]

Amend	light range to <i>14M</i>	14° 41'.6 S	145° 26'.5 E
-------	---------------------------	-------------	--------------

116* AUSTRALIA - QUEENSLAND - Coquet Island - Light range altered.

Former Notice - 722(P)/2000 is cancelled

List of Lights Vol K/2001 -- 3219.00

Auscoast warning 10/01 (01/224). (AH00/137)

Aus 373 [115/2001]

Amend	light range to 14M	14° 32'.5 S	144° 59'.2 E
-------	--------------------	-------------	--------------

Aus 374 [115/2001]

Amend	light range to 14M	14° 32'.5 S	144° 59'.2 E
-------	--------------------	-------------	--------------

Aus 832 [115/2001]

Amend	light range to 14M	14° 32'.5 S	144° 59'.2 E
-------	--------------------	-------------	--------------

Aus 832 (plan, Howick Group)

Amend	light range to 14M	14° 32'.5 S	144° 59'.2 E
-------	--------------------	-------------	--------------

Aus 833 [524/2000]

Amend	light range to 14M	14° 32'.5 S	144° 59'.2 E
-------	--------------------	-------------	--------------

117* AUSTRALIA - QUEENSLAND - East Cay - Light and racon established.

Former Notices - 695(P)/2000 & 696(P)/2000 are cancelled

List of Lights Vol K/2001 -- 3290.00

Admiralty List of Radio Signals Vol 2, 2001 - 8828

AMSA ATH 01/01 & 01/02 (01/369). (AH00/137)

Aus 377 [680/2000]

Insert	light Fl. 10s 32m 14M and Racon (G)	9° 24'.20 S	144° 14'.16 E
--------	-------------------------------------	-------------	---------------

Aus 4603 (INT 603) [526/2000]

Insert	light and Racon (G)	9° 24'.1 S	144° 14'.2 E
--------	---------------------	------------	--------------

Aus 4620 [115/2001]

Insert	light Fl. 10s 14M and Racon (G)	9° 24'.1 S	144° 14'.2 E
--------	---------------------------------	------------	--------------

118 INDIAN OCEAN - Arabian Sea - Depths.

French Notice 00/49/43 (01/256). (AH99/75)

Aus 4070 (INT 70) [NE 15/09/2000]

Insert	depth, 860 m, enclosed by contour	2° 58'.0 S	65° 44'.0 E
	depth, 1248 m, enclosed by contour	3° 04'.0 S	58° 38'.0 E

Delete	depth 2780 m	2° 50'.0 S	65° 50'.0 E
--------	--------------	------------	-------------

Aus 4071 (INT 71) [NE 04/08/2000]

Insert	depth, 860 m, enclosed by contour	2° 58'.0 S	65° 44'.0 E
	depth, 1248 m, enclosed by contour	3° 04'.0 S	58° 38'.0 E

Delete	depth 2780 m	2° 50'.0 S	65° 50'.0 E
--------	--------------	------------	-------------

119(T)/2001 AUSTRALIA - QUEENSLAND - Brisbane River - Breakfast Creek - Dredging.

Date - Until 21 March 2001

Queensland Transport Notice 30/2001 (01/447). (AH 99/323)

Dredging operations are in progress at the entrance to Breakfast Creek (27° 26'.52 S 153° 02'.90 E).

During the operations a 12 metre wide channel will be maintained at the entrance.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 238.

120(T)/2001 AUSTRALIA - QUEENSLAND - Hay Point - Shoaling.

Former Notices - 670(T)/1998 & 83(T)/2001 are cancelled

Queensland Transport Notice 24/2001 (01/377). (AH 99/478)

A rock outcrop, least depth 13.0m, exists in position 21° 14'.932 S 149° 19'.296 E.

A special cylindrical light buoy, *Fl Y*. 2.5s, has been established in position 21° 14'.89 S 149° 19'.57 E.

Chart temporarily affected - Aus 249 - Aus 250.

121(P)/2001 AUSTRALIA - QUEENSLAND - Mackay - Leading lights.

P McPhee (01/501). (AH 00/107)

Leading lights, *F. Bu (F day)*, have been established in approx positions 21° 06'.77 S 149° 13'.69 E (front) and 21° 06'.80 S 149° 13'.68 E (rear).

Charts will be updated on receipt of surveyed positions.

Chart which will be affected - Aus 249 - Aus 250.

122(T)/2001 AUSTRALIA - QUEENSLAND - Magnetic Island - Nelly Bay - Dredging; light beacons.

Date - Until further notice

Queensland Transport Notice 34/2001 (01/447). (AH 99/141)

Dredging operations are in progress. The area is marked by east cardinal and west cardinal light beacons between 19° 09'.6 S 146° 51'.3 E, 19° 09'.6 S 146° 51'.4 E, 19° 09'.7 S 146° 51'.4 E and 19° 09'.7 S 146° 51'.3 E.

A silt screen, marked by lights *Q*, exist between the eastern beacons.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 256.

123(T)/2001 AUSTRALIA - QUEENSLAND - Townsville - Depth information.*Former Notice - 84(T)/2001 is cancelled*

Queensland Transport Notice 29/2001 (01/376). (AH99/252)

Available depths as at 19 January 2001:

	<i>Metres</i>	<i>Remarks</i>
Sea Channel	11.7	
Platypus Channel	11.7	
Outer Harbour:		
Arrival Channel	8.2	
Departure Channel	11.6	
Inner Harbour:		
Harbour	11.5	
Berths:		
No 1	12.0	
* No 2	11.7	Not beyond 785metre mark
No 3	11.2	
No 4	10.2	
No 7	11.0	
No 8	10.0	
No 9	12.1	
No 10	9.6	
No 11	11.9	
Between No 7 and No 8	10.2	Seaward of zero mark at No 7 berth
Between No 9 and No 10	10.4	Seaward of zero mark at No 10 berth
Ross River Channel	1.4	

* Indicates new or revised entry.

Chart temporarily affected - Aus 256 - Aus 257.**124(T)/2001 AUSTRALIA - QUEENSLAND - Cairns - Depth information.***Former Notice - 665(T)/2000 is cancelled*

Queensland Transport Notice 27/2001 (01/376). (AH 99/393)

Available depths as at 19 January 2001:

	<i>Metres</i>	
	<i>LAT</i>	<i>ISLW (Chart Datum)</i>
* Entrance Channel	8.2	8.4
Crystal Swing Basin at:		
360 metre diameter	7.0	7.2
380 metre diameter	6.5	6.7
Swing Basin at:		
310 metre diameter	8.2	8.4
320 metre diameter	7.5	7.7
Berths:		
* No 1	8.1	8.3
* No 2	8.1	8.3
* No 3	8.3	8.5
* No 4	8.2	8.4
* No 5	8.0	8.2
No 6	7.0	7.2
No 7	10.3	10.5
No 8	10.3	10.5
No 10	9.3	9.5
No 12	10.5	10.7
Smith Creek 1	4.8	5.0

* Indicates new or revised entry.

Chart temporarily affected - Aus 262 - Aus 830.

125(T)/2001 PAPUA NEW GUINEA - China Strait - Nav aids unlit.

Date - Until further notice

J Foley. (AH99/45)

The following lights are reported to be unlit:

Weku una	10° 36'.2 S	150° 36'.6 E
Kabu eru eru	10° 34'.5 S	150° 42'.1 E
Isulailai Point	10° 33'.7 S	150° 41'.7 E

Chart temporarily affected - Aus 567 - Aus 625 - Aus 629.

126(T)/2001 WESTERN AUSTRALIA – Port Walcott - Dredging; light buoy.

Date - Until 31 March 2001

North Limited (01/500). (AH 00/332)

Dredging is in progress in the vicinity of the wharf (20° 34'.75 S 117° 12'.00 E).

Spoil will be discharged between 20° 33'.30 S 117° 14'.30 E, 20° 33'.40 S 117° 15'.30 E, 20° 32'.45 S 117° 16'.00 E and 20° 32'.30 S 117° 15'.00 E.

A special light buoy, Q. Y, exists in position 20° 32'.88 S 117° 15'.15 E.

Chart temporarily affected - Aus 55 - Aus 56.

127(P)/2001 PACIFIC OCEAN – Sydney to Suva - Submarine cable.
C&W Optus (01/551). (AH 00/155)

Submarine cable (*Southern Cross G2*) has been laid between Sydney and Suva as follows:

	Lat S	Long E		Lat S	Long E
(a)	33° 42'.368	151° 18'.251	(b)	33° 42'.480	151° 18'.910
(c)	33° 42'.604	151° 19'.163	(d)	33° 42'.858	151° 19'.540
(e)	33° 42'.710	151° 19'.840	(f)	33° 42'.190	151° 21'.000
(g)	33° 42'.190	151° 21'.800	(h)	33° 43'.891	151° 26'.351
(i)	33° 44'.000	151° 28'.000	(j)	33° 44'.000	151° 31'.000
(k)	33° 44'.112	151° 32'.000	(l)	33° 44'.748	152° 01'.000
(m)	33° 45'.06	152° 04'.00	(n)	33° 45'.20	152° 06'.70
(o)	33° 46'.35	152° 13'.40	(p)	33° 45'.40	152° 30'.00
(q)	33° 45'.65	152° 43'.10	(r)	33° 47'.95	152° 50'.00
(s)	33° 46'.00	152° 59'.00	(t)	33° 35'.80	153° 15'.44
(u)	33° 34'.77	153° 26'.68	(v)	33° 37'.95	153° 33'.19
(w)	33° 38'.40	153° 44'.47	(x)	33° 37'.33	153° 49'.29
(y)	33° 32'.13	154° 00'.00	(z)	33° 24'.22	154° 10'.00
(aa)	33° 15'.10	154° 18'.37	(ab)	33° 03'.50	154° 35'.58
(ac)	32° 57'.05	154° 48'.28	(ad)	32° 21'.51	155° 39'.91
(ae)	33° 14'.60	156° 00'.00	(af)	32° 07'.05	156° 17'.05
(ag)	31° 45'.25	157° 18'.85	(ah)	31° 42'.72	157° 30'.00
(ai)	31° 20'.65	158° 30'.00	(aj)	31° 10'.00	158° 50'.00
(ak)	30° 58'.00	159° 22'.00	(al)	30° 54'.33	159° 27'.10
(am)	30° 50'.50	159° 30'.00	(an)	30° 40'.00	159° 34'.40
(ao)	30° 35'.60	159° 40'.00	(ap)	29° 57'.94	161° 21'.63
(aq)	29° 53'.73	161° 28'.00	(ar)	27° 50'.90	166° 26'.22
(as)	27° 47'.70	167° 00'.00	(at)	27° 44'.20	168° 07'.00
(au)	27° 41'.32	168° 15'.62	(av)	27° 32'.16	168° 26'.92
(aw)	27° 25'.50	168° 32'.64	(ax)	27° 15'.75	168° 44'.87
(ay)	27° 03'.33	168° 57'.40	(az)	26° 54'.70	169° 08'.30
(ba)	26° 52'.02	169° 16'.10	(bb)	26° 42'.75	169° 25'.25
(bc)	26° 33'.15	169° 36'.95	(bd)	26° 23'.98	169° 44'.85
(be)	26° 11'.10	170° 04'.30	(bf)	26° 00'.50	170° 16'.05
(bg)	25° 55'.13	170° 25'.13	(bh)	25° 45'.67	170° 36'.83
(bi)	25° 33'.10	170° 50'.00	(bj)	25° 08'.90	171° 20'.00
(bk)	25° 00'.00	171° 33'.51	(bl)	24° 51'.80	171° 44'.15
(bm)	24° 30'.00	172° 06'.76	(bn)	24° 10'.60	172° 30'.00
(bo)	24° 06'.10	172° 38'.00	(bp)	24° 03'.77	172° 48'.69
(bq)	24° 00'.00	172° 55'.18	(br)	23° 48'.25	173° 10'.00
(bs)	23° 40'.00	173° 22'.95	(bt)	23° 27'.90	173° 43'.65
(bu)	23° 18'.13	174° 04'.00	(bv)	23° 15'.60	174° 10'.00
(bw)	23° 14'.00	174° 21'.46	(bx)	23° 01'.10	174° 42'.00
(by)	22° 56'.34	174° 47'.76	(bz)	22° 42'.85	175° 00'.40
(ca)	22° 32'.32	175° 18'.45	(cb)	22° 26'.70	175° 24'.88
(cc)	22° 21'.93	175° 43'.85	(cd)	22° 17'.60	175° 52'.26
(ce)	22° 16'.00	175° 53'.90	(cf)	22° 11'.40	175° 55'.00
(cg)	22° 06'.10	175° 52'.55	(ch)	21° 40'.90	175° 36'.05
(ci)	21° 31'.65	175° 28'.60	(cj)	21° 28'.13	175° 27'.20
(ck)	21° 23'.81	175° 28'.50	(cl)	21° 20'.00	175° 31'.40
(cm)	21° 17'.80	175° 35'.58	(cn)	21° 11'.90	175° 40'.15
(co)	21° 03'.05	175° 46'.00	(cp)	20° 57'.05	175° 51'.13
(cq)	20° 45'.13	176° 00'.45	(cr)	20° 32'.10	175° 07'.88
(cs)	20° 17'.00	176° 19'.30	(ct)	20° 14'.60	176° 23'.10
(cu)	20° 12'.72	176° 24'.60	(cv)	20° 05'.10	176° 26'.10
(cw)	20° 01'.10	176° 29'.12	(cx)	19° 59'.50	176° 33'.05
(cy)	19° 52'.83	176° 38'.90	(cz)	19° 40'.00	176° 48'.55
(da)	19° 20'.00	176° 59'.75	(db)	19° 17'.30	177° 03'.67
(dc)	19° 12'.20	177° 14'.21	(dd)	19° 12'.40	177° 20'.64
(de)	19° 10'.00	177° 26'.92	(df)	19° 05'.00	177° 37'.25
(dg)	19° 01'.95	177° 42'.88	(dh)	18° 59'.25	177° 45'.93
(di)	18° 48'.57	178° 07'.58	(dj)	18° 30'.00	178° 28'.13
(dk)	18° 23'.20	178° 32'.50	(dl)	18° 17'.25	178° 32'.00
(dm)	18° 13'.15	178° 30'.38	(dn)	18° 12'.18	178° 30'.52
(do)	18° 11'.24	178° 30'.83	(dp)	18° 09'.84	178° 30'.58
(dq)	18° 09'.29	178° 29'.43	(dr)	18° 07'.84	178° 28'.11

Note: notice will be cancelled on publication of new edition of charts, presently in production.

Charts which will be affected – Aus 4060 – Aus 4601 – Aus 4602 – Aus 4604 .

128(P)/2001 AUSTRALIA - TASMAN SEA - Sydney to New Zealand - Submarine cable.
C&W Optus (01/551). (AH 00/155)

A submarine cable (*Southern Cross*, segment A) exists between positions as follows:

	<i>Lat S</i>	<i>Long E</i>		<i>Lat S</i>	<i>Long E</i>
(a)	33° 54'.945	151° 15'.981	(b)	33° 54'.656	151° 16'.552
(c)	33° 55'.349	151° 17'.383	(d)	33° 55'.990	151° 18'.796
(e)	33° 56'.7467	151° 19'.398	(f)	33° 56'.900	151° 20'.327
(g)	33° 57'.055	151° 21'.070	(h)	33° 57'.460	151° 21'.664
(i)	33° 58'.187	151° 22'.244	(j)	33° 59'.285	151° 22'.580
(k)	34° 00'.234	151° 23'.246	(l)	34° 08'.997	151° 26'.266
(m)	34° 10'.167	151° 26'.932	(n)	34° 18'.971	151° 38'.058
(o)	34° 26'.665	151° 52'.708	(p)	34° 32'.637	152° 10'.035
(q)	34° 41'.968	153° 10'.196	(r)	34° 20'.709	153° 48'.359
(s)	34° 20'.835	154° 19'.959	(t)	34° 22'.591	154° 32'.547
(u)	34° 26'.861	154° 46'.826	(v)	34° 28'.821	155° 00'.036
(w)	34° 32'.153	155° 20'.713	(x)	34° 37'.170	155° 59'.995
(y)	34° 44'.108	156° 57'.642	(z)	34° 48'.435	157° 26'.208
(aa)	34° 53'.791	157° 46'.242	(ab)	34° 58'.120	158° 10'.046
(ac)	34° 58'.780	158° 20'.063	(ad)	35° 10'.075	159° 24'.817
(ae)	35° 19'.860	160° 23'.472	(af)	35° 29'.179	161° 22'.239
(ag)	35° 36'.339	162° 10'.035	(ah)	35° 37'.278	162° 26'.078
(ai)	35° 33'.475	162° 57'.055	(aj)	35° 41'.070	163° 50'.721
(ak)	35° 45'.893	164° 25'.809	(al)	35° 47'.934	164° 57'.998
(am)	35° 47'.846	165° 00'.229	(an)	35° 48'.609	165° 02'.007
(ao)	35° 48'.953	165° 06'.026	(ap)	35° 53'.147	165° 39'.575
(aq)	35° 55'.793	165° 45'.217	(ar)	35° 57'.831	166° 02'.859
(as)	36° 02'.105	166° 13'.294	(at)	36° 02'.417	166° 16'.656
(au)	36° 01'.079	166° 27'.011	(av)	36° 03'.677	167° 49'.999
(aw)	36° 09'.188	167° 40'.001	(ax)	36° 13'.343	168° 20'.220
(ay)	36° 18'.551	169° 14'.331	(az)	36° 23'.350	170° 08'.488
(ba)	36° 29'.050	171° 02'.510	(bb)	36° 34'.085	171° 49'.999
(bc)	36° 34'.402	171° 59'.999	(bd)	36° 35'.874	172° 14'.004
(be)	36° 37'.275	172° 20'.000	(bf)	36° 42'.140	173° 06'.430
(bg)	36° 48'.006	174° 01'.004	(bh)	36° 48'.010	174° 04'.000
(bi)	36° 47'.906	174° 05'.999	(bj)	36° 48'.359	174° 22'.962
(bk)	36° 48'.682	174° 25'.048	(bl)	36° 48'.685	174° 25'.181

Note: notice will be cancelled on publication of new edition of charts, presently in production.

Chart which will be affected - Aus 4060 - Aus 4601 - Aus 4602.

III

NAVIGATION WARNINGS

The following radio messages have been received during the period to 2 February 2001. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNINGS

- 016 Cancelled.
- 017 Cancelled
- 018 NW Coast. Seismic Survey vessel *Pacific Sword* towing two 2.0 NM cables in area 21° 08'.4 S to 21° 30'.0 E and 115° 05'.0 E to 115° 30'.0 E.
- 019 NE Coast. Light, Q(6) + LFI. 15s 7m 6M, added to existing radar reflector on Ackers Shoal (10° 18'.6 S 142° 48'.7 E).
- 020 NW Coast. Drill Rig *Marine 500* in position 19°56'.6 S 114° 53'.2 E 2.5 NM clearance requested
- 021 Cancelled.
- 022 NE Coast. Light, Q(3) 10s 7m 9M, added to existing radar reflector on Caldbeck Reef (10° 06'.6S 143° 09'.9 E).
- 023 Cancelled.
- 024 NE Coast. Dalrymple Island Racon, morse code M, established (9° 37'.1S 143° 17'.8 E)
- 025 Cancelled.
- 026 NE Coast. Bramble Cay light K3292 (9° 08'.6 S 143° 52'.5 E), altered to FI(4) 15s 14M, added to existing radar reflector on Caldbeck Reef
- 027 Cancelled.
- 028 NW Coast. Drill rig *Ron Tappmeyer* in position 20° 40'.5 S 115° 35'.0 E. 2.5M clearance requested.
- 029 Cancelled.
- 030 Cancelled.
- 031 Cancelled.
- 032 Cancelled.
- 033 S Coast. Drill rig *Sideson 1* in position 34° 07'.6 S 137° 12'.1 E. 1 NM clearance requested.
- 034 SW Coast. Perth DGPS established in position 31°47'.8S 115°55'.9 E. Station will operate in trial mode until further notice

NAVAREA X WARNINGS

- 002 PNG. Kegawam Island light K3438 (10° 21'.2 S 151° 23'.1 E) reported unlit.
- 003 PNG. Bright Island light K3444 (10° 31'.9 S 151° 12'.7 E) reported unlit.
- 004 PNG. Shortland Reef Light K3440 (10° 30'.9 S 151° 08'.1 E) reported unlit.
- 005 PNG. Isulailai Point light K3452 (10° 33'.7 S 150° 41'.7 E) reported unlit.
- 006 PNG. Kaba Eru Light K3453 (10° 34'.5 S 150° 42'.1 E) reported unlit.
- 007 PNG. Weka Una Light K3455 (10° 36'.2 S 150° 36'.6 E) reported unlit.

Navigational warnings in force as at 011500UTC FEB 01.

Auscoast

2000 317 321 331 334 .

2001 005 006 010 011 012 013 014 015 018 019 020 022 024 026 028 033 034

Navarea X

2000 020.

2001 001 002 003 004 005 006 007

Summary of mobile drilling rigs as at 011500UTC FEB 01.

Name	Position
Ocean General	11° 43'.9 S 126° 06'.1 E
Sedco 703	13° 58'.4 S 123° 07'.3 E
Ron Tappmeyer	20° 40'.5 S 115° 35'.0 E
Ensco 56	20° 38'.2 S 115° 43'.6 E
Ocean Legend	19° 42'.3' S 116° 42'.4 E
Marine 500	19°56'.6 S 114° 53'.2 E 2.5 NM
Sideson 1	34° 07'.6 S 137° 12'.1 E

NAVAREA XIV WARNINGS

- 024 Samoan Islands. Vailuluu seamount (14° 12'.9 S 169° 03'.5 W) identified as active volcano, with summit depth 590 metres.
- 025 Cancelled.
- 026 Cancelled.
- 027 Cancelled.

IV

HYDROGRAPHIC REPORTS

<i>Locality</i>	<i>Report</i>	<i>Ship/Authority</i>	<i>Observer</i>
QLD- Brittomart Reef	Shoal	PV <i>New Investigator</i>	PA Horton
WA- Delambre Reef	Wrecks		
East Timor- Suai	Building	HMAS <i>Betano</i>	M Cotterell
Fiji- Lautoka	Harbour works	MT <i>Cape Raoul</i>	