



Australian Notices to Mariners are the authority for correcting Australian Charts and Publications

AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 2008 - Copyright restrictions apply to Notices to Mariners

Notices 225 - 273



Published fortnightly by the Australian Hydrographic Service

Captain R. NAIRN RAN
Hydrographer of Australia

- SECTIONS.**
- I. **Australian Notices to Mariners, including blocks and notes.**
 - II. **Amendments to Admiralty List of Lights and Fog Signals, Vol K**
 - III. **Navigational Warnings.**
 - IV. **Hydrographic Reports.**
 - V. **Amendments to Admiralty List of Radio Signals (NP 281(2), 282, 283(2), 285, 286(4))**
 - VI. **Amendments to Admiralty Sailing Directions (NP 9, 13, 14, 15, 33, 34, 35, 36, 39, 44, 51, 60, 61, 62, 100, 136)**

[British Admiralty Notices to Mariners](#)

[New Zealand Notices to Mariners](#)

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward. Positions quoted in permanent notices relate to the horizontal datum for the chart(s). When preliminary or temporary notices affect multiple charts, positions will be provided in relation to only one horizontal datum and that datum will be specified. When the multiple charts do not have a common horizontal datum, mariners will be required to adjust the position(s) for those charts not on the specified datum. The range quoted for a light is its nominal range. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star () adjacent to the number of a notice indicates that the notice is based on original information.*

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 Wollongong, NSW 2500 (Fax 02-4221 8599, e-mail Hydro.NTM@defence.gov.au or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

Copies of these notices can be obtained from the AUSTRALIAN HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong; Distributors for the sale of Australian Navigational Products; AHS website www.hydro.gov.au or register for eNotices at www.hydro.gov.au/enotices/enotices.htm.

The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all significant information affecting AHS products which the AHS has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHS regards third parties from which it receives information as reliable, however the AHS cannot verify all such information and errors may therefore exist. The AHS does not accept liability for errors in third party information.

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Service. Copyright in some of the material in this publication may be owned by another party and permission for the reproduction of that material must be obtained from the owner.

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 5

14 March 2008

Notices	Aus Chart, INT Chart, ENC Cell, AHP
225	Aus 176, 195, AX 0177S , AU321114, 322113, 435119, 436118
226	Products - Amendment to Annual Notices to Mariners No 10B
227	Products - Amendment to Annual Notices to Mariners No 23
228	Aus 808
229	Aus 237
230	Aus 817
231	Aus 426, 823, 4620, 4621, INT 620, 621
232	Aus 376, 377, 840, AX 60377
233	Aus 507
234	Aus 515
235	Aus 387
236	Aus 296, 700
237	Aus 24
238	Aus 26, 28, AX 72026
239	Aus 55, 56
240	Aus 55, 56
241	Aus 112
242	Aus 111
243	Aus 115
244	Aus 120
245	Aus 169, 343, 345, 346, 347, 357A, 364, 423, 424, 777, 778, 780
246(T)	Aus 365, 424
247(T)	Aus 235
248(T)	Aus 241, 365, 17
249(T)	Aus 244, 245, 246
250(T)	Aus 244, 245
251(T)	Aus 252, 254
252(T)	Aus 270
253(T)	Aus 379
254(T)	Aus 505, 621
255(T)	Aus 397, 545, 554, 680
256(T)	Aus 399, 4622, INT 622
257(T)	Aus 4
258(T)	Aus 43, 322
259(T)	Aus 58, 59
260(T)	Aus 57, 58, 59
261(T)	Aus 57, 58, 59, 741
262(T)	Aus 751
263(P)	Aus 334, 417, 754
264(P)	Aus 343, 346, 444, 4727, INT 727
265(T)	Aus 344, 778
266(P)	Aus 343, 344, 345, 444, 776
267(T)	Aus 137
268(T)	Aus 125
269(P)	Aus 125, 345, 347, 444, 780
270(P)	Aus 127, 347, 348
271(T)	Aus 140
272(P)	Aus 422, 487, 799
273(T)	Aus 181, 182

[illegible]

225 AUSTRALIA - Products

Australian Hydrographic Service (AA315759, AA316016, AA317725)

New Chart

<i>Chart</i>	<i>Published</i>	<i>Title, limits and description of amendments</i>	<i>Scale</i>	<i>Folio</i>	<i>Index Chart</i>	<i>Price</i>
Aus 195	15/2/2008	Australia - East Coast - New South Wales - Approaches to Port Kembla 34°18' 24" S - 34° 32' 22" S 150° 53' 00" E - 151° 03' 38" E <i>New chart providing improved coverage of the approaches to Port Kembla</i>	1 : 25 000	7	Aus 65001	\$29.50

New Miscellaneous Chart

<i>Chart</i>	<i>Published</i>	<i>Title</i>	<i>Scale</i>	<i>Remarks</i>
AX 0117S	24/1/2008	Australia - West Coast - Western Australia - Gage Roads and Cockburn Sound	1 : 25 000	Fleet use only

New Electronic Navigation Chart (Seafarer ENC)

<i>Cell Name</i>	<i>Released</i>	<i>Title</i>
AU436118	February 2008	Western Australia - Approaches to Albany
AU435119	February 2008	Western Australia - Cape Knob to Red Island
AU321114	February 2008	Indian Ocean - Cell 17
AU322113	February 2008	Western Australia - Jurabi Point to Low Point

New Edition to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Expected Publication Date</i>	<i>Expected Stock Availability</i>
Aus 176	Australia - Tasmania - Port Davey including Bathurst Harbour	1 : 37 500	14 March 2008	21 April 2008

226 AUSTRALIA - Products - Amendment to Annual Notices to Mariners No 10B

UKHO (AA315836)

Page 73 insert;

<i>Place</i>	<i>Ident</i>	<i>Band (Hz)</i>	<i>Range (NM)</i>	<i>Elev (m)</i>	<i>Position (WGS84)</i>
Victoria					
Thylacine Platform	C				39° 14'.33 S 142° 54'.11 E
Yolla A Platform	B				39° 50'.77 S 145° 49'.02 E

Page 74 insert;

Queensland

Hay Point Light Beacon Q	21° 14'.93 S 149° 24'.77 E
--------------------------	----------------------------

227 AUSTRALIA - Products - Amendment to Annual Notices to Mariners No 23

AMSA, Maritime Safety Queensland (AA314845)

Amend page 104

<i>Location</i>	<i>Position</i>	<i>VHF channel</i>	<i>Method</i>
Torres Strait (Goods Island)	10° 33'.9 S 142° 04'.4 E	20	Launch

Amend page 105

<i>Location</i>	<i>Position</i>	<i>VHF channel</i>	<i>Method</i>
Torres Strait (Goods Island)	10° 33'.9 S 142° 04'.4 E	79	Launch

228* AUSTRALIA - NEW SOUTH WALES - Port Kembla - Chart limits

Australian Hydrographic Service (AA316016)

Aus 808 [180/2008]

Insert	magenta limits, with legend Aus 195 in NE corner, between	34° 32'.36 S 34° 32'.36 S 34° 18'.40 S 34° 18'.40 S 34° 32'.36 S	150° 53'.00 E 151° 03'.63 E 151° 03'.63 E 150° 53'.00 E 150° 53'.00 E
Delete	magenta limits, with legend Aus 195, centred on	34° 26'.0 S	150° 55'.0 E

229* AUSTRALIA - QUEENSLAND - Brisbane River - Fisherman Islands - Infrastructure; depths
Port of Brisbane Corporation (AA316037, AA316038)

Aus 237 [89/2008]

Insert	accompanying block	27° 21'.7 S	153° 10'.9 E
--------	------------------------------------	-------------	--------------

230* AUSTRALIA - QUEENSLAND - Wide Bay Harbour - Inskip Point - Depths; nav aids

Australian Hydrographic Service (AA316614), Bebbington Cartographics Pty Ltd (DHDB 518463, mAA114575)),
Maritime Safety Queensland

Aus 817 [852/2007]

Insert	accompanying block	25° 45'.0 S	153° 00'.0 E
--------	------------------------------------	-------------	--------------

Substitute	accompanying note	25° 45'.0 S	152° 27'.0 E
------------	-----------------------------------	-------------	--------------

231* AUSTRALIA - QUEENSLAND - Pompey Reef - Wreck southwards

Former Notice - 886(T)/2007 is cancelled
Maritime Safety Queensland Notice 78/2008 (AA313090)

Aus 426 [1052/2007]

Insert	wreck with safe clearance depth, 23fm	21° 10'.3 S	150° 32'.9 E
	depth, 13fm, enclosed by danger circle, with legend <i>Wk</i>	24° 04'.7 S	151° 59'.9 E
	wreck with safe clearance depth, 13fm	23° 01'.8 S	151° 24'.3 E

Delete	depth 28fm	21° 11'.4 S	150° 35'.2 E
	depth 13fm	24° 02'.5 S	151° 59'.1 E
	depth 23fm	23° 00'.0 S	151° 26'.0 E

Aus 823 [906/2007]

Insert	wreck with safe clearance depth, 42m	21° 10'.29 S	150° 32'.92 E
--------	--------------------------------------	--------------	---------------

Delete	depth 52m	21° 09'.8 S	150° 33'.1 E
--------	-----------	-------------	--------------

Aus 4620 (INT 620) [1009/2007]

Insert	wreck with safe clearance depth, 42m	21° 10'.3 S	150° 32'.9 E
--------	--------------------------------------	-------------	--------------

Delete	depth 40m	21° 10'.9 S	150° 28'.0 E
--------	-----------	-------------	--------------

Aus 4621 (INT 621) [150/2008]

Insert	wreck with safe clearance depth, 42m	21° 10'.3 S	150° 32'.9 E
--------	--------------------------------------	-------------	--------------

Delete	depth 40m	21° 10'.9 S	150° 28'.0 E
--------	-----------	-------------	--------------

232* AUSTRALIA - TORRES STRAIT - Stephens Islet - Rock
RANOTI (AA314846)

Aus 376 [953/2007]

Insert	rock which covers and uncovers, with legend (2 _g)	9° 30'.07 S	143° 32'.95 E
--------	---	-------------	---------------

Delete	rock with legend (2 _g)	9° 30'.2 S	143° 33'.1 E
	tower	9° 30'.4 S	143° 32'.9 E

Aus 377 [953/2007]

Insert	rock which covers and uncovers, with legend (2 _g)	9° 30'.07 S	143° 32'.95 E
--------	---	-------------	---------------

Delete	rock with legend (2 _g)	9° 30'.2 S	143° 33'.1 E
	tower	9° 30'.4 S	143° 32'.9 E

Aus 840 [1057/2007]

Insert	rock which covers and uncovers, with legend (2 _g)	9° 30'.07 S	143° 32'.95 E
--------	---	-------------	---------------

Delete	rock with legend (2 _g)	9° 30'.2 S	143° 33'.1 E
--------	------------------------------------	------------	--------------

AX 60377 [NC 12/11/2007]

Insert	rock which covers and uncovers, with legend (2 _g)	9° 30'.07 S	143° 32'.95 E
--------	---	-------------	---------------

Delete	rock with legend (2 _g)	9° 30'.2 S	143° 33'.1 E
	tower	9° 30'.4 S	143° 32'.9 E

233* PAPUA NEW GUINEA - Modewa Bay - Reef delineation
 Australian Hydrographic Service (AA316114)

Aus 507 [954/2007]

Insert [accompanying block](#) 10° 42'.0 S 150° 20'.0 E

234* PAPUA NEW GUINEA - Marshall Bennett Islands - Depths; ZOC diagram
 HMAS Shepparton HI 430 (AA316130)

Aus 515 [520/2007]

Insert [accompanying block A](#) 8° 41'.0 S 151° 52'.5 E
[accompanying block B](#) 8° 53'.0 S 151° 52'.0 E

Substitute [accompanying ZOC diagram](#) 9° 18'.0 S 151° 16'.5 E

235* PAPUA NEW GUINEA - Wasu - Light beacon
 National Maritime Safety Authority PNG Notice 130/2007 (AA301032, AA314229)

Aus 387 [152/2008]

Insert light beacon, *Fl(2)G.6s 3M*, without topmark 5° 57'.30 S 147° 11'.43 E

236* AUSTRALIA - QUEENSLAND - Torres Strait - Goods Island - Pilot boarding place
 AMSA, Maritime Safety Queensland (AA314845)

Aus 296 [186/2008]

Move pilot boarding place with legend Goods Island 10° 34'.0 S 142° 04'.4 E
 to 10° 33'.99 S 142° 04'.34 E

Aus 700 [1114/2007]

Move pilot boarding place with legend Goods Island 10° 34'.0 S 142° 04'.5 E
 to 10° 33'.90 S 142° 04'.40 E

237* AUSTRALIA - NORTHERN TERRITORY - Darwin and Wickham Point - Nav aids; contour
 UKHO (AA315831, AA315832)

Aus 24 [1117/2007]

Insert	structure colour, <i>R</i>	12° 27'.115 S	130° 48'.839 E
	structure colour, <i>Y</i>	12° 31'.759 S	130° 51'.124 E
	light flare	12° 26'.594 S	130° 51'.543 E
	triangular topmark	12° 31'.476 S	130° 51'.174 E
	contour enclosing depth 14 ₃ m	12° 28'.848 S	130° 49'.757 E
	contour between	12° 30'.44 S	130° 48'.23 E
		12° 30'.46 S	130° 48'.25 E
		12° 30'.48 S	130° 48'.25 E

Amend	contour value to 15	12° 29'.66 S	130° 49'.04 E
	contour value to 15	12° 31'.84 S	130° 51'.03 E

Delete	contour between	12° 30'.44 S	130° 48'.23 E
		12° 30'.48 S	130° 48'.25 E

238* AUSTRALIA - NORTHERN TERRITORY - Darwin - East Arm - Infrastructure
 Darwin Port Corporation (AA315912)

Aus 26 [46/2008]

Insert	continuous line between	12° 29'.395 S	130° 52'.817 E
		12° 29'.295 S	130° 52'.682 E
		12° 29'.281 S	130° 52'.695 E
Delete	line between	12° 29'.40 S	130° 52'.82 E
		12° 29'.38 S	130° 52'.83 E
		12° 29'.28 S	130° 52'.70 E
	contour between	12° 29'.36 S	130° 52'.80 E
		12° 29'.30 S	130° 52'.68 E
	prohibited limit between	12° 29'.22 S	130° 52'.66 E
		12° 28'.77 S	130° 53'.48 E

Aus 28 (plan, East Arm) [1118/2007]

Insert	continuous line between	12° 29'.395 S	130° 52'.817 E
		12° 29'.295 S	130° 52'.682 E
		12° 29'.281 S	130° 52'.695 E
Delete	line between	12° 29'.40 S	130° 52'.82 E
		12° 29'.38 S	130° 52'.83 E
		12° 29'.28 S	130° 52'.70 E
	contour between	12° 29'.36 S	130° 52'.80 E
		12° 29'.30 S	130° 52'.68 E
	prohibited limit between	12° 29'.22 S	130° 52'.66 E
		12° 28'.77 S	130° 53'.48 E

AX 72026 [1116/2007]

Insert	continuous line between	12° 29'.395 S	130° 52'.817 E
		12° 29'.295 S	130° 52'.682 E
		12° 29'.281 S	130° 52'.695 E
Delete	line between	12° 29'.40 S	130° 52'.82 E
		12° 29'.38 S	130° 52'.83 E
		12° 29'.28 S	130° 52'.70 E
	contour between	12° 29'.36 S	130° 52'.80 E
		12° 29'.30 S	130° 52'.68 E
	prohibited limit between	12° 29'.22 S	130° 52'.66 E
		12° 28'.77 S	130° 53'.48 E

239* AUSTRALIA - WESTERN AUSTRALIA - Bass Pass - Recommended tracks; depths

Australian Hydrographic Service (AA316658), Port Walcott Pilots (AA316133)

Aus 55 [634/2006]

Insert	accompanying block	20° 27'.0 S	117° 26'.0 E
Substitute	accompanying note	20° 34'.0 S	117° 02'.0 E
Delete	note, TRAFFIC REGULATIONS, centred on	20° 31'.5 S	117° 02'.5 E

Aus 56 [678/2005]

Substitute	accompanying note	20° 37'.6 S	117° 10'.1 E
------------	-----------------------------------	-------------	--------------

240* AUSTRALIA - WESTERN AUSTRALIA - Port Walcott - Lights

North West Marine Services (AA314353)

Aus 55 [239/2008]

Insert	light, <i>F.Bu</i>	20° 35'.354 S	117° 11'.083 E
Amend	light to <i>F.Bu</i>	20° 35'.29 S	117° 11'.17 E

Aus 56 [239/2008]

Amend	light to <i>F.Bu</i>	20° 35'.29 S	117° 11'.17 E
	light to <i>F.Bu</i>	20° 35'.36 S	117° 11'.08 E

241* AUSTRALIA - WESTERN AUSTRALIA - Fremantle - Deepwater Channel - Light buoy
Fremantle Ports Notice 2/2008 (AA313868)

Aus 112 [194/2008]

Substitute	special spherical light buoy, <i>F(5)Y.20s</i> , without topmark for light buoy	31° 58'.79 S	115° 41'.38 E
------------	---	--------------	---------------

242* AUSTRALIA - WESTERN AUSTRALIA - Cockburn Sound - Sulphur Bay - Beacon

Former Notice - 1089(T)/2005 is cancelled
HMAS *Stirling* (AA315854)

Aus 111 (inset, Sulphur Bay) [155/2008]

Delete	beacon	32° 10'.62 S	115° 40'.70 E
--------	--------	--------------	---------------

243* AUSTRALIA - WESTERN AUSTRALIA - Bunbury - Anchorages; pilot boarding place; light beacon

Bunbury Port Authority (AA315668, AA315669)

Aus 115 [195/2008]

Insert	accompanying block	33° 16'.7 S	115° 37'.2 E
--------	------------------------------------	-------------	--------------

Aus 115 (plan, Port of Bunbury)

Insert	accompanying block	33° 16'.7 S	115° 37'.3 E
--------	------------------------------------	-------------	--------------

Delete	east cardinal topmark	33° 18'.26 S	115° 38'.84 E
--------	-----------------------	--------------	---------------

244* AUSTRALIA - SOUTH AUSTRALIA - Murat Bay - Ceduna - Light beacon

Department for Transport, Energy and Infrastructure SA (AA313556)

Aus 120 [566/2007]

Insert	starboard lateral light beacon, <i>Q.G.3M</i> , without topmark	32° 08'.29 S	133° 39'.84 E
--------	---	--------------	---------------

245* AUSTRALIA - South Australia to New South Wales - Chart notes

Australian Hydrographic Service (AA313115, AA313107)

Aus 169 (plan, Schouten Passage) [964/2007]

Substitute	accompanying note for OFC note in N border	42° 49'.0 S	147° 53'.5 E
------------	--	-------------	--------------

Aus 343 [213/2007]

Substitute	accompanying note for NA note	36° 12'.0 S	134° 00'.0 E
	accompanying note for TSA note	36° 15'.0 S	134° 12'.0 E

Aus 345 [314/2007]

Substitute	accompanying note for OFC note	34° 31'.5 S	136° 53'.0 E
	accompanying note for AMJ note	34° 29'.0 S	137° 05'.0 E

Aus 346 [314/2007]

Substitute	accompanying note for OFC note	37° 01'.0 S	135° 50'.0 E
	accompanying note for TSA note	37° 03'.0 S	135° 50'.0 E

Aus 347 [314/2007]

Substitute	accompanying note for OFC note	35° 52'.0 S	139° 35'.0 E
	accompanying note for TSA note	35° 50'.0 S	139° 45'.0 E

Aus 357A [967/2007]

Substitute	accompanying note for OFC note	38° 11'.0 S	146° 30'.0 E
	accompanying note for OGP note	38° 12'.0 S	146° 41'.0 E

Aus 364 [1051/2007]

Substitute	accompanying note for OFC note	28° 48'.0 S	152° 58'.0 E
	accompanying note for AMJ note	28° 43'.0 S	153° 10'.0 E

Aus 423 [143/2008]

Substitute	accompanying note for OFC note	34° 03'.0 S	148° 41'.0 E
	accompanying note for OGP note	34° 26'.0 S	149° 19'.0 E

Aus 424 [143/2008]Substitute [accompanying note](#) for OFC note

26° 57'.0 S

151° 48'.0 E

Aus 777 [101/2008]Insert [accompanying note](#)

33° 54'.5 S

136° 32'.5 E

Substitute [accompanying note](#) for LMA note

33° 50'.0 S

136° 32'.0 E

Aus 778 [1019/2007]Substitute [accompanying note](#) for OFC note

33° 50'.5 S

137° 56'.0 E

[accompanying note](#) for LMA note

33° 51'.5 S

137° 56'.0 E

[accompanying note](#) for OGP note

33° 51'.0 S

138° 02'.0 E

Aus 780 [962/2007]Substitute [accompanying note](#) for PR note

35° 16'.0 S

138° 40'.0 E

[accompanying note](#) for OFC note

35° 23'.0 S

138° 40'.0 E

[accompanying note](#) for MF note

35° 18'.5 S

138° 40'.0 E

246(T)/2008 AUSTRALIA - QUEENSLAND - Moreton Island - Live firing northeastwards*Date - Until 28 March 2008*

Royal Australian Air Force (AA315913)

Military exercise area R667A will be activated for a live firing from 25 to 28 March 2008, in the area bounded by positions (WGS84 datum):

26° 20' S 154° 30' E

26° 20' S 155° 10' E

27° 00' S 154° 30' E

27° 00' S 155° 10' E

Chart temporarily affected - Aus 365 - Aus 424**247(T)/2008 AUSTRALIA - QUEENSLAND - Mooloolaba - Lights unlit; light buoys established***Former Notice - 202(T)/2008 is cancelled*

Maritime Safety Queensland Notice 130(T)/2008 (AA317863)

Lights K2908.3 (26° 40'.94 S 153° 08'.14 E (WGS84 datum)) and K2908.31 (26° 40'.97 S 153° 08'.18 E) are unlit.

A port lateral light buoy, *Q.R*, exists in position 26° 40'.73 S 153° 07'.88 E.

A west cardinal light buoy, *Q(9)15s*, exists in position 26° 40'.77 S 153° 07'.88 E.

The buoys have been established to mark a shoal area of least depth *1.1 metres* that extends westward across the channel from the No 2 beacon (26° 40'.75 S 153° 07'.96 E). Entry and exit from the Mooloolah River should be achieved by passing between No 1 beacon (26° 40'.81 S 153° 07'.94 E) and the west cardinal light buoy.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 235**248(T)/2008 AUSTRALIA - QUEENSLAND - Great Sandy Strait - Light beacon destroyed**

Maritime Safety Queensland Notice 125(T)/2008 (AA316919)

Fairway safe water light beacon K2938.6 (25° 08'.5 S 152° 49'.9 S (WGS84 datum)) has been destroyed; a safe water light buoy, *LFI.10s*, has been established in situ.

Chart temporarily affected - Aus 241 - Aus 365 - Aus 817**249(T)/2008 AUSTRALIA - QUEENSLAND - Gladstone - Harbour works***Former Notice - 778(T)/2007 is cancelled*

Maritime Safety Queensland Notice 111(T)/2008 (AA316179)

Harbour works are in progress at Boyne Wharf (23° 51'.24 S 151° 19'.26 E). Appropriate signals are displayed at both extremities of the wharf.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 244 - Aus 245 - Aus 246**250(T)/2008 AUSTRALIA - QUEENSLAND - Gladstone - Dredging operations***Date - Until 30 April 2008*

Maritime Safety Queensland Notice 119(T)/2008 (AA316242)

The dredges *Wombat*, *Akuna* and *Oxley*, are conducting dredging operations in Targinie Channel. The dredges will monitor VHF Ch 13 and Ch 16. They will display the appropriate lights and signals. Internal dredging communications will be conducted on VHF Ch 72 and mariners are requested to avoid using this channel.

During dredging operations the vessels will be using anchors and a floating pipe from the stern of the dredge to the shore at Fishermans Landing. All vessels are requested to give these operations a wide berth. Vessel access between Fishermans Landing Berths and the shore will be prohibited for the duration of the operations.

Chart temporarily affected - Aus 244 - Aus 245

251(T)/2008 AUSTRALIA - QUEENSLAND - Whitsundays - Black Island - Light beacon destroyed
Maritime Safety Queensland Notice 104(T)/2008 (AA316254)

Light beacon K3067.3 (20° 04'.57 S 148° 53'.58 E) has been destroyed.

Chart temporarily affected - Aus 252 - Aus 254

252(T)/2008 AUSTRALIA - QUEENSLAND - Port Douglas - Depth information

Former Notice - 64(T)/2007 is cancelled

Maritime Safety Queensland Notice 886(T)/2007 (AA307483). *Note:* Notice 117(T)/2008 refers

Cancel this notice on receipt.

Chart formerly affected - Aus 270

253(T)/2008 PAPUA NEW GUINEA - Boera Head - Light unlit

National Maritime Safety Authority PNG Notice 150/2008 (AA318027)

Light K3463.8 (9° 23'.50 S 147° 00'.80 E) is unlit.

Chart temporarily affected - Aus 379

254(T)/2008 PAPUA NEW GUINEA - Port Moresby - Basilisk Passage - Light unlit

National Maritime Safety Authority PNG Notice 151/2008 (AA318028)

Light K3458.2 (9° 32'.03 S 147° 07'.76 E) is unlit.

Chart temporarily affected - Aus 505 - Aus 621

255(T)/2008 PAPUA NEW GUINEA - Mackenzie Shoal - Light unlit

National Maritime Safety Authority PNG Notice 148/2008 (AA318025)

Light K3500 (04° 15'.42 S 152° 13'.44 E) is unlit.

Chart temporarily affected - Aus 397 - Aus 545 - Aus 554 - Aus 680

256(T)/2008 PACIFIC OCEAN - Scientific instruments

Former Notices - 1133(T)/2006 & 660(T)/2007 are cancelled
JAMSTEC (AA315442)

Scientific instruments exist as follows:

<i>Number</i>	<i>Position</i>
4	0° 01'.01 S 156° 02.46 E
5	2° 00'.89 S 155° 57.34 E
6	5° 01'.98 S 156° 01.39 E
9	0° 03'.68 S 147° 00.49 E

Chart temporarily affected - Aus 399 - Aus 4622 (INT 622)

257(T)/2008 AUSTRALIA - QUEENSLAND - Weipa - Depth information

Former Notice - 581(T)/2007 is cancelled

Maritime Safety Queensland Notice 29(T)/2008 (AA308419). *Note:* Notice 124(T)/2008 refers

Cancel this notice on receipt.

Chart formerly affected - Aus 4

258(T)/2008 AUSTRALIA - WESTERN AUSTRALIA - Scott Reef to Wildcat Reefs - Scientific instruments
Former Notice - 892(T)/2007 is cancelled
 MetOcean (AA286744, AA316885)

Scientific instruments exist as follows:

<i>Position (WGS84 datum)</i>	<i>Remarks</i>
14° 06'.99 S 121° 55'.88 E	subsurface
14° 09'.89 S 121° 52'.76 E	subsurface
14° 11'.66 S 121° 53'.00 E	subsurface
14° 56'.35 S 122° 37'.34 E	subsurface

Chart temporarily affected - Aus 43 - Aus 322

259(T)/2008 AUSTRALIA - WESTERN AUSTRALIA - Dampier - Light buoy established
 Dampier Port Authority Notice 5/2008 (AA316219)

A special pillar light buoy, *Fl.Y.3s*, exists in position 20° 34'.56 S 116° 45'.39 E.

Chart temporarily affected - Aus 58 - Aus 59

260(T)/2008 AUSTRALIA - WESTERN AUSTRALIA - Dampier - Mermaid Sound - Dredging operations; exclusion zone
 Dampier Port Authority Notices 3/2008 & 6/2008 (AA316310, AA316886, AA316887)

Harbour works are in progress in the vicinity of Holden Point (20° 36'.2 S 116° 45'.5 E) for the Pluto Project.

An exclusion zone exists around Holden Point with radius 0.5M from point 20° 36'.199 S 116° 45'.498 E.

All vessels other than those which have been approved and are associated with the project are required to stay clear of the area.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 57 - Aus 58 - Aus 59

261(T)/2008 AUSTRALIA - WESTERN AUSTRALIA - Dampier - Mermaid Sound - Dredging operations
Former Notice - 169(T)/2008 is cancelled
 Dampier Port Notice 51/2007 (AA303922)

The dredges *Cornelius Zanen* and *Phoenix*, are conducting dredging operations between 20° 36'.4 S 116° 45'.5 E and 20° 33'.1 S 116° 42'.8 E (WGS84 Datum). The dredges will monitor VHF Ch 11 and coordinate with traffic operations. They will display the appropriate lights and signals.

The dredge material will be discharged at spoil ground (20° 22'.8 S 116° 42'.2 E (WGS84 Datum)).

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 57 - Aus 58 - Aus 59 - Aus 741

262(T)/2008 AUSTRALIA - WESTERN AUSTRALIA - Oakajee River - Scientific instruments westward
Former Notice - 1104(T)/2006 is cancelled
 MetOcean (AA209961, AA316885)

Scientific instruments, exist as follows:

<i>Position (WGS84 datum)</i>	<i>Remarks</i>
28° 35'.09 S 114° 34'.55 E	4 white poly-floats
28° 35'.11 S 114° 34'.53 E	sub-surface
28° 35'.37 S 114° 33'.93 E	4 white poly-floats
28° 35'.37 S 114° 33'.91 E	sub-surface

Chart temporarily affected - Aus 751

263(P)/2008 AUSTRALIA - WESTERN AUSTRALIA - Guilderton - Light to be altered*Date* - On or about 17 March 2008

Australian Maritime Safety Authority ATH 9/2008 (AA315775)

The range of light K1757.5 (31° 20'.36 S 115° 29'.50 E) will be altered to 19M.

Chart which will be affected - Aus 334 - Aus 417 - Aus 754**264(P)/2008 AUSTRALIA - SOUTH AUSTRALIA - Cape du Couedic - Light to be altered***Date* - On or about 28 March 2008

Australian Maritime Safety Authority ATH 4/2008 (AA315777)

The range of light K2010 (36° 03'.50 S 136° 42'.28 E (WGS84 datum)) will be altered to 15M.

Chart which will be affected - Aus 343 - Aus 346 - Aus 444 - Aus 4727 (INT 727)**265(T)/2008 AUSTRALIA - SOUTH AUSTRALIA - Port Augusta - Bluff Reach - Light beacon destroyed***Former Notice* - 172(T)/2008 is cancelled

Department for Transport, Energy and Infrastructure SA Notice 3/2008 (AA310768)

No 9 light beacon K1952 (32° 39'.0 S 137° 46'.2 E) has been destroyed; light buoy Q(9) 15s has been established in situ.

Chart temporarily affected - Aus 344 - Aus 778**266(P)/2008 AUSTRALIA - SOUTH AUSTRALIA - Corny Point - Light to be altered***Date* - On or about 15 June 2008

Australian Maritime Safety Authority ATH 8/2008 (AA315779)

The range of light K1996 (34° 53'.80 S 137° 00'.65 E (WGS84 datum)) will be altered to 16/13M.

Chart which will be affected - Aus 343 - Aus 344 - Aus 345 - Aus 444 - Aus 776

267(T)/2008 AUSTRALIA - SOUTH AUSTRALIA - Adelaide - Bridge construction; exclusion zones; light buoys established

Former Notice - 992(T)/2007 is cancelled

Department for Transport, Energy and Infrastructure SA Notice 14/2008 (AA318046, AA318045)

Exclusion zones, prohibiting all unauthorised marine activity, exist during bridge construction.

Vessels not restricted by the minimum vertical clearance of 6.6 metres (HAT), wishing to pass the exclusion zone must do so via a temporary channel of width 30m. The sides of the channel are marked by lateral light buoys as follows:

Western:

Position	Remarks
34° 50'.283 S 138° 30'.383 E	Starboard lateral Q.G
34° 50'.317 S 138° 30'.367 E	Starboard lateral Q.G

Eastern:

Position	Remarks
34° 50'.300 S 138° 30'.400 E	Port lateral Q.R
34° 50'.333 S 138° 30'.383 E	Port lateral Q.R

Cardinal light buoys marking the northern and southern boundaries of the exclusion zones, exist as follows:

Western:

Position	Remarks
34° 50'.317 S 138° 30'.350 E	South cardinal VQ(6)+LFl. 10s
34° 50'.250 S 138° 30'.367 E	North cardinal Q

Eastern:

Position	Remarks
34° 50'.333 S 138° 30'.417 E	South cardinal VQ(6)+LFl. 10s
34° 50'.267 S 138° 30'.433 E	North cardinal Q

Vessels which are restricted by vertical clearance wishing to pass through the temporary channel must apply for access in regard to the following notice periods:

A minimum of one months notice for the periods:

27 February to 22 April
12 May to 30 May
2 July to 31 July

A minimum of three days notice for the periods:

23 April to 11 May
27 May to 30 May
2 July to 31 July

For permission to access through the channel and for all enquiries contact Abigroup Contractors on 1300 130 653.

The construction plant and equipment exhibit the appropriate lights and shapes.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 137

268(T)/2008 AUSTRALIA - SOUTH AUSTRALIA - Wirrina Cove - Shoaling

Department for Transport, Energy and Infrastructure SA Notice 9/2008 (AA315237, AA315236)

Shoaling, least depth 1.6 m, exists in position 35° 30'.04 S 138° 14'.42 E (WGS84 datum).

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 125

269(P)/2008 AUSTRALIA - SOUTH AUSTRALIA - Cape Jervis - Light to be altered

Date - On or about 19 March 2008

Australian Maritime Safety Authority ATH 6/2008 (AA315774)

The range of light K2092 (35° 36'.23 S 138° 05'.67 E (WGS84 datum)) will be altered to 16M.

Chart which will be affected - Aus 125 - Aus 345 - Aus 347 - Aus 444 - Aus 780

270(P)/2008 AUSTRALIA - SOUTH AUSTRALIA - Cape Martin - Light to be altered*Date* - On or about 12 May 2008

Australian Maritime Safety Authority ATH 7/2008 (AA315778)

The range of light K2126 (37° 29'.43 S 140° 00'.74 E) will be altered to 16M.

Chart which will be affected - Aus 127 - Aus 127 - Aus 347 - Aus 348**271(T)/2008 AUSTRALIA - VICTORIA - Cape Nelson - Light buoy established southwards***Date* - Until 20 December 2008

Victorian Notice 160(T)/2007 (AA306750)

A special spar light buoy, *Fl.Y.4s*, exists in position 38° 29'.5 S 141° 33'.6 E.**Chart temporarily affected - Aus 140****272(P)/2008 AUSTRALIA - TASMANIA - Table Cape - Light to be altered***Date* - On or about 13 March 2008

Australian Maritime Safety Authority ATH 5/2008 (AA315776)

The range of light K3532 (40° 56'.76 S 145° 43'.73 E (WGS84 datum)) will be altered to 16/13M.

Chart which will be affected - Aus 422 - Aus 487 - Aus 799**273(T)/2008 AUSTRALIA - VICTORIA - Port Albert - Harbour works completed***Former Notice* - 457(T)/2007 is cancelled

Victorian Notice 30/2008 (AA316175)

Cancel this notice on receipt.

Chart formerly affected - Aus 181 - Aus 182

II

AMENDMENTS TO ADMIRALTY LIST OF LIGHT AND FOG SIGNALS VOLUME K 2008/09

Edition No 5 dated 14 March 2008

Last Amendment: Edition No 4 dated 29 February 2008

K0938-41	- Parit. Ldg Lts 156°. Rear (I)	2 26-50 S 104 56-22 E	Oc W 3s	17	10	White ▽ on white beacon 15	<i>ec 1.</i> Vis 151°-157°(6°)
		*	*			*	*
K0939-8	- Upang (I)	2 42-83 S 104 57-21 E	Fl R 3s	12	7	Red □ on white beacon 10	<i>fl 1</i>
		*	*				*
K1000	- Tg Ular (I)	1 57-50 S 105 07-50 E	Fl(2) W 19-5s	20	25	White metal framework tower 40	<i>fl 1-5, ec 2-5, fl 1-5, ec 14.</i> 015°-230°(215°)
			*	*	*	*	*
K1002	Pulau Penyusu (I)	1 31-78 S 105 41-43 E	Fl W 7-5s	36	18	White metal tower 40	090°-262°(172°)
		*	*				*
K1780-755	- Pier Head	32 13-76 S 115 41-64 E	Iso G 4s				
			*				
K1780-758	- Small boat harbour. Breakwater. Outer Dolphins	32 13-92 S 115 41-42 E	Q(3) Y 10s				
*	*	*	*	*	*	*	*
K1780-762	- Small boat harbour. Slipway	32 13-80 S 115 41-30 E	Fl G 3s	..	..	Beacon	
*	*	*	*	*	*	*	*
K1780-763	- Small boat harbour. Slipway	32 13-80 S 115 41-29 E	Fl G 3s	..	..	Beacon	
*	*	*	*	*	*	*	*
K1780-765	Remove from list						
K1952	- No 9. Bluff Reach	32 39-08 S 137 46-15 E	Fl WR 4s	6	W5 R4	Green △ on green beacon	W 333°-184°(211°), R 184°-333°(149°). Tide gauge. Destroyed; light buoy Q(9)W 15s in situ (T) 2008
							*
K1974-4	- DREDGED CHANNEL. No 1	33 54-37 S 137 33-83 E	FFI G 6s	..	..	Green △ on green beacon	Destroyed (T) 2008
							*
K2723	- Swansea Heads. Ldg Lts 131-3°. Front	33 05-30 S 151 39-75 E	F G				
	*	*	*				
K2723-1	- Swansea Heads. Ldg Lts 131-3°. Rear	33 05-32 S 151 39-78 E	F G				
*	*	*	*	*	*	*	*
K2723-5	- Swansea Heads	33 05-28 S 151 39-62 E	2 Q Y(hor)				
*	*	*	*	*	*	*	*
K2753	- Pilot Wharf	32 55-41 S 151 47-35 E	Fl R 3s	..	..	..	PA
*	*	*	*	*	*	*	*

Volume K *continued*

K3048	Bailey Islet. E Summit (COM)	21 01-85 S 149 32-97 E	Fl W 5s	36	10	White square tower 5	<i>fl 1.</i> Range to be increased to 15M (P) March 2008
							*
K3065-7	Surprise Rock	20 21-30 S 149 01-60 E	Fl(2)W 6s	..	..	Black $\bigcirc$ on black beacon, red band	Destroyed (T) 2008
							*
K3207-65	- No 2	15 27-24 S 145 15-36 E	Fl R 2-5s	..	..	Red $\square$ on beacon	
*	*	*	*	*	*	*	*
K3207-75	- No 4	15 27-36 S 145 15-22 E	Fl R 2-5s	..	..	Red $\square$ on beacon	
	*	*					*
K3207-85	- No 6	15 27-47 S 145 15-09 E	Fl R 2-5s	..	..	Red $\square$ on beacon	
*	*	*	*	*	*	*	*
K3268-85	- Thursday Island. Ellis Channel	10 35-34 S 142 14-19 E	Fl R 2-5s	..	..	Red $\square$ on beacon	
*	*	*	*	*	*	*	*
K3268-9	- Thursday Island. Ellis Channel	10 35-23 S 142 14-37 E	Fl R 2-5s	..	..	Red $\square$ on beacon	
*	*	*	*	*	*	*	*
K3464	Idihi Island	9 25-74 S 146 52-89 E	Fl(2) W 5s	23	10	Framework tower	
							*
K3490-32	- Kimbe Bay. Bialla. No 12	5 16-54 S 150 57-85 E	Fl(2) W 10s	13	10	White 3-pile 13	<i>fl 0-5, ec 1, fl 0-5, ec 8</i>
			*				*
K3498	- SIMPSON HARBOUR. Rabaul. Ldg Lts 349°45'. Front	4 11-94 S 152 10-13 E	Fl W 2s	28	10	Framework tower 25	<i>fl 0-4.</i> TE 2008
							*
K3588	- No 2	41 09-60 S 146 55-00 E	Fl R 3s	..	..	Red beacon	Destroyed (T) 2008
							*
K3725-4	- KIOREROA REACH. K14	35 45-80 S 174 21-00 E	Q R	5	2	Red $\square$ on pile	Withdrawn (T) 2008
							*
K3725-6	- KIOREROA REACH. K15	35 45-70 S 174 21-10 E	Q G	5	1	Green $\triangle$ on pile	Withdrawn (T) 2008
							*
K3727	- PORT WHANGAREI. K21	35 45-20 S 174 21-10 E	Q G	..	..	Green $\triangle$ on pile	Withdrawn (T) 2008
							*
K3728-5	- PORT WHANGAREI. K25	35 45-00 S 174 21-10 E	Q G	5	2	Green $\triangle$ on pile	Withdrawn (T) 2008
							*

Volume K *continued*

K3833	- Whau River. No 1	36 50-00 S 174 41-96 E	Q G	3	2	Green △ on wooden pile 3	
*	*	*	*	*	*	*	*
K3834-5	- Whau River. No 4	36 50-83 S 174 40-57 E	Q R	3	2	Red □ on wooden pile 3	
*	*	*	*	*	*	*	*
K3835-5	- Whau River. No 7	36 50-73 S 174 41-15 E	Q G	3	2	Green △ on wooden pile 3	
*	*	*	*	*	*	*	*
K4377	Otago Peninsula. St Kilda. Pier	45 54-63 S 170 31-32 E	Oc R 5s	6	2	..	Works in progress (T) 2008
							*

III

NAVIGATION WARNINGS

The following radio messages have been received during the period to 29 February 2008. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNING

- 038 Cancelled.
- 039 Cancelled.
- 040 Cancelled.
- 041 Cancelled.
- 042 Cancelled.
- 043 Special purpose vessel *OMS Discovery* conducting operations between 13° 40'.0 S 126° 34'.0 E to 12° 17'.0 S to 124° 19'.0 E.
- 044 Point Cartwright light K2907.8 in position 26° 40'.9 S 153° 08'.3 E altered.
- 045 Special purpose vessel *Ocean Endeavor* conducting seismic survey in area 17° 36'.0 S to 19° 26'.0 S and 114° 12'.0 E to 116° 21'.0 E. 6M clearance requested.
- 046 Special purpose vessel *Akademik Fersman* conducting seismic survey in area 12° 26'.6 S to 17° 11'.5 S and 118° 21'.3 E to 123° 21'.3 E. 2.5M clearance requested.
- 047 Drill rig *Ensco 106* in position 20° 17'.43 S 116° 14'.77 E. 2.5M clearance requested.
- 048 Drill rig *Ocean Bounty* in position 19° 53'.40 S 115° 16'.80 E. 2.5M clearance requested.
- 049 Special purpose vessel *Pacific Explorer* conducting seismic survey towing 6 x 3M cables in area 39° 47'.0 S to 40° 12'.0 S and 142° 47'.0 E to 143° 23'.0 E. 5M clearance requested.
- 050 Drill rig *Atwood Eagle* in position 19° 15'.36 S 113° 07'.52 E. 2.5M clearance requested.
- 051 Drill rig *Stena Clyde* in position 20° 36'.04 S 114° 55'.09 E. 2.5M clearance requested.
- 052 Special purpose vessel *Veritas Voyager* conducting seismic survey in area 14° 30'.0 S to 15° 00'.0 S and 121° 20'.0 E to 122° 10'.0 E towing 4 x 2.5M cables. 5M clearance requested.
- 053 Special purpose vessel *CGG Symphony* conducting seismic survey in area 19° 40'.0 S to 20° 45'.0 S and 113° 15'.0 E to 114° 30'.0 E towing 10 x 4M cables. 5M clearance requested.
- 054 Port Walcott buoy in position 20° 29'.0 S 117° 26'.7 E off station.

NAVAREA X WARNINGS

Nil issued.

Navigational warnings in force as at 290001UTC FEB 08.

Auscoast

2007 235 280 349

2008 014 016 020 021 024 034 035 043 044 045 046 047 048 049 050 051 052 053 054

Navarea X

2007 008.

Summary of mobile drilling rigs as at 290001UTC FEB 08.

Name	Position
Wilcraft	29° 14'.83 S 114° 44'.61 E
West Atlas	10° 12'.37 S 128° 46'.48 E
Sedco 703	21° 29'.00 S 113° 59'.00 E
Ocean Epoch	13° 47'.02 S 123° 24'.37 E
Atwood Eagle	19° 15'.36 S 113° 07'.52 E
Ocean Bounty	19° 53'.40 S 115° 16'.80 E
Jack Bates	19° 40'.47 S 114° 55'.29 E
Ensco 106	20° 17'.43 S 116° 14'.77 E
Songa Mercur	20° 07'.00 S 115° 01'.40 E
Stena Clyde	20° 36'.04 S 114° 55'.09 E
Nan Hai 6	21° 27'.50 S 114° 02'.50 E
West Triton	38° 29'.17 S 147° 15'.86 E

III

NAVAREA XIV WARNINGS

002 Cancelled.
003 Cancelled.
004 Cancelled.
005 Cancelled.
006 Cancelled.
007 Cancelled.
008 Cancelled.
009 Cancelled.
010 Cancelled.
011 Cancelled.
012 Cancelled.
013 Cancelled.
014 Cancelled.

Navarea XIV warnings in force as at 290001UTC FEB 08.

001

HYDROGRAPHIC REPORTS

<i>Locality</i>	<i>Report</i>	<i>Ship/Authority</i>	<i>Observer</i>
NSW- Wollongong	Wreck		J Pease
PNG- Hood Point	Discoloured water	MV <i>Cape Lambert</i>	R Teichmann

AMENDMENTS TO ADMIRALTY LIST OF RADIO SIGNALS 2008

Edition No 5 dated 14 March 2008

VOLUME 2, NP 282, 2008/09

Published BA Wk 7/08
(Last Amendments: Edition No 4 dated 29 February 2008)

RADAR BEACONS

Page 33, FINLAND section.

58960 Jaktgrund Lt Bn.

Delete (3 & 10 cm) and replace by: (10 cm)

Finnish Maritime Administration Ad8/08

Page 52, UKRAINE section.

70860 Prorvinskiy Lt.

Delete entry

Russian Notice 5/359/08 Ad8/08

Page 52, UKRAINE section.

70900 Shahany Lt.

Delete entry

Russian Notice 5/361/08 Ad8/08

Page 52, UKRAINE section.

70940 Sanzhiys'ky Lt.

Delete entry

Russian Notice 5/363/08 Ad8/08

Page 55, MOROCCO (Atlantic Coast) section.

72180 Casablanca Approach Lt Buoy CA1.

Delete entry

Spanish Notice 5/30/08 Ad8/08

Page 57, ANGOLA (Cabinda) section.

Insert:

Mafumeira Platform Racon 5°37'·11S 11°54'·75E **73220**
D

CABGOC Marine Advisor Ad8/08

Page 59, MAURITIUS section.

74260 Port Louis Lt Bn

Delete entry and replace by:

Port Louis Lt Bn Racon 20°08'·28S 57°28'·44E **74260**
(3 & 10 cm) 5-7 n miles **T**

Captain A Coopen, Mauritius Ad8/08

Page 70, INDIA section.

Insert:

Vilinjam Lt Racon 8°22'·95N 76°58'·87E **79093**
O

Indian Notice 3/94/08 Ad8/08

Page 70, INDIA section.

Insert:

Porto Novo Lt Racon 11°30'·35N 79°46'·28E **79127**
B

Indian Notice 3/95/08 Ad8/08

Page 81, CHINA section.

Insert:

Xia Yu Lt Racon 28°23'·61N 121°54'·57E **81637**
Z

Chinese Notice 6/132/08 Ad8/08

Page 126, UNITED STATES (Gulf Coast) section.

Insert:

Chevron- 116-2 Platform Racon 28°20'·49N 88°15'·94W **96135**
(3 & 10 cm) **B**

United States Notices 6/1115/08 & 6/11360/08 Ad9/08

LEGAL TIME

Page 212, Cuba, Daylight Saving Time, Begins column.

Delete Second Sun in March 0001h LT and replace by: Last Sun in March 0001h LT

OAG Worldwide Ad8/08

VOLUME 3, PART 2, NP 283(2), 2008/09

Published BA Wk 5/08
(Last Amendments: Edition No 4 dated 29 February 2008)

MARITIME SAFETY INFORMATION**Page 4, NAVAREA CO-ORDINATORS, NAVAREA II (France).**

Delete section and replace by:

NAVAREA II (France)

East Atlantic (48°27'N–6°00'S)

Chief of the Department

"Information et Ouvrages Nautiques"

Service Hydrographique et Océanographique de la Marine (SHOM)

13 Rue du Chatellier, CS 92803

29228 BREST CEDEX 2

France

Telephone: +33 (0)2 98221599

(Chief of Department, Office Hours Mon to Fri)

+33 (0)2 98221667

(NAVAREA II Co-ordinator, Duty Officer H24)

Fax: +33 (0)2 98221432

E-mail: coord.navarea2@shom.fr

Website: www.shom.fr/fr_page/fr_serv_gan/avert.htm

Navarea II Co-ordinator Ad8/08

SAFETYNET**Page 22, EGC SAFETYNET SYSTEM, Transmission schedule for full GMDSS service, NAV/MET AREA XIV, New Zealand.**

Delete and replace by:

XIV	New Zealand	Every 12h & on receipt 0140 1340 Nouvelle Calédonie 0030, 1230 Wallis & Futuna 0250, 1450 Polynesie Française	New Zealand	0330, 0930, 1530, 2130 Warnings 0330, 1530 Synopsis & forecast for high seas area Southern 0930, 2130 Synopsis & forecast for high seas areas Subtropic, Forties & Pacific	POR
-----	-------------	--	-------------	--	-----

(former amendment Ad6/08)

New Zealand MetService & WMO Ad9/08

Page 33, diagram, SafetyNET NAV/METAREA XIV - POR, NEW ZEALAND

Delete diagram and replace by diagram on page 23

New Zealand MetService & WMO Ad9/08

RADIO WEATHER SERVICES AND NAVIGATIONAL WARNINGS**Page 156, FALKLAND ISLANDS, after ECUADOR section.**


Insert new entry:

FALKLAND ISLANDS

FALKLAND ISLANDS FISHERIES DEPARTMENT				51°42'S 57°50'W
	4066.1	RT (HF)		
Weather Bulletins				
0830 LT	Weather forecast for Falkland Islands open waters.			
Navigational Warnings				
0830 LT	Local navigational warnings.			

Falkland Islands Fisheries Department Ad8/08

Figure SN-14



Page 186, NEW ZEALAND, TAUPO MARITIME RADIO, Weather Bulletins and Navigational Warnings sections.

Delete and replace by:

Weather Bulletins	
A-C: 0133 0533 1333 1733 LT G: 0133 0533 0733 1033 1333 1733 2133 LT	Meteorological warnings, synopsis and forecasts for New Zealand coastal areas.
C, E: 0303 1503 LT ² D, F: 0333 1533 LT ²	Meteorological warnings in force for Navarea XIV. Synopsis and forecasts for High Seas Area Southern.
C, E: 0903 2103 LT ² D, F: 0933 2133 LT ²	Meteorological warnings in force for Navarea XIV. Synopsis and forecasts for High Seas Areas Subtropic, Forties and Pacific.
A-C: 0133 0533 0803 1203 1333 1733 2003 LT G: 0133 0533 0733 1033 1333 1733 2133 LT	Coastal reports for shipping.
H: 0603 1403 1803 2203 LT ³	Meteorological warnings, synopsis and forecasts for Chatham Islands.
Navigational Warnings	
A-C: 0133 0533 1333 1733 LT G: 0133 0533 0733 1033 1333 1733 2133 LT	Coastal navigational warnings for New Zealand.
C, E: 0303 0903 1503 2103 LT ² D, F: 0333 0933 1533 2133 LT ²	Navigational warnings in force for Navarea XIV.
H: 0603 1403 1803 2203 LT ³	Navigational warnings for Chatham Islands.
NOTES: (1) Maritime Safety Information will be announced prior to broadcast on VHF Ch 16. (2) Broadcasts made 1 hour later when NZDT is in force (see ALRS 2 for dates). (3) Chatham Is. Local Time is 45 minutes ahead of NZST.	

New Zealand MetService & WMO Ad9/08

Page 187, new diagram, NEW ZEALAND, HIGH SEAS, FORECAST AREAS.

Add new diagram on page 25

New Zealand MetService & WMO Ad9/08

VOLUME 5, NP 285, 2007/08

Published BA Wk 25/07

(Last Amendments: Edition No 4 dated 29 February 2008)

CHAPTER 13 MARITIME SAFETY INFORMATION**Page 210, NAVAREA II (France).**

Delete entry and replace by:

NAVAREA II (France)

East Atlantic (48°27'N–6°00'S)

Chief of the Department

"Information et Ouvrages Nautiques"

Service Hydrographique et Océanographique de la Marine (SHOM)

13 Rue du Chatellier, CS 92803

29228 BREST CEDEX 2

France

Telephone: +33 (0)2 98221599 (Chief of Department, Office hours Mon to Fri)


+33 (0)2 98221667 (NAVAREA II Co-ordinator, Duty Officer H24)

Fax: +33 (0)2 98221432

E-mail: coord.navarea2@shom.fr

Website: www.shom.fr/fr_page/fr_serv_gan/avert.htm

Navarea II Co-ordinator Ad8/08



CHAPTER 14 SAFETYNET

Page 228, EGC SAFETYNET SYSTEM, Transmission schedule for full GMDSS service, NAV/MET AREA XIV, New Zealand.
Delete and replace by:

XIV	New Zealand	Every 12h & on receipt 0140 1340 Nouvelle Calédonie 0030, 1230 Wallis & Futuna 0250, 1450 Polynesie Française	New Zealand	0330, 0930, 1530, 2130 Warnings 0330, 1530 Synopsis & forecast for high seas area Southern 0930, 2130 Synopsis & forecast for high seas areas Subtropic, Forties & Pacific	POR
-----	-------------	--	-------------	--	-----

(former amendment Ad6/08)

New Zealand MetService & WMO Ad9/08

AMENDMENTS TO ADMIRALTY SAILING DIRECTIONS 2008

Nil Amendments