



Australian Notices to Mariners are the authority for correcting Australian Charts

AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 2001 - Copyright restrictions apply to Notices to Mariners



Notices 163-191

List of Temporary and Preliminary Notices in force

Published fortnightly by the Australian Hydrographic Service

B. J. KAUFER,
Hydrographer of Australia

SECTIONS. I. **Australian Notices to Mariners, including blocks and notes.**
III. **Navigational Warnings.**
IV. **Hydrographic Reports.**

New Zealand Notices to Mariners

The substance of these notices should be inserted on the charts affected.

Notices to Mariners information relating to British Admiralty Publications unavailable on this web site at this stage but still available in printed form:-

Section II. Corrections to Admiralty List of Lights, Vol K.
Section V. Amendments to Admiralty List of Radio Signals.
Section VI. Corrections to Sailing Directions.

Bearings are referred to the true compass and are reckoned clockwise from 000° (North) to 359°: those relating to lights are given as seen by an observer from seaward. The range quoted for a light is its nominal range. Fog signals are sounded only during thick or foggy weather, unless otherwise stated. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star () adjacent to the number of a notice indicates that the notice is based on original information.*

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 South Coast Mail Centre, NSW 2521 (Fax 02-4221 8599), e-mail hni.hydro@navy.gov.au or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms, immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rcsaus@amsa.gov.au).

Copies of these notices can be obtained from the AUSTRALIAN HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong, and Agents for the sale of charts and hydrographic publications.

The Commonwealth of Australia is the owner of, or is otherwise responsible for, the copyright in this work. It is protected under the Copyright Act 1968 and international convention. Except as expressly authorised below, the work may not be copied, reproduced, adapted, changed or commercially exploited, in whole or in part, or the format in which it is stored altered, without the prior written permission of the Australian Hydrographic Office. The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit.

© Commonwealth of Australia 2001

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 6

16 March 2001

Notices	Aus Chart
163	Aus 114, 255, 808, 4602 5950A, 5950B, 61203, 61205, 61206, 61209, 65950, 65951, INT 602, NP 282
164	Aus 360, 361, 4708, INT 708
165	Aus 191
166	Aus 198
167	Aus 814
168	Aus 814
169	Aus 235, 365
170	Aus 244
171	Aus 829
172	Aus 373, 375, 832
173	Aus 289, 294, 296, 700
174	Aus 28
175	Aus 414
176	Aus 120
177	Aus 777
178	Aus 344, 778
179	Aus 157
180	Aus 143, 155
181	Aus 154
182	Aus 181
183(T)	Aus 197, 806, 807, 808, 810, 812, 813
184(T)	Aus 814
185(T)	Aus 235, 236, 814
186(T)	Aus 236, 814
187(T)	Aus 236
188(T)	Aus 243
189(T)	Aus 249, 823
190(T)	Aus 256, 257
191(T)	Aus 293, 299

163 AUSTRALIA - Publications.

AHS (01/1128, 01/1130, 01/1135, 01/1426). (AH99/139-02, 99/229-02, 99/228, 99/226-02)

New chart

<i>Chart</i>	<i>Published</i>	<i>Title, limits and description of amendments</i>	<i>Scale</i>	<i>Folio</i>	<i>Index Chart</i>	<i>Price</i>
Aus 808	19/01/01	Australia - East Coast - New South Wales - Jervis Bay to Port Jackson 33° 47' 00" S - 35° 11' 00" S 150° 40' 00" E – 151° 39' 22" E Plan: Bass Point 34° 34' 06" S - 34° 36' 06" S 150° 51' 58" E – 150° 55' 04" E	1:150 000 1:25 000	7	Aus 65001	\$25.65
<i>New metric chart of Aus 808. The chart is referred to WGS84 datum and LAT.</i>						
<i>Note: this chart is affected by Notice to Mariners 183(T)/2001.</i>						

New edition

<i>Chart</i>	<i>Published</i>	<i>Title and description of amendments</i>	<i>Scale</i>	<i>Folio</i>	<i>Index Chart</i>	<i>Price</i>
Aus 114	19/01/01	Australia - West Coast - Western Australia - Kwinana Inset: Kwinana Grain Jetty	1:12 500 1:12 500	4	Aus 65001	\$25.65
<i>General updating throughout, including new port authority surveys.</i>						
<i>Note: this chart is affected by Notice to Mariners 63(T)/2001.</i>						
Aus 255	02/02/01	Australia - East Coast - Queensland - Approaches to Abbot Point Plan Abbot Point Wharf	1:25 000 1:12 500	8	Aus 65000	\$25.65
<i>General updating throughout, including amendment to graticule. The horizontal datum is referred to WGS.</i>						
<i>Note: this chart is affected by Notice to Mariners 63(T)/2001.</i>						

New miscellaneous chart

<i>Chart</i>	<i>Published</i>	<i>Title and description of amendments</i>	<i>Scale</i>	<i>Remarks</i>
Aus 61203	02/02/01	Eastern Australia Submarine Exercise Area	1:750 000	Chart previously dated 19/01/2001 has been cancelled.
Aus 61205	19/01/01	Western Australia Submarine Exercise Area	1:1 000 000	
Aus 61206	19/01/01	Southern Australia Submarine Exercise Area	1:1 000 000	
Aus 61209	19/01/01	Northern Australia Submarine Exercise Area	1:1 000 000	
Aus 65950	19/01/01	Australia Exclusive Economic Zone - Northern Sheet	1:10 000 000	
Aus 65951	19/01/01	Australia Exclusive Economic Zone - Southern Sheet	1:10 000 000	

New edition to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>
Aus 4602	Title South Pacific Ocean - Tasman and Coral Seas - Australia to	1:3 500 000
INT 602	Northern New Zealand and Fiji	

New edition of British Admiralty publication

<i>NP No</i>	<i>Title</i>	<i>Date</i>	<i>RRP(UK)</i>	<i>Remarks</i>
NP 282	Title Admiralty List of Radio Signals Volume 2 Radio Navigational Aids, Electronic Position Fixing Systems and Radio Time Signals.	22/02/01	£26.50	Volume K 2000 is thereby cancelled.

Chart permanently withdrawn

<i>Chart</i>	<i>On publication of new chart/edition</i>
--------------	--

Aus 114	Aus 114
Aus 255	Aus 255
Aus 808	Aus 808
Aus 5950A	Aus 65950
Aus 5950B	Aus 65951

164* AUSTRALIA - Miscellaneous correction.

AHS (01/1130). (AH99/243)

Aus 360 [457/2000]

Amend	Aus 808 S limit to	35° 11'.11 S	
Move	legend Aus 808	35° 12'.7 S	150° 41'.5 E
	to	35° 10'.7 S	150° 41'.5 E

Aus 361 [NE 27/10/2000]

Amend	Aus 808 E limit to		151° 39'.39 E
Move	legend Aus 808	33° 47'.3 S	150° 41'.5 E
	to	33° 47'.3 S	151° 38'.0 E

Aus 4708 (INT 708) [NE 27/10/2000]

Amend	legend DIAMANTINA	34° 50'.0 S	103° 40'.0 E
	to, <i>DIAMINTINA ZONE</i> , centred on	35° 30'.0 S	105° 35'.0 E
Insert	longitude, 111°, in S border		

165* AUSTRALIA - NEW SOUTH WALES - Twofold Bay - Snug Cove - Lights altered.

Port of Eden (01/706). (AH99/19-02)

Aus 191 (plan, Twofold Bay) [308/2000]

Amend	light to 2F. Bu	37° 04'.34 S	149° 53'.82 E
-------	-----------------	--------------	---------------

166* AUSTRALIA - NEW SOUTH WALES - Botany Bay - Molineux Point - Light beacon.

List of Lights Vol K/2001 -- 2626.40

AHS (01/1223). (AH99/19-02)

Aus 198 [519/2000]

	<i>On certain copies only</i>		
Amend	light beacon to Fl. G. 1.5s	33° 59'.26 S	151° 12'.75 E

167* AUSTRALIA - QUEENSLAND - Southport - Gold Coast Seaway - Depths ; light buoys.
 Queensland Transport (01/1222), Notice 59/2001 (01/1009). (AH99/176-02, 99/14)

Aus 814 (plan, Southport Bar Entrance) [670/2000]

Insert	depth, 4 ₄ m, enclosed by contour	27° 56'.08 S	153° 26'.13 E
	depth, 4 ₁ m, enclosed by contour	27° 55'.75 S	153° 26'.39 E
	contour between	27° 55'.79 S	153° 26'.15 E
		27° 55'.71 S	153° 26'.15 E
Delete	depth 6 ₇ m	27° 56'.0 S	153° 26'.1 E
	depth 13 ₁ m	27° 55'.7 S	153° 26'.2 E
	depth 4 ₅ m	27° 55'.8 S	153° 26'.3 E
	5m contour between	27° 55'.8 S	153° 26'.2 E
		27° 55'.8 S	153° 26'.4 E
	west cardinal light buoy	27° 55'.7 S	153° 26'.2 E
		27° 56'.4 S	153° 25'.2 E
		27° 56'.0 S	153° 25'.2 E

168* AUSTRALIA - QUEENSLAND - Brisbane River - Bar Cutting - Light beacon altered.

List of Lights Vol K/2000 -- 2868.80
 Queensland Transport Notice 507/2000 (00/10546). (AH00/107)

Aus 814 [167/2001]

Amend	light to Fl. G. 4s	27° 18'.7 S	153° 12'.4 E
-------	--------------------	-------------	--------------

169* AUSTRALIA - QUEENSLAND - Gneering Shoal - Light buoy moved.

AMSA ATH 2001/11 (01/812). (AH99/14)

Aus 235 [132/2001]

Move	light buoy	26° 39'.3 S	153° 12'.6 E
	to	26° 39'.33 S	153° 12'.84 E

Aus 365 [494/2000]

Move	light buoy	26° 39'.3 S	153° 12'.6 E
	to	26° 39'.33 S	153° 12'.84 E

170* AUSTRALIA - QUEENSLAND - Gladstone - Southend - Depth.

Queensland Transport Notice 54/2001 (01/721). (AH99/217)

Aus 244 (plan, Entrance to North Channel) [674/2000]

Insert	legend, 1.0m, centred on	23° 45'.75 S	151° 18'.84 E
--------	--------------------------	--------------	---------------

171* AUSTRALIA - QUEENSLAND - Mourilyan - Depths.
HMAS *Mermaid* HI 316 (00/9764). (AH99/175-02)

Aus 829 (plan, Mourilyan Harbour) [138/2001]

Insert	depth, 4_9 m	(a) 17° 36'.616 S	146° 08'.128 E
	depth, 5_5 m	17° 36'.454 S	146° 08'.067 E
	depth, 6_4 m	17° 36'.218 S	146° 07'.988 E
	dangerous underwater rock, enclosed by danger circle	17° 36'.170 S	146° 07'.928 E
	depth, 4_4 m	17° 35'.590 S	146° 07'.615 E
	5m contour, enclosing depth (a), between	17° 36'.650 S	146° 08'.150 E
		17° 36'.556 S	146° 08'.100 E
	5m contour between	17° 35'.665 S	146° 07'.665 E
		17° 35'.567 S	146° 07'.630 E
Delete	unsurveyed limit between	17° 36'.65 S	146° 08'.19 E
		17° 36'.19 S	146° 07'.91 E
	unsurveyed limit between	17° 36'.06 S	146° 07'.72 E
		17° 35'.54 S	146° 07'.81 E
	legend, Unsurveyed (see Note), centred on	17° 36'.40 S	146° 08'.06 E
		17° 35'.78 S	146° 07'.72 E

172* AUSTRALIA - QUEENSLAND - Maxwell Reef - Light established.

Former Notice - 479(T)/2000 is cancelled

List of Lights Vol K/2001 -- 3215.50

AMSA ATH 2001/10 (01/662), Auscoast 038/01 (01/927). (AH00/137)

Aus 373 [116/2001]

Insert	light beacon, <i>Fl. WR. 10s 10/7M</i>	14° 47'.23 S	145° 18'.82 E
Delete	depth 0_3 fm	14° 47'.2 S	145° 18'.8 E

Aus 374 [116/2001]

Insert	light beacon, <i>Fl. WR. 10s 10/7M</i>	14° 47'.23 S	145° 18'.82 E
Delete	depth 0_3 fm	14° 47'.2 S	145° 18'.8 E

Aus 832 [116/2001]

Insert	light beacon, <i>Fl. WR. 10s 9m 10/7M</i> , with <i>Red</i> sector 140° - 152° (12°)	14° 47'.23 S	145° 18'.82 E
Delete	depth 0_9 m	14° 47'.2 S	145° 18'.8 E

173* AUSTRALIA - QUEENSLAND - Booby Island - Depths.
 HMAS *Melville* (01/702), Auscoast 046/01 (01/943). (AH99/175-02)

Aus 289 [583/2000]

Insert	depth, 8 ₆ m, enclosed by contour	10° 34'.885 S	141° 54'.272 E
	depth, 10 ₄ m	10° 36'.607 S	141° 51'.230 E
Delete	depth 10 ₁ m	10° 34'.89 S	141° 54'.32 E
	depth 11 ₁ m	10° 36'.63 S	141° 51'.28 E

Aus 294 [583/2000]

Insert	depth, 10 ₄ m	10° 36'.607 S	141° 51'.230 E
Delete	depth 11 ₁ m	10° 36'.63 S	141° 51'.28 E

Aus 296 [626/2000]

Insert	depth, 8 ₆ m, enclosed by contour	10° 34'.885 S	141° 54'.272 E
	depth, 10 ₄ m	10° 36'.607 S	141° 51'.230 E
Delete	depth 11 ₁ m	10° 36'.63 S	141° 51'.28 E

Aus 700 [626/2000]

Insert	depth, 8 ₆ m, and extend 10m contour N to enclose	10° 34'.80 S	141° 54'.33 E
	depth, 10 ₄ m	10° 36'.52 S	141° 51'.29 E
Delete	depth 8 ₈ m	10° 35'.0 S	141° 54'.1 E
	depth 11 ₁ m	10° 36'.6 S	141° 51'.3 E

174* AUSTRALIA - NORTHERN TERRITORY - Darwin - Hudson Creek - Depths.
 Hydrographic Surveys Pty Ltd (01/1014). (AH99/265)

Aus 28 (plan, East Arm) [75/2001]

Insert	accompanying block	12° 29'.4 S	130° 55'.2 E
--------	------------------------------------	-------------	--------------

175 INDONESIA - Lombok and Sumbawa - Lights.
 Indonesian Notices 49/391-393/2000 (01/703). (AH99/65)

Aus 414 [45/2001]

Insert	light, Fl. 6s 12M	8° 57'.5 S	116° 23'.5 E
	light, Fl. G. 3s 12M	8° 28'.0 S	117° 22'.7 E
	light, Fl. 6s 12M	8° 05'.1 S	117° 55'.6 E

176* SOUTH AUSTRALIA - Goat Island - Buoy altered.
 SA Transport Notice 7/2001 (01/719). (AH99/36)

Aus 120 [631/2000]

Insert	north cardinal pillar buoy, with topmark	32° 17'.60 S	133° 31'.23 E
Delete	buoy	32° 17'.9 S	133° 31'.5 E

177* SOUTH AUSTRALIA - Cape Elizabeth - Beacon; buoy withdrawn.
SA Transport Notice 4/2001 (01/716). (AH99/35)

Aus 777 [711/2000]

Insert	west cardinal beacon, with topmark	34° 07'.74 S	137° 26'.21 E
Delete	buoy	34° 07'.6 S	137° 25'.6 E

178* SOUTH AUSTRALIA - Point Jarrold - Light beacon; beacons.
SA Transport Notice 5/2001 (01/717). (AH99/35)

Aus 344 [711/2000]

Insert	light beacon, Q, with triangular topmark	33° 15'.99 S	137° 46'.50 E
--------	--	--------------	---------------

Aus 778 [712/2000]

Insert	light beacon, Q, with triangular topmark	33° 15'.98 S	137° 46'.36 E
	beacon, with triangular topmark	33° 15'.93 S	137° 46'.71 E
		33° 15'.93 S	137° 47'.06 E
		33° 15'.74 S	137° 47'.38 E
		33° 15'.52 S	137° 47'.89 E
		33° 15'.29 S	137° 48'.51 E
		33° 15'.15 S	137° 48'.91 E

179* AUSTRALIA - VICTORIA - Port Phillip - Corio Bay - Depths; tide gauge discontinued.
VCA (00/4534 & 01/710). (AH99/209; 99/21-02)

Aus 157 [690/2000]

Insert	accompanying block	38° 07'.7 S	144° 23'.2 E
--------	--------------------	-------------	--------------

Aus 157 (plan, Point Henry Pier) [690/2000]

Delete	tide gauge	38° 07'.78 S	144° 25'.20 E
--------	------------	--------------	---------------

180* AUSTRALIA - VICTORIA - Port Phillip - Anchorage limits amended.
VCA (01/230). (AH99/225)

Aus 143 [54/2001]

Insert	anchorage area between	37° 55'.826 S	144° 51'.372 E
		37° 57'.398 S	144° 54'.002 E
		37° 58'.377 S	144° 54'.003 E
		37° 58'.379 S	144° 49'.751 E
		37° 56'.465 S	144° 49'.751 E
Delete	major arc of anchorage area circle between	37° 55'.826 S	144° 51'.372 E
		37° 56'.465 S	144° 49'.751 E

Aus 155 [96/2000]

Move	light beacon	37° 56'.5 S	144° 50'.8 E
	To	37° 56'.465 S	144° 50'.763 E
Insert	anchorage area between	37° 58'.377 S	144° 54'.003 E
		37° 58'.379 S	144° 49'.751 E
		37° 56'.465 S	144° 49'.751 E
	thence an arc, radius 1482m, centered on	37° 56'.465 S	144° 50'.763 E
	To	37° 55'.826 S	144° 51'.372 E
		37° 57'.398 S	144° 54'.002 E
		37° 58'.377 S	144° 54'.003 E
Delete	anchorage area centred on	37° 56'.5 S	144° 50'.8 E

181* AUSTRALIA - VICTORIA - Port Phillip - Gellibrand Pier - Harbour works completed.
Former Notice - 258(T)/2000 is cancelled
VCA (01/229). (AH98/328)

Aus 154 [55/2001]
Insert [accompanying block](#) 37° 51'.85 S 144° 54'.90 E

182* AUSTRALIA - VICTORIA - Port Albert - Light buoy moved.
Victorian Notice 11/2001 (01/726). (AH99/24)

Aus 181 [633/2000]
Move light buoy 38° 45'.14 S 146° 41'.08 E
to 38° 45'.15 S 146° 41'.16 E

183(T) AUSTRALIA - NEW SOUTH WALES - Green Cape to Point Danger - Scientific instruments.

Former Notice - 742(T)/2000 is cancelled

NSW PW&S (01/1499). (AH98/279)

Scientific instruments, generally marked by light buoys, exist in the positions given below until further notice.
Craft are not to use the buoys as moorings.

The most convenient chart is quoted.

Location	Lat S	Long E	Characteristics	Charts
Eden	37° 18'.1	150° 11'.1	Fl(5) Y. 20s	Aus 806
Batemans Bay	35° 42'.4	150° 20'.7	Fl(5) Y. 20s	Aus 807
Port Kembla	34° 28'.6	151° 01'.5	Fl(5) Y. 20s	Aus 808
Deewhy Head	33° 47'.0	151° 25'.3	Fl(5) Y. 20s	Aus 197
Allagai Bay	33° 30'.1	151° 26'.2	Fl. 1.5s	Aus 197
Allagai Bay	33° 29'.8	151° 26'.0	Unmarked	Aus 197
Crowdy Head	31° 49'.5	152° 51'.6	Fl(5) Y. 20s	Aus 810
Coffs Harbour	30° 21'.6	153° 16'.2	Fl(5) Y. 20s	Aus 812
* Byron Bay	28° 49'.2	153° 43'.6	Fl(5) Y. 20s	Aus 813

* Indicates new or revised entry.

Chart temporarily affected – Aus 197 – Aus 806 – Aus 807 – Aus 808 – Aus 810 – Aus 812 – Aus 813.

184(T) AUSTRALIA - QUEENSLAND - Gold Coast - Main Beach - Artificial reef; buoy.

Former Notices - 437(T)/1999 & 594(T)/1999 are cancelled

Queensland Transport Notice 60/2001 (01/1009). (AH99/381)

An artificial reef is under construction and is marked by a special light buoy, Fl. Y. 3s, in position 27° 59'.20 S 153° 26'.15 E.

Mariners are advised to navigate with caution and not to anchor in the area.

Chart temporarily affected – Aus 814.

185(T) AUSTRALIA - QUEENSLAND - Moreton Bay - North West Channel - Dredging operations completed.

Former Notice - 594(T)/2000 is cancelled

Queensland Transport Notice 78/2001 (01/1447). (AH99/323)

Cancel this notice on receipt.

Chart formerly affected – Aus 235 – Aus 236 – Aus 814

186(T) AUSTRALIA - QUEENSLAND - Moreton Bay - Days Gutter - Wreck.

Date - Until further notice

Queensland Transport Notice 82/2001 (01/1478). Wreck is MY *Dreamtime*. (AH98/292)

A stranded wreck exists in position 27° 21'.50 S 153° 25'.25 E.

Chart temporarily affected – Aus 236 – Aus 814.

187(T) AUSTRALIA - QUEENSLAND - Moreton Bay - Reeder's Point - Light re-established.

Former Notice - 152(T)/2001 is cancelled

Queensland Transport Notice 70/2001 (01/1224). (AH00/107)

Cancel this notice on receipt.

Chart temporarily affected – Aus 236.

188(T) AUSTRALIA - QUEENSLAND - Bundaberg - Burnett River - Dredging operations.

Date - Until 30 April 2001

Former Notices – 435(T)/2000 & 508(T)/2000 are cancelled

Queensland Transport Notice 68/2001 (01/1010). (AH99/343)

The dredge *John Francis* is operating between light beacon No20 (24° 45'.85 S 152° 22'.93 E) and light buoy No21 (24° 46'.14 S 152° 22'.66 E).

The dredge can be contacted on VHF Ch 12 & 16.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 243.

189(T) AUSTRALIA - QUEENSLAND - Mackay - Wreck eastward.

Date - Until further notice

Queensland Transport Notice 76/2001 (01/1446), Auscoast warning 64/2001 (01/1442). Wreck is FV *Fisherman*. (AH98/292)

A dangerous wreck exists in approx position 21° 06'.0 S 149° 23'.0 E.

Chart temporarily affected – Aus 249 – Aus 823.

190(T) AUSTRALIA - QUEENSLAND - Townsville - Depth information.

Former Notice - 123(T)/2001 is cancelled

Queensland Transport Notice 79/2001 (01/1447). (AH99/252)

Available depths as at 23 February 2001:

	<i>Metres</i>	<i>Remarks</i>
Sea Channel	11.7	
Platypus Channel	11.7	
Outer Harbour:		
* Arrival Channel	7.7	
* Departure Channel	10.6	
Inner Harbour:		
Harbour	11.5	
Berths:		
No 1	12.0	
* No 2	12.0	Not beyond 785metre mark
No 3	11.2	
No 4	10.2	
No 7	11.0	
No 8	10.0	
No 9	12.1	
No 10	9.6	
No 11	11.7	
Between No 7 and No 8	10.2	Seaward of zero mark at No 7 berth
Between No 9 and No 10	10.4	Seaward of zero mark at No 10 berth
Ross River Channel	1.4	

* Indicates new or revised entry.

Chart temporarily affected – Aus 256 – Aus 257.

191(T) AUSTRALIA - QUEENSLAND - Thursday Island - Light destroyed.

Date - Until further notice

Queensland Transport Notice 62/2001 (01/1009). (AH00/137)

The front leading light (10° 35'.80 S 142° 13'.17 E) has been destroyed.

Chart temporarily affected – Aus 293 – Aus 299.

III

NAVIGATION WARNINGS

The following radio messages have been received during the period to 2 March 2001. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNING

052 Cancelled.
053 Cancelled.
054 Cancelled.
055 NW Coast. Drill rig *Marine 500* in position 19° 25'.4 S 115° 01'.2 E. 2.5M clearance requested.
056 NW Coast. Seismic Survey vessel *Nordic Explorer* towing 2.5 M cable in area 20° 05' S to 20° 23' S and 114° 43' E to 116° 00' E.
057 Cancelled.
058 NW Coast. Seismic Survey vessel *Veritas Searcher* towing 3.7 M cable in area 13° 32' S to 15° 38' S and 120° 00' E to 122° 15' E.
059 Cancelled.
060 Cancelled.
061 Cancelled.
062 NW Coast. Drill rig *Ocean General* in position 10° 33'.7 S 126° 54'.7 E. 2.5M clearance requested.
063 Cancelled.
064 NE Coast. 15 metre FV *Fisherman* sunk in position 21° 06' S 149° 23' E.
065 Cancelled.
066 Cancelled.
067 Cancelled.
068 Cancelled.
069 SW Coast. MT *Seahorse Standard* conducting underwater cable laying operations in area 34° 20'.8 S to 34° 53'.8 S and 114° 07'.8 E to 115° 14'.9 E.
070 Cancelled.
071 NW Coast. Seismic Survey vessel *Pacific Sword* towing two 2.5 M cables in area 20° 55' S to 21° 35' S and 114° 45' E to 115° 40' E.

NAVAREA X WARNINGS

Nil issued.

Navigational warnings in force as at 011500UTC MAR 01.

Auscoast

2000 321.

2001 006 013 022 024 026 033 034 035 038 043 044 046 047 049 051 055 056 058 062 064 069 071.

Navarea X

001 002 003 004 008.

Summary of mobile drilling rigs as at 011500UTC MAR 01.

Name	Position
Ocean General	10° 33'.7 S 126° 54'.7 E
Ron Tappmeyer	20° 42'.0 S 115° 33'.8 E
Ensco 56	20° 38'.2 S 115° 43'.6 E
Ocean Legend	19° 42'.3' S 116° 42'.4 E
Marine 500	19° 25'.4 S 115° 01'.2 E
Sideson 1	34° 07'.6 S 137° 12'.1 E

NAVAREA XIV WARNINGS

039 Cancelled.
040 Cancelled.
041 Cancelled.

Navarea XIV warnings in force as at 010001UTC MAR 01.

024 032 037

IV

HYDROGRAPHIC REPORTS

<i>Locality</i>	<i>Report</i>	<i>Ship/Authority</i>	<i>Observer</i>
Pacific Ocean- Vanuatu	Lights	MT <i>Pacific Mariner</i>	B Keane
QLD- Bentinck Island	Mooring buoy	HMAS <i>Benalla</i>	