



Australian Notices to Mariners are the authority for correcting Australian Charts

AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 2000 - Copyright restrictions apply to Notices to Mariners

Notices 166-200

Published fortnightly by the Australian Hydrographic Office

G. J. GERAGHTY,
Hydrographer, RAN

SECTIONS. I. Australian Notices to Mariners, including blocks and notes.
III. Navigational Warnings.
IV. Hydrographic Reports.

[New Zealand Notices to Mariners](#)

The substance of these notices should be inserted on the charts affected.

Notices to Mariners information relating to British Admiralty Publications unavailable on this web site at this stage but still available in printed form:-

**Section II. Corrections to Admiralty List of Lights, Vol K.
Section V. Corrections to Admiralty List of Radio Signals.
Section VI. Corrections to Sailing Directions.**

Bearings are referred to the true compass and are reckoned clockwise from 000° (North) to 359°: those relating to lights are given as seen by an observer from seaward. The range quoted for a light is its nominal range. Fog signals are sounded only during thick or foggy weather, unless otherwise stated. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star () adjacent to the number of a notice indicates that the notice is based on original information.*

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC OFFICE, Locked Bag 8801 South Coast Mail Centre, NSW 2521 (Fax 02-4221 8599), e-mail hni.hydro@navy.gov.au or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms, immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868).

Copies of these notices can be obtained from the AUSTRALIAN HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong, and Agents for the sale of charts and hydrographic publications.

The Commonwealth of Australia is the owner of, or is otherwise responsible for, the copyright in this work. It is protected under the Copyright Act 1968 and international convention. Except as expressly authorised below, the work may not be copied, reproduced, adapted, changed or commercially exploited, in whole or in part, or the format in which it is stored altered, without the prior written permission of the Australian Hydrographic Office.

The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit.

© Commonwealth of Australia 2000

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 6

17 March 2000

Notices	Aus Chart
166	Aus 251
167	Amendment to Notice to Mariners No 22A
168	Aus 200,201,202
169	Aus 236
170	Aus 820
171	Aus 250
172	Aus 252
173	Aus 252,253,370,371,824,825
174	Aus 828
175	Aus 375,834
176	Aus 376,377,837,839
177	Aus 292,294,301,376,700
178	Aus 676
179	Aus 539
180	Aus 296,376,410,700
181	Aus 303
182	Aus 4060,4603, INT 60, INT 603
183	Aus 56
184	Aus 113
185	Aus 111,117
186	Aus 134
187(T).....	Aus 236
188(T).....	Aus 238
189(T).....	Aus 238
190(T).....	Aus 243
191(P).....	Aus 249,250
192(T).....	Aus 262,830
193(T).....	Aus 379,380,505,620,621,4604,4620,4621, INT 604, INT 621
194(T).....	Aus 385, 523,4622, INT 622
195(T).....	Aus 547
196(T).....	Aus 397,461,680,4604,4622, INT 604, INT 622
197(T).....	Aus 388,389,651
198(T).....	Aus 376,378,840
199(T).....	Aus 327,415
200(T).....	Aus 182

166 AUSTRALIA - Publications.

AHO (00/1143). (AH99/229)

New chart to be published shortly

Chart	Title	Scale
Aus 251	Australia - East Coast - Queensland - Bailey Islet to Repulse Islands	1: 75 000

167 AUSTRALIA - Amendment to Notice to Mariners No 22A.

AHO (99/1687). (AH 98/303)

Amend page 113 Table 1 Desig I Hannibal to read 11° 35' 12" S

168* AUSTRALIA - NEW SOUTH WALES - Port Jackson - Middle Head to Milsons Point - Buoyage.

Waterways (00/1140). (AH 99/18 & 99/19)

Aus 200 [85/2000]

Amend	light to <i>F. RY</i>	33° 51'.24 S	151° 12'.59 E
		33° 51'.22 S	151° 12'.55 E
Move	south cardinal light buoy	33° 49'.07 S	151° 16'.34 E
	to	33° 49'.119 S	151° 16'.340 E
	port lateral buoy	33° 51'.91 S	151° 15'.88 E
	to	33° 51'.898 S	151° 15'.917 E
Delete	leading line, with legend Obelisks # 274°, emanating from obelisk	33° 49'.88 S	151° 15'.52 E

Aus 201 [700/1999]

Move	south cardinal light buoy	33° 49'.07 S	151° 16'.34 E
	to	33° 49'.119 S	151° 16'.340 E
	port lateral buoy	33° 51'.91 S	151° 15'.91 E
	to	33° 51'.898 S	151° 15'.917 E
Delete	leading line, with legend 274°, emanating from obelisk	33° 49'.88 S	151° 15'.52 E
	legend, Macquarie Lt in line with Obelisk 130°, centred on	33° 50'.75 S	151° 16'.22 E

Aus 202 [85/2000]

Amend	light to <i>F. RY. 52m</i>	33° 51'.23 S	151° 12'.57 E
		33° 51'.22 S	151° 12'.55 E

169* AUSTRALIA - QUEENSLAND - Moreton Bay - Peel Island - Light beacons moved.

Queensland Transport Notices 77 & 87/2000 (00/1145 & 1251). (AH 99/16)

Aus 236 [87/2000]

Move	south cardinal light beacon	27° 29'.6 S	153° 22'.8 E
	to	27° 29'.67 S	153° 22'.82 E
	west cardinal light beacon	27° 32'.1 S	153° 20'.0 E
	to	27° 32'.06 S	153° 19'.92 E

170* AUSTRALIA - QUEENSLAND - Great Keppel Island - Mooring buoy withdrawn.

Queensland Transport Notice 69/2000 (00/1144). (AH 99/14)

Aus 820 [603/1999]

Delete	lit mooring buoy	23° 08'.8 S	150° 58'.0 E
--------	------------------	-------------	--------------

171* AUSTRALIA - QUEENSLAND - Mackay - Harbour works completed.

Former Notice - 60(T)/1999 is cancelled

Queensland Transport Notice 73/2000 (00/1144). (AH 99/188)

Aus 250 (plan, Mackay Harbour) [136/2000]

Substitute	firm line for pecked line between	21° 06'.377 S	149° 13'.555 E
		21° 06'.418 S	149° 13'.640 E
		21° 06'.422 S	149° 13'.632 E
		21° 06'.381 S	149° 13'.547 E
Move	berth desig No3 to	21° 06'.42 S	149° 13'.59 E
		21° 06'.39 S	149° 13'.60 E
Delete	firm line between berth pocket, with legend 10.6m, centred on	21° 06'.377 S	149° 13'.555 E
		21° 06'.381 S	149° 13'.547 E
		21° 06'.42 S	149° 13'.58 E

172* AUSTRALIA - QUEENSLAND - Whitsunday Islands - Hook Passage - Light beacon.

Queensland Transport (00/1223). (AH 99/16)

Aus 252 [137/2000]

Substitute	south cardinal light beacon, Q(6) + LFI. 15s, with topmark, for south cardinal light buoy	20° 10'.9 S	148° 56'.0 E
------------	--	-------------	--------------

173* AUSTRALIA - QUEENSLAND - Molle Channel - Depth.

Mapping & Hydrographic Surveys MMI 2-4-20897 (00/983). (AH 99/176)

Aus 252 [172/2000]

Insert	depth, 9 ₂ fm, and extend contour E to enclose	20° 13'.74 S	148° 47'.85 E
Delete	depth 10fm	20° 13'.8 S	148° 47'.7 E

Aus 253 [137/2000]

Insert	depth, 17 ₁ m, and extend contour N to enclose	20° 13'.65 S	148° 47'.83 E
Delete	depth 18 ₁ m	20° 13'.7 S	148° 47'.7 E

Aus 370 [137/2000]

Substitute	depth, 9 ₂ fm, for 10fm	20° 13'.8 S	148° 47'.7 E
------------	------------------------------------	-------------	--------------

Aus 371 [137/2000]

Substitute	depth, 9 ₂ fm, for 10fm	20° 13'.8 S	148° 47'.7 E
------------	------------------------------------	-------------	--------------

Aus 824 [137/2000]

Substitute	depth, 9 ₂ fm, for 10fm	20° 13'.8 S	148° 47'.7 E
------------	------------------------------------	-------------	--------------

Aus 825 [137/2000]

Substitute	depth, 9 ₂ fm, for 10fm	20° 13'.8 S	148° 47'.7 E
------------	------------------------------------	-------------	--------------

174* AUSTRALIA - QUEENSLAND - Victoria Creek - Buoyage.

Queensland Transport Notice 35/2000 (00/418). (AH 99/13)

Aus 828 [723/1999]

Insert	safe water cylindrical light buoy, /so. 2s, with topmark	18° 36'.84 S	146° 21'.39 E
Delete	port lateral light beacon	18° 36'.9 S	146° 21'.2 E

175* AUSTRALIA - QUEENSLAND - Ape Reef - Depths.
HMAS *Mermaid* (00/1141) & Auscoast 054 & 055/00 (00/1156). (AH 99/175)

Aus 375 [140/2000]

Delete	legend, Rep (1999), centred on	12° 43'.8 S	143° 34'.5 E
--------	--------------------------------	-------------	--------------

Aus 834 [651/1999]

Substitute	depth, 15 ₁ m, for 15 ₃ m Rep (1999)	12° 43'.9 S	143° 32'.9 E
------------	--	-------------	--------------

Insert	depth, 16 ₈ m, enclosed by contour	12° 43'.29 S	143° 32'.50 E
--------	---	--------------	---------------

176* AUSTRALIA - QUEENSLAND - Meggi Maituine to Seven Reef - Depths.

LADS HI 258(5) MMI 20890 (00/709). (AH 99/175)

Aus 376 [142/2000]

Substitute	depth, 1.9m, enclosed by contour, for danger circle with legend Rep (1993)	10° 20'.2 S	143° 09'.9 E
------------	--	-------------	--------------

Aus 377 [141/2000]

Insert	depth, 4 ₆ m, enclosed by contour	(a) 10° 22'.35 S	143° 33'.23 E
	depth, 2 ₈ m, enclosed by contour	(b) 10° 21'.61 S	143° 34'.18 E
	depth, 1 ₈ m, enclosed by contour	(c) 10° 21'.55 S	143° 35'.50 E
	depth, 6 ₅ m	(d) 10° 22'.91 S	143° 36'.02 E
	10m contour to enclose depths (a) - (d)		
	depth, 1 ₆ m, enclosed by contour	10° 19'.91 S	143° 39'.16 E
	depth, 1 ₄ m, enclosed by contour	10° 19'.94 S	143° 40'.58 E
	depth, 1 ₇ m, enclosed by contour	10° 20'.18 S	143° 46'.07 E

Substitute	5m contour for pecked line centred on	10° 20'.0 S	143° 39'.5 E
------------	---------------------------------------	-------------	--------------

Delete	pecked line centred on	10° 22'.3 S	143° 33'.3 E
--------	------------------------	-------------	--------------

Aus 837 [210/1998]

Insert	depth, 4 ₆ m, enclosed by contour	(a) 10° 22'.26 S	143° 33'.29 E
	depth, 5m, enclosed by contour	(b) 10° 22'.83 S	143° 34'.24 E
	depth, 4 ₉ m, enclosed by contour	(c) 10° 22'.55 S	143° 32'.74 E
	10m contour to enclose depths (a) - (c)		
	depth, 2 ₈ m, enclosed by contour	(d) 10° 21'.52 S	143° 34'.24 E
	depth, 1 ₈ m, enclosed by contour	(e) 10° 21'.46 S	143° 35'.56 E
	depth, 1 ₇ m, enclosed by contour	(f) 10° 21'.85 S	143° 36'.40 E
	depth, 6 ₅ m	(g) 10° 22'.82 S	143° 36'.02 E
	depth, 5 ₄ m	(h) 10° 22'.54 S	143° 34'.95 E
	10m contour to enclose depths (d) - (h) & reef centred on	10° 22'.3 S	143° 37'.2 E
	depth, 1 ₆ m, enclosed by contour	(i) 10° 19'.82 S	143° 39'.22 E
	depth, 1 ₄ m, enclosed by contour	(j) 10° 19'.85 S	143° 40'.64 E
	depth, 2 ₉ m	(k) 10° 19'.68 S	143° 38'.58 E
	depth, 4 ₁ m	(l) 10° 20'.36 S	143° 39'.13 E
	5m contour to enclose depths (i) - (l)		
	depth, 1 ₇ m, enclosed by contour	10° 20'.09 S	143° 46'.13 E

Delete	shoal area centred on	10° 21'.4 S	143° 35'.5 E
		10° 21'.4 S	143° 35'.8 E
		10° 21'.9 S	143° 36'.6 E
		10° 22'.4 S	143° 35'.8 E
		10° 19'.6 S	143° 39'.4 E
		10° 19'.6 S	143° 40'.4 E

Aus 839 [141/2000]

Substitute	depth, 1.9m, enclosed by contour, for danger circle with legend Rep (1993)	10° 20'.2 S	143° 09'.9 E
------------	--	-------------	--------------

177* AUSTRALIA - QUEENSLAND - Jardine Rock - Light buoy; light beacon withdrawn.

Former Notice - 624(T)/1996 is cancelled

List of Lights Vol K/2000 -- 3207.70

Queensland Transport Notice 56/2000 (00/871). (AH 99/13)

Aus 292 [141/2000]

Substitute	port lateral cylindrical light buoy, <i>Fl. R.</i> 2.5s, without topmark, for port lateral light beacon	10° 39'.1 S	142° 15'.8 E
------------	---	-------------	--------------

Aus 294 [43/2000]

Substitute	port lateral cylindrical light buoy, <i>Fl. R.</i> 2.5s, without topmark, for port lateral light beacon	10° 39'.1 S	142° 15'.8 E
------------	---	-------------	--------------

Aus 301 [652/1999]

Delete	port lateral light beacon	10° 39'.1 S	142° 15'.8 E
--------	---------------------------	-------------	--------------

Aus 376 [176/2000]

Delete	port lateral light beacon	10° 39'.1 S	142° 15'.8 E
--------	---------------------------	-------------	--------------

Aus 700 [142/2000]

Substitute	port lateral cylindrical light buoy, <i>Fl. R.</i> 2.5s, without topmark, for port lateral light beacon	10° 39'.0 S	142° 15'.9 E
------------	---	-------------	--------------

178* PAPUA NEW GUINEA - New Britain - Wreck.

DOTCA&WOT (00/1195). (AH 98/294)

Aus 676 (plan, Linden Harbour) [119/1996]

Insert	stranded wreck	6° 16'.7 S	150° 29'.7 E
--------	----------------	------------	--------------

179* PAPUA NEW GUINEA - Lihir Island - Luise Harbour - Harbour works.

Lihir Management Co Ltd (00/631). (AH 99/173)

Aus 539 (plan, Luise Harbour) [NC 15/10/1999]

Insert	accompanying block	3° 07'.0 S	152° 38'.5 E
--------	------------------------------------	------------	--------------

180* AUSTRALIA - QUEENSLAND - Cook Reef - Depths.
HMAS *Mermaid* (00/1106). (AH 99/175)

Aus 296 [142/2000]

Delete	depth, 3m Rep (1911) and enclosing contour	10° 24'.45 S	141° 33'.25 E
--------	--	--------------	---------------

Aus 376 [177/2000]

Insert	depth, 2 ₈ m, enclosed by contour	10° 16'.15 S	141° 31'.08 E
	depth, 4 ₇ m, enclosed by contour	10° 18'.33 S	141° 31'.28 E

Delete	depth 3m Rep (1911) and enclosing contour	10° 24'.45 S	141° 33'.25 E
	depth 3 ₅ m and enclosing contour	10° 16'.7 S	141° 32'.3 E
	depth 5 ₅ m and enclosing contour	10° 16'.7 S	141° 33'.4 E
	legend, 1957, centred on	10° 16'.9 S	141° 34'.5 E

Aus 410 [142/2000]

Substitute	depth, 2 ₄ fm, for 1 ₄ fm Rep (1911)	10° 24'.5 S	141° 33'.3 E
------------	--	-------------	--------------

Insert	depth, 1 ₃ fm, enclosed by contour	10° 16'.1 S	141° 31'.1 E
--------	---	-------------	--------------

Delete	depth 1 ₅ fm and enclosing contour	10° 17'.0 S	141° 33'.0 E
	legend, 1957, centred on	10° 18'.0 S	141° 37'.0 E

Aus 700 [177/2000]

Insert	depth, 5 ₁ m, and extend 10m contour S to enclose	10° 24'.73 S	141° 33'.37 E
--------	--	--------------	---------------

Delete	depth, 3m Rep (1911) and enclosing contour	10° 24'.45 S	141° 33'.25 E
--------	--	--------------	---------------

181* AUSTRALIA - QUEENSLAND - Sweers Island - Light beacon.
Former Notice - 626(T)/1999 is cancelled
Queensland Transport (00/870). (AH 99/15)

Aus 303 [452/1999]

Insert	light beacon, Fl. Y. 2.5s, with rectangular topmark	17° 06'.75 S	139° 35'.66 E
--------	---	--------------	---------------

Aus 303 (plan, Investigator Road)

Insert	light beacon, Fl. Y. 2.5s, with rectangular topmark	17° 06'.75 S	139° 35'.66 E
--------	---	--------------	---------------

182 INDONESIA - West Timor - Kupang - Aero radiobeacon.
BA Notice 6/526/2000 (00/1200). (AH 99/67)

Aus 4060 (INT 60) [153/2000]

Delete	aero radiobeacon	10° 11'.0 S	123° 40'.0 E
--------	------------------	-------------	--------------

Aus 4603 (INT 603) [143/2000]

Delete	aero radiobeacon	10° 11'.0 S	123° 40'.0 E
--------	------------------	-------------	--------------

183* WESTERN AUSTRALIA - Point Sampson - Light beacons.
Transport WA (00/1109). (AH 99/32)

Aus 56 [194/1996]

Renumber	No2 light beacon to No6	20° 38'.46 S	117° 11'.42 E
	No7 light beacon to No9	20° 38'.38 S	117° 11'.40 E
	No4 light beacon to No10	20° 38'.38 S	117° 11'.37 E

184* WESTERN AUSTRALIA - Fremantle - Light.

Transport WA (00/966). (AH 99/29)

Aus 113 [73/2000]

Insert light, F. G

32° 03'.808 S 115° 44'.480 E

185* WESTERN AUSTRALIA - Cockburn Sound - Rockingham to Garden Island - Submarine cable.

Telstra (00/552). (AH 99/359)

Aus 111 [146/2000]

Insert submarine cable

32° 14'.538 S	115° 41'.688 E
32° 14'.897 S	115° 41'.518 E
32° 15'.085 S	115° 40'.950 E
32° 15'.137 S	115° 40'.639 E
32° 15'.134 S	115° 40'.310 E

Aus 117 [146/2000]

Insert submarine cable

32° 14'.538 S	115° 41'.688 E
32° 14'.897 S	115° 41'.518 E
32° 15'.085 S	115° 40'.950 E
32° 15'.137 S	115° 40'.639 E
32° 15'.132 S	115° 39'.595 E
32° 15'.342 S	115° 37'.546 E
32° 15'.350 S	115° 36'.000 E

186* SOUTH AUSTRALIA - Point Boston - Light.

HM Port Lincoln (00/1247). (AH 99/35)

Aus 134 [726/1999]*On certain copies only*

Amend light range to 15/12M

34° 39'.02 S 135° 56'.18 E

187(P)/2000 AUSTRALIA - QUEENSLAND - Moreton Bay - Victoria Point to Coochiemudlo Island - Cable laid.

Former Notice - 616(P)/1999 is cancelled

Queensland Transport Notice 38/2000 (00/418). (AH 99/324)

Cancel this notice on receipt.

Chart formerly affected - Aus 236

188(T)/2000 AUSTRALIA - QUEENSLAND - Brisbane River - Eagle Farm Flats Reach - Leading lights altered.

Date - Until further notice

Queensland Transport Notice 85/2000 (00/1251). (AH 99/16)

The leading lights, front (27° 25'.99 S 153° 06'.95 E) and rear (27° 26'.03 S 153° 06'.88 E), have been temporarily altered to *F. Bu.*

Chart temporarily affected - Aus 238.

189(T)/2000 AUSTRALIA - QUEENSLAND - Brisbane River - Hamilton Reach - Buoys withdrawn.

Date - Until further notice

Queensland Transport Notice 86/2000 (00/1251). (AH 99/14)

The special light buoys (27° 26'.72 S 153° 04'.27 E and 27° 26'.65 S 153° 04'.11 E) have been temporarily withdrawn.

Chart temporarily affected - Aus 238.

190(T)/2000 AUSTRALIA - QUEENSLAND - Bundaberg - Inner Reach - Dredging operations.

Date - Until 30 April 2000

Queensland Transport Notice 93/2000 (00/1351). (AH 99/343)

The dredge *John Francis* is operating between No 13 light beacon (24° 45'.56 S 152° 23'.14 E) and No 16 light beacon (24° 45'.62 S 152° 23'.22 E).

The dredge can be contacted on VHF Ch 16.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 243.

191(P)/2000 AUSTRALIA - QUEENSLAND - Hay Point - Anchorages.

Former Notice - 711(P)/1999 is cancelled

AHO (99/8178). (AH 99/350)

Cancel this notice on receipt.

Chart formerly affected - Aus 249 - Aus 250.

192(T)/2000 AUSTRALIA - QUEENSLAND - Cairns - Depth information.

Former Notice - 106(T)/2000 is cancelled

Queensland Transport Notice 83/2000 (00/1194). (AH 99/393)

Available depths as at 18 February 2000:

	Metres	
	LAT	ISLW (Chart Datum)
Entrance Channel	8.3	8.5
Crystal Swing Basin at:		
360 metre diameter	6.9	7.1
380 metre diameter	6.5	6.7
Swing Basin at:		
310 metre diameter	8.2	8.4
320 metre diameter	7.5	7.7
Berths:		
No 1	8.2	8.4
No 2	8.4	8.6
No 3	8.4	8.6
No 4	8.4	8.6
No 5	8.3	8.5
No 6	4.5	4.7
* No 7	10.0	10.2
* No 8	10.0	10.2
No 10	9.3	9.5
No 12	10.5	10.7
Smith Creek 1	4.8	5.0

* Indicates new or revised entry.

Chart temporarily affected - Aus 262 - Aus 830.

193(T)/2000 PAPUA NEW GUINEA - Redscar Bay to Port Moresby - Lights unlit and racon non operational.

Former Notice - 563(T)/1999 is cancelled

DOTPNG (00/1142). (AH99/196)

The following nav aids are unlit/non operational:

Redscar Head	9° 16'.4 S	146° 54'.0 E	K3464.4
Boera Head	9° 23'.5 S	147° 00'.8 E	K3463.8
Idi Island	9° 25'.6 S	146° 52'.9 E	K3464
Haidana Island	9° 27'.2 S	147° 01'.5 E	K3463.4
Basiliks Passage Racon	9° 32'.4 S	147° 07'.9 E	K3458
Baruni rear lead	9° 26'.1 S	147° 08'.1 E	K3460.1
Vahunabada Reef	9° 27'.8 S	147° 08'.4 E	K3460.3

Chart temporarily affected - Aus 379 - Aus 380 - Aus 505 - Aus 620 - Aus 621 - Aus 4604 - Aus 4620 - Aus 4621.

194(T)/2000 PAPUA NEW GUINEA - Lae - Light unlit.

Former Notice - 565(T)/1999 is cancelled

DOTPNG (00/1142). (AH 99/44)

Mount Lunaman light K3412 (6° 44'.0 S 147° 00'.6 E) is unlit.

Chart temporarily affected - Aus 385 - Aus 523 - Aus 4622.

195(T)/2000 PAPUA NEW GUINEA - New Britain - Buluma - Light beacons unlit.

Former Notice - 567(T)/1999 is cancelled

DOTPNG (00/1142). (AH99/45)

The following light beacons are unlit:

Buluma West	5° 31'.4 S	150° 17'.4 E	K3489.55
Buluma East	5° 31'.3 S	150° 18'.1 E	K3489.5

Chart temporarily affected - Aus 547.

196(T)/2000 PAPUA NEW GUINEA - New Britain - Cape Tawui to Cape Wanata - Lights operational.

Former Notice - 569(T)/1999 is cancelled

DOTPNG (00/1142). (AH 99/45)

Cancel this notice on receipt.

Chart formerly affected - Aus 397 - Aus 461 - Aus 680 - Aus 4604 - Aus 4622

197(T)/2000 PAPUA NEW GUINEA - Cape Girgir to Muschu Island - Lights unlit.

Former Notice - 573(T)/1999 is cancelled

DOTPNG (00/1142) (AH99/44)

The following lights are unlit:

Cape Girgir	3° 49'.5 S	144° 33'.5 E	K3401.2
Wewak Harbour West	3° 33'.4 S	143° 37'.8 E	K3400.7
Wewak Harbour Wharf	3° 33'.8 S	143° 38'.8 E	K3400.6

Chart temporarily affected - Aus 388 - Aus 389 - Aus 651.

198(T)/2000 PAPUA NEW GUINEA - Daru to Bristow Island - Lights unlit.

Former Notice - 487(T)/1999 is cancelled

DOTPNG (00/1142). (AH 99/196)

The light beacon K3470 (9° 03'.8 S 143° 13'.2 E) has been destroyed.

The light K3469 (9° 06'.1 143° 17'.0 E) is unlit

Chart temporarily affected - Aus 376 - Aus 378 - Aus 840.

199(T)/2000 WESTERN AUSTRALIA - Glomar Shoal - Scientific instruments northeastward.

Former Notice - 672(T)/1999 is cancelled

Auscoast warning 056/00 (00/1157). (AH 99/212)

Lit Waverider, *FI(5)* Y. 20s, exist in positions as follows:

18° 45'.70 S 117° 07'.90 E

19° 29'.87 S 117° 00'.20 E.

Chart temporarily affected - Aus 327 - Aus 415.

200(T)/2000 AUSTRALIA - VICTORIA - Lakes Entrance - Wreck dispersed; light buoy withdrawn.

Former Notice - 58(T)/2000 is cancelled

Victorian Notice 7/2000 (00/1028). (AH 98/231)

Cancel this notice on receipt.

Chart formerly affected - Aus 182

III NAVIGATION WARNINGS

The following radio messages have been received during the period to 3 March 2000. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNINGS

- 058 NW Coast. Drill Rig *Sedco 702* in position 21° 32'.7 S 114° 01'.1 E. 2.5M clearance requested.
059 Cancelled.
060 Cancelled.
061 Cancelled.
062 NW Coast. Unlit orange steel mooring buoy in position 21° 21'.3 S 114° 04'.1 E.
063 Cancelled.
064 Cancelled.
065 SE Coast. Seismic survey vessel *Western Pride* towing 3.5 nm cable in area between 38° 46' S to 39° 25' S and 142° 37' E to 143° 07' E.
066 Cancelled.
067 NW Coast. Drill Rig *Marine 500* in position 20° 06'.8 S 114° 37'.1 E. 2.5M clearance requested.
068 Cancelled.
069 NW Coast. Seismic survey vessel *Acadian Searcher* towing 2.5nm cable in area 11° 52' S to 12° 40' S and 128° 00' E to 129° 44' E.
070 NW Coast. Approx 3M of submerged seismic cable marked two fluorescent orange buoys in position 22° 45'.5 S 112° 44'.3 E.
071 Cancelled.
072 NW Coast. Approx 3M of submerged seismic cable marked at ends by a 3.5 metre buoy and floating fluorescent tailbuoy with radar reflector and possible strobe light in position 22° 21'.0 S 113° 23'.6 E.
073 Cancelled.
074 NW Coast. Drill Rig *Sedco 703* in position 13° 49'.5 S 123° 11'.3 E. 2.5M clearance requested.
075 NW Coast. Approx 3M of submerged seismic cable marked at ends by a 3.5 metre buoy and floating fluorescent tailbuoy with radar reflector and possible strobe light in position 21° 57'.5 S 113° 40'.5 E.

NAVAREA X WARNINGS

- 005 Cable laying operations in progress by CS *Vercors* commencing from position 27° 46' S 167° 26' E to 27° 45' S 168° 15' E and 24° 10' S 172° 30' E.

Navigational warnings in force as at 021500UTC MAR 00.

Auscoast

2000 030 052 054 055 056 057 058 062 065 067 069 070 072 074 075.

Navarea X

2000 005

Summary of mobile drilling rigs as at 021500UTC MAR 00.

Name	Position
Ocean Bounty	10° 53'.1 S 126° 36'.0 E
Ocean General	11° 57'.0 S 124° 43'.9 E
Sedco 703	13° 49'.5 S 123° 11'.3 E
Ensco 56	20° 05'.9 S 116° 04'.7 E
Marine 500	20° 06'.8 S 114° 37'.1 E
Sedco 702	21° 32'.7 S 114° 01'.1 E

NAVAREA XIV WARNINGS

- 045 Cancelled.
046 Cancelled.
047 Cancelled.
048 Cancelled.
049 Cancelled.
050 Cancelled.
051 Cancelled.
052 Cancelled.
053 Cancelled.
054 Cancelled.
055 Cancelled.
056 Cancelled.
057 Cancelled.
058 Cancelled.

059 Cancelled.
 060 Cancelled.
 061 Cancelled.
 062 Cancelled.
 063 Cancelled.
 064 New Zealand, North Island, East Coast. Seismic survey vessel *M/V Geco My* towing a two mile long cable in area within 10 miles of 40° 40' S 176° 40' E.
 065 Norfolk Island to Suva. Cable laying operations in progress by CS *Vercors* commencing from position
 27° 46' S 167° 26' E to (a) 27° 45' S 168° 26' E (b) 24° 10' S 172° 30' E
 (c) 22° 25' S 175° 45' E (d) 21° 25' S 175° 30' E (e) 19° 15' S 177° 30' E
 (f) 18° 30' S 178° 30' E (g) 18° 12' S 178° 30' E (Suva)
 067 Cancelled.
 068 Cancelled.
 069 Cancelled.
 070 GPS Satellite system PRN 23 unusable 030400 Z to 031600 Z
 071 Cancelled.
 072 Solo power in black 9 metre vessel enroute to Cape Horn position 48° 18' S 171° 30' W at 020801Z MAR.

Navarea XIV warnings in force as at 020001UTC MAR 00.

2000 064, 065, 070, 072

IV

HYDROGRAPHIC REPORTS

Nil