



Australian Notices to Mariners are the authority for correcting Australian Charts

AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 2001 - Copyright restrictions apply to Notices to Mariners



Notices 192-212

Published fortnightly by the Australian Hydrographic Service

B. J. KAUFER,
Hydrographer of Australia

- SECTIONS. I. **Australian Notices to Mariners, including blocks and notes.**
III. **Navigational Warnings.**
IV. **Hydrographic Reports.**

New Zealand Notices to Mariners

The substance of these notices should be inserted on the charts affected.

Notices to Mariners information relating to British Admiralty Publications unavailable on this web site at this stage but still available in printed form:-

- Section II. Corrections to Admiralty List of Lights, Vol K.**
Section V. Amendments to Admiralty List of Radio Signals.
Section VI. Corrections to Sailing Directions.

Bearings are referred to the true compass and are reckoned clockwise from 000° (North) to 359°: those relating to lights are given as seen by an observer from seaward. The range quoted for a light is its nominal range. Fog signals are sounded only during thick or foggy weather, unless otherwise stated. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star () adjacent to the number of a notice indicates that the notice is based on original information.*

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 South Coast Mail Centre, NSW 2521 (Fax 02-4221 8599), e-mail hni.hydro@navy.gov.au or, alternatively by filling in and submitting the **Hydrographic Notes forms, immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rcsaus@amsa.gov.au).**

Copies of these notices can be obtained from the AUSTRALIAN HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong, and Agents for the sale of charts and hydrographic publications.

The Commonwealth of Australia is the owner of, or is otherwise responsible for, the copyright in this work. It is protected under the Copyright Act 1968 and international convention. Except as expressly authorised below, the work may not be copied, reproduced, adapted, changed or commercially exploited, in whole or in part, or the format in which it is stored altered, without the prior written permission of the Australian Hydrographic Office. The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit.

© Commonwealth of Australia 2001

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 7

30 March 2001

Notices	Aus Chart
192	Annual Notices to Mariners No2 and No2A - Amendment to chart agents; seafarer RNC product distributors
193	Aus 220
194	Aus 812, 813
195	Aus 220
196	Aus 236
197	Aus 303
198	Aus 26
199	Aus 318, 413, 727
200	Aus 320, 730
201	Aus 327, 415, 741, 4603, INT 603
202	Aus 327, 328, 415, 416, 742
203	Aus 344, 777, 778
204(T)	Aus 236
205(T)	Aus 238
206(T)	Aus 238
207(T)	Aus 238
208(T)	Aus 250
209(T)	Aus 262, 830
210(T)	Aus 344, 777
211(T)	Aus 157
212(T)	Summer time

192 AUSTRALIA - Annual Notices to Mariners No2 and No2A - Amendment to chart agents; seafarer RNC product distributors.

AHS (01/1588). (AH99/400)

Substitute accompanying Notices to Mariners No2 and No2A for [pages 7-11](#).

193* AUSTRALIA - NEW SOUTH WALES - Woolli - Leading lights.

List of Lights Vol K/2001 -- 2814.00

Waterways Authority (01/1428). (AH99/19-02)

Aus 220 (plan, Woolli Woolli River Entrance) [131/2001]

Substitute light, *Fl. Bu.* 3s, for light 29° 53'.328 S 153° 16'.020 E

Insert light, *Fl. Bu.* 3s (a) 29° 53'.335 S 153° 15'.995 E
pecked line from the light (a) in a direction 072° 11' for 100
metres, thence a firm line for 650 metres, with legend 252°
11'

194* AUSTRALIA - NEW SOUTH WALES - One Tree Point to Woody Head - Leading lights.

Waterways Authority (01/1428). (AH99/19-02)

Aus 812 [492/2000]

Insert light, *Ldg 2Fl. Bu.* 3s 29° 46'.40 S 153° 17'.86 E
29° 36'.55 S 153° 20'.18 E

Aus 813 [492/2000]

Insert light, *Ldg 2Fl. Bu.* 3s 29° 36'.55 S 153° 20'.18 E
29° 22'.03 S 153° 22'.30 E

195* AUSTRALIA - NEW SOUTH WALES - Yamba - Buoyage.

Waterways Authority (01/1428). (AH99/19-02)

Aus 220 (plan, Clarence River Entrance) [193/2001]

Insert east cardinal pillar light buoy, *Q(3)* 10s, with topmark 29° 25'.502 S 153° 20'.589 E
port lateral light beacon, *Fl. R.* 3s, without topmark 29° 24'.232 S 153° 20'.369 E
29° 24'.014 S 153° 20'.283 E

Substitute starboard lateral light beacon, *Fl. G.* 3s, with topmark, for
starboard lateral beacon 29° 26'.16 S 153° 20'.66 E

Delete east cardinal light beacon 29° 25'.51 S 153° 20'.60 E
port lateral beacon 29° 23'.94 S 153° 19'.35 E
beacon 29° 26'.07 S 153° 20'.64 E

196* AUSTRALIA - QUEENSLAND - Moreton Bay - Rainbow Channel to Redland Bay - Buoyage.

List of Lights Vol K/2001 -- 2880.7, 2900.65, 2903.1

Queensland Transport Notices 77&87/2001 (01/1384, 01/1447, 01/1514). (AH00/107)

Aus 236 [133/2001]

Substitute starboard cylindrical lateral light buoy, *Fl. G.* 4s, with
topmark, for starboard lateral light beacon 27° 23'.97 S 153° 25'.71 E

Move port lateral light beacon 27° 25'.0 S 153° 14'.6 E
to 27° 24'.96 S 153° 14'.51 E
light 27° 37'.2 S 153° 18'.6 E
to 27° 37'.30 S 153° 18'.62 E

197* AUSTRALIA - QUEENSLAND - Sweets Island - Mooring buoy.
HMAS *Benalla* (01/1482). (AH99/13)

Aus 303 [464/2000]

Insert	mooring buoy	17° 08'.04 S	139° 34'.88 E
--------	--------------	--------------	---------------

Delete	depth 8 ₃ m	17° 08'.2 S	139° 34'.9 E
--------	------------------------	-------------	--------------

Aus 303 (plan, Investigator Road)

Insert	orange mooring buoy	17° 08'.04 S	139° 34'.88 E
--------	---------------------	--------------	---------------

198* AUSTRALIA - NORTHERN TERRITORY - Darwin - Hudson Creek - Depths.
Hydrographic Surveys Pty Ltd (01/1014). (AH99/265)

Aus 26 [75/2001]

Insert	accompanying block	12° 29'.4 S	130° 55'.2 E
--------	------------------------------------	-------------	--------------

199* WESTERN AUSTRALIA - Sir Graham Moore Island - Shoal.
MV *Christine* (01/1445). (AH97/95)

Aus 318 [465/2000]

Insert	depth, 2 ₅ m, in upright figures, enclosed by broken contour, with legend <i>Rep</i> (2000)	13° 52'.36 S	126° 26'.44 E
--------	--	--------------	---------------

Delete	depth 8 ₄ m	13° 52'.8 S	126° 26'.4 E
--------	------------------------	-------------	--------------

Aus 413 [681/2000]

Insert	depth, 1 ₂ fm, in upright figures, enclosed by broken contour	13° 52'.4 S	126° 26'.4 E
--------	--	-------------	--------------

Delete	depth 16fm	13° 52'.0 S	126° 26'.0 E
--------	------------	-------------	--------------

Aus 727 [46/2000]

Insert	depth, 2 ₅ m, in upright figures, enclosed by broken contour, with legend <i>Rep</i> (2000)	13° 52'.36 S	126° 26'.44 E
--------	--	--------------	---------------

200* WESTERN AUSTRALIA - Augustus Island - Rocks.MV *Christine* (01/1551). (AH97/95)**Aus 320 [681/2000]**

Insert	rock which covers and uncovers, enclosed by danger circle	15° 26'.78 S	124° 30'.10 E
		15° 24'.70 S	124° 27'.80 E
		15° 23'.70 S	124° 29'.10 E
	rock which covers and uncovers and extend danger line N to enclose danger line between	15° 24'.94 S	124° 28'.43 E
		15° 23'.60 S	124° 30'.20 E
		15° 23'.65 S	124° 30'.00 E
		15° 24'.10 S	124° 30'.00 E
		15° 24'.10 S	124° 30'.60 E

Aus 730 [51/1999]

Insert	rock which covers and uncovers, enclosed by danger circle	15° 26'.78 S	124° 30'.10 E
		15° 24'.70 S	124° 27'.80 E
		15° 23'.70 S	124° 29'.10 E
	rock which covers and uncovers and extend danger line N to enclose danger line between	15° 24'.94 S	124° 28'.43 E
		15° 23'.60 S	124° 30'.20 E
		15° 23'.65 S	124° 30'.00 E
		15° 24'.10 S	124° 30'.00 E
		15° 24'.10 S	124° 30'.60 E

201* WESTERN AUSTRALIA - Dampier Archipelago - Production platform northward.

Former Notice - 699(P)/2000 is cancelled

Woodside Energy Limited (01/487) , Auscoast 013/2001 (01/280). (AH99/127)

Aus 327 [683/2000]

Insert	production platform, with legend <i>Legendre</i> , enclosed by restricted area	19° 42'.32 S	116° 42'.44 E
		19° 41'.36 S	116° 43'.45 E
		19° 41'.84 S	116° 42'.95 E
	lit CALM buoy, enclosed by restricted area		
	pecked magenta circle, radius 3M, with legend <i>Cautionary Area (see Note)</i> , centred on		

Aus 415 [682/2000]

Insert	production platform, with legend <i>Legendre</i> , enclosed by restricted area	19° 42'.3 S	116° 42'.4 E
--------	--	-------------	--------------

Aus 741 [146/2001]

Insert	production platform, with legend <i>Legendre</i> , enclosed by restricted area	(a) 19° 42'.32 S	116° 42'.44 E
		(b) 19° 41'.36 S	116° 43'.45 E
	lit CALM buoy, <i>Mo(U) Y. 15s</i> , enclosed by restricted area		
	pipeline between (a) & (b)		
	anchor berth	19° 42'.0 S	116° 42'.0 E
	pecked magenta circle, radius 3M, with legend <i>Cautionary Area (see Note)</i> , centred on	19° 41'.84 S	116° 42'.95 E

Aus 4603 (INT 603) [117/2001]

Insert	production platform	19° 42'.3 S	116° 42'.4 E
--------	---------------------	-------------	--------------

202* WESTERN AUSTRALIA - Varanus Island - Production well.
Apache Energy (01/1480). (AH99/197)

Aus 327 [201/2001]

Insert	well head, with legend <i>Gipsy Prod Well</i> , enclosed by restricted area	(a)	20° 38'.20 S	115° 43'.64 E
	pipeline between (a) and		20° 36'.17 S	115° 36'.82 E
	anchorage berth		20° 40'.0 S	115° 40'.0 E

Aus 328 [100/2001]

Insert	well head, with legend <i>Gipsy Prod Well</i> , enclosed by restricted area	(a)	20° 38'.20 S	115° 43'.64 E
	pipeline between (a) and		20° 36'.17 S	115° 36'.82 E
	anchorage berth		20° 40'.0 S	115° 40'.0 E

Aus 415 [201/2001]

Insert	well head, with legend <i>Well</i> , enclosed by restricted area	(a)	20° 38'.20 S	115° 43'.64 E
	pipeline between (a) and		20° 36'.17 S	115° 36'.82 E

Aus 416 [686/2000]

Insert	well head, with legend <i>Well</i> , enclosed by restricted area	(a)	20° 38'.20 S	115° 43'.64 E
	pipeline between (a) and		20° 36'.17 S	115° 36'.82 E

Aus 742 [685/2000]

Insert	well head, with legend <i>Gipsy Prod Well</i> , enclosed by restricted area	(a)	20° 38'.20 S	115° 43'.64 E
	pipeline between (a) and		20° 36'.17 S	115° 36'.82 E
	special pillar light buoy, <i>Fl. Y. 4s</i> , with topmark		20° 36'.17 S	115° 36'.82 E
	anchorage berth		20° 40'.0 S	115° 40'.0 E

203* SOUTH AUSTRALIA - Tiparra Reef to Yarraville Shoal - Depths.
LADS HI (01/1664). (AH99/442)

Aus 344 [178/2001]

Insert	depth, 7_3 fm	34° 03'.14 S	137° 16'.16 E
	depth, 3_3 fm	33° 39'.14 S	137° 31'.05 E
	depth, 3_3 fm, and extend 6fm contour SW to enclose	33° 37'.65 S	137° 37'.77 E
	depth, $3fm$, enclosed by contour	33° 34'.98 S	137° 40'.79 E
	depth, $3fm$, enclosed by contour	(a) 33° 18'.76 S	137° 42'.64 E
	6fm contour, enclosing (a), between	33° 19'.7 S	137° 43'.2 E
		33° 17'.1 S	137° 43'.5 E
	6fm contour between	33° 43'.0 S	137° 32'.4 E
		33° 41'.9 S	137° 33'.0 E
	6fm contour between	33° 43'.0 S	137° 32'.4 E
		33° 41'.9 S	137° 33'.0 E
	depth, 2_4 fm, enclosed by contour	33° 15'.92 S	137° 43'.83 E
Substitute	depth, 2_4 fm, enclosed by contour, for 3_2 fm	33° 32'.3 S	137° 35'.1 E
Delete	depth 8_2 fm	34° 03'.6 S	137° 16'.3 E
	depth 4fm	33° 39'.0 S	137° 31'.0 E
	depth 7_3 fm	33° 44'.3 S	137° 33'.8 E
	depth 6fm	(b) 33° 43'.0 S	137° 33'.3 E
	6fm contour, enclosing (b), between	33° 43'.0 S	137° 32'.4 E
		33° 41'.9 S	137° 33'.0 E
	depth 4_4 fm and semi-enclosing contour to E	33° 39'.8 S	137° 33'.9 E
	depth 4_3 fm and enclosing contour	33° 37'.9 S	137° 37'.2 E
	depth 3_5 fm	33° 31'.9 S	137° 34'.9 E
	depth 3_3 fm	33° 15'.8 S	137° 43'.8 E

Aus 777 [177/2001]

Insert	depth, 13_8 m, enclosed by contour	34° 03'.13 S	137° 16'.02 E
	depth, 4_9 m, enclosed by contour	34° 02'.38 S	137° 27'.93 E
	depth, 4_9 m	(a) 34° 00'.21 S	137° 26'.85 E
	depth, 4_9 m	(b) 33° 58'.45 S	137° 29'.19 E
	depth, 4_3 m	(c) 33° 58'.92 S	137° 28'.51 E
	5m contour, enclosing (a-c), between	34° 01'.3 S	137° 26'.9 E
		33° 58'.2 S	137° 30'.2 E
	depth, $15m$, enclosed by contour	33° 58'.71 S	137° 20'.10 E
	depth, 4_5 m, and extend contour NE to enclose	33° 56'.58 S	137° 33'.16 E
Delete	depth 15_2 m	34° 03'.5 S	137° 16'.4 E
	depth 17m	34° 02'.7 S	137° 16'.0 E
	depth 6_8 m	34° 02'.3 S	137° 27'.7 E
	depth 5_9 m	34° 00'.8 S	137° 26'.9 E
	depth 5_5 m	34° 00'.3 S	137° 27'.4 E
		33° 59'.5 S	137° 27'.5 E
		33° 58'.9 S	137° 28'.4 E
		33° 58'.6 S	137° 29'.3 E
	depth 5m	33° 56'.6 S	137° 32'.6 E
	depth 13_7 m and enclosing contour	33° 44'.3 S	137° 33'.8 E
	depth 11m and enclosing contour	33° 43'.0 S	137° 33'.3 E

Aus 777 (plan, Wallaroo Bay)

Insert	depth, 5_4 m	33° 55'.74 S	137° 33'.32 E
	depth, 5_2 m	33° 55'.76 S	137° 34'.24 E
	depth, 6 m	33° 53'.95 S	137° 35'.70 E
	depth, 4_8 m, enclosed by contour	33° 53'.28 S	137° 35'.70 E
Delete	depth 5_8 m	33° 55'.7 S	137° 34'.2 E
	depth 6_5 m	33° 53'.9 S	137° 35'.7 E
	depth 5_1 m	33° 53'.3 S	137° 35'.7 E

Aus 778 [178/2001]

Insert	depth, 4_9 m	(a) 33° 46'.67 S	137° 40'.07 E
	depth, 4_6 m	(b) 33° 45'.31 S	137° 40'.54 E
	5m contour, enclosing (a) & (b), between	33° 47'.8 S	137° 40'.4 E
		33° 45'.7 S	137° 41'.2 E
	depth, 4_7 m, enclosed by contour	33° 44'.60 S	137° 40'.87 E
	depth, 7_4 m	33° 40'.89 S	137° 41'.84 E
	depth, 6_5 m	33° 39'.13 S	137° 30'.91 E
	depth, 5 m, enclosed by contour	33° 39'.06 S	137° 33'.74 E
	depth, 6_6 m, and extend 10m contour SW to enclose	33° 37'.64 S	137° 37'.63 E
	depth, 4_9 m, enclosed by contour	33° 36'.07 S	137° 34'.73 E
		33° 32'.31 S	137° 35'.01 E
	depth, 5_6 m	33° 34'.97 S	137° 40'.64 E
	depth, 3_1 m	33° 28'.41 S	137° 48'.98 E
	depth, 8_8 m	33° 26'.33 S	137° 42'.07 E
	10m contour between	33° 26'.3 S	137° 42'.7 E
		33° 26'.3 S	137° 41'.7 E
	10m contour between	33° 29'.2 S	137° 41'.2 E
		33° 26'.9 S	137° 43'.6 E
	depth, 5_7 m	(c) 33° 18'.75 S	137° 42'.50 E
	10m contour, enclosing (c), between	33° 19'.7 S	137° 43'.2 E
		33° 17'.1 S	137° 43'.5 E
	depth, 4_8 m, enclosed by contour	33° 15'.91 S	137° 43'.69 E
	depth, 6 m	33° 14'.10 S	137° 43'.90 E
Delete	depth 6_4 m	33° 46'.6 S	137° 39'.9 E
	depth 5_5 m	33° 46'.8 S	137° 40'.8 E
		33° 39'.0 S	137° 33'.8 E
	depth 6_7 m	33° 44'.4 S	137° 41'.2 E
	depth 13_7 and enclosing contour	33° 44'.3 S	137° 33'.8 E
	depth 11m and enclosing contour	33° 43'.0 S	137° 33'.3 E
	depth 9_4 m	33° 41'.0 S	137° 41'.9 E
	depth 8_5 m and enclosing contour	33° 39'.8 S	137° 33'.9 E
	depth 8_2 m and enclosing contour	33° 37'.9 S	137° 37'.2 E
	depth 5_2 m	33° 36'.2 S	137° 34'.6 E
	depth 4_6 m	33° 28'.5 S	137° 49'.0 E
	5m contour between	33° 47'.8 S	137° 40'.4 E
		33° 45'.7 S	137° 41'.2 E
	10m contour between	33° 29'.2 S	137° 41'.2 E
		33° 26'.3 S	137° 41'.7 E
	10m contour between	33° 26'.3 S	137° 42'.7 E
		33° 26'.9 S	137° 43'.6 E
	10m contour between	33° 19'.7 S	137° 43'.2 E
		33° 17'.1 S	137° 43'.5 E

204(T)/2001 AUSTRALIA - QUEENSLAND - Moreton Bay - Moreton Banks - Marine farm.

Date - Until further notice

Queensland Transport Notice 93/2001 (01/1767). (AH98/146)

A marine farm exists in position 27° 19'.46 S 153° 23.72 E.

Mariners should navigate with caution in the area.

Chart temporarily affected – Aus 236.

205(T)/2001 AUSTRALIA - QUEENSLAND - Brisbane River - Hamilton Reach - Harbour works.

Date - Until 8 July 2001

Former Notice - 106(T)/2001 is cancelled

Queensland Transport Notice 92/2001 (01/1767). (AH99/207)

Harbour works are in progress for the extension of the jetty (27° 26'.97 S 153° 05'.35 E). A pile driving barge, moored with anchors marked by floats, is located on-site.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 238.

206(T)/2001 AUSTRALIA - QUEENSLAND - Brisbane River - Hamilton Reach - Buoys withdrawn.

Date - Until further notice

Queensland Transport Notice 99/2001 (01/1810). (AH99/14)

The special light buoys (27° 26'.72 S 153° 04'.27 E and 27° 26'.65 S 153° 04'.11 E) have been temporarily withdrawn.

Chart temporarily affected – Aus 238.

207(T)/2001 AUSTRALIA - QUEENSLAND - Brisbane River - Petrie Bight - Harbour works.

Date - Until 23 April 2001

Queensland Transport Notice 102/2001 (01/1810). (AH99/207)

Construction of a walkway is in progress on the northern bank of the river in position 27° 27'.80 S 153° 01'.97 E. A barge, marked by lights, Q. Y, is moored with anchors extending 75 metres into the river.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 238.

208(T)/2001 AUSTRALIA - QUEENSLAND - Hay Point - Depth information.

Former Notice - 734(T)/1999 is cancelled

Queensland Transport Notice 91/2001 (01/1767). (AH99/478)

Available depth as at 8 March 2001:

	<i>Metres</i>
Departure Channel	13.1
HPS Berth No 1	16.5
HPS Berth No 2	16.7
DBCT Berth No 1	18.7
DBCT Berth No 2	19.7

*Indicates new or revised entry.

Chart temporarily affected – Aus 250.

209(T)/2001 AUSTRALIA - QUEENSLAND - Cairns - Depth information.*Former Notice - 124(T)/2001 is cancelled*

Queensland Transport Notice 86/2001 (01/1501). (AH99/393)

Available depths as at 28 February 2001:

	<i>Metres</i>	
	<i>LAT</i>	<i>ISLW (Chart Datum)</i>
* Entrance Channel	7.9	8.1
Crystal Swing Basin at:		
360 metre diameter	7.0	7.2
380 metre diameter	6.5	6.7
Swing Basin at:		
310 metre diameter	8.2	8.4
320 metre diameter	7.5	7.7
Berths:		
No 1	8.1	8.3
No 2	8.1	8.3
No 3	8.3	8.5
No 4	8.2	8.4
No 5	8.0	8.2
No 6	7.0	7.2
No 7	10.3	10.5
No 8	10.3	10.5
No 10	9.3	9.5
No 12	10.5	10.7
Smith Creek 1	4.8	5.0

* Indicates new or revised entry.

Chart temporarily affected – Aus 262 – Aus 830.**210(T)/2001 SOUTH AUSTRALIA - Tiparra Reef - Drilling completed.***Former Notice - 760(T)/2000 is cancelled*

Auscoast 033/2001 (01/1669). (AH00/377)

Cancel this notice on receipt.

Chart formerly affected – Aus 344 – Aus 777**211(T)/2001 AUSTRALIA - VICTORIA - Port Phillip - Corio Channel and Hopetoun Channel - Shoaling.***Date - Until further notice*

Victorian Notice 13/2001 (01/1589). (AH99/209-02)

Shoaling exists in Corio Channel and Hopetoun Channel, within circular areas, centred on positions:

<i>Position</i>	<i>Depth</i>	<i>Radius in Metres</i>
38° 05'.72 S 144° 23'.32 E	12.0	25
38° 05'.94 S 144° 23'.03 E	12.1	7
38° 06'.36 S 144° 22'.52 E	12.1	5
38° 06'.48 S 144° 22'.33 E	12.1	10
38° 06'.58 S 144° 22'.25 E	12.1	22
38° 06'.70 S 144° 22'.26 E	12.1	24
38° 06'.86 S 144° 22'.01 E	12.1	9
38° 06'.97 S 144° 22'.14 E	12.0	5
38° 07'.03 S 144° 21'.94 E	12.1	5
38° 07'.46 S 144° 21'.91 E	11.8	74
38° 07'.39 S 144° 22'.17 E	12.1	5
38° 07'.49 S 144° 22'.07 E	11.9	21

Chart temporarily affected – Aus 157.**212(T)/2001 AUSTRALIA - Summer time.***Former Notice - 486(T)/2000 is cancelled*

AHS (00/7671). (AH99/259)

Cancel this notice on receipt

III

NAVIGATION WARNINGS

The following radio messages have been received during the period to 16 March 2001. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNING

072 Cancelled.
073 Cancelled.
074 NW Coast. Drill rig *Ocean Bounty* in position 10° 32'.3 S 126° 09'.4 E. 2.5M clearance requested.
075 Cancelled.
076 S Coast. Spencer Gulf shoal depth 8.1 metres reported in position 34° 03'.8 S 137° 15'.9 E and 9.6 metres in position 34° 03'.8 S 137° 17'.7 E.
077 NW Coast. Drill rig *Marine 500* in position 21° 32'.0 S 113° 48'.7 E. 2.5M clearance requested.
078 Cancelled.
079 Cancelled.
080 Cancelled.
081 NW Coast. Drill rig *Ron Tappmeyer* in position 20° 17'.9 S 116° 15'.3 E. 2.5M clearance requested.
082 NW Coast. Seismic Survey vessel *Geco Beta* towing seven 2.5 M cables in area 16° 59'.5 S to 17° 16'.8 S and 118° 18'.8 E to 118° 31'.4 E.
083 NW Coast. Drill rig *Ocean General* in position 19° 43'.3 S 116° 39'.6 E. 2.5M clearance requested.
084 Cancelled.

NAVAREA X WARNINGS

010 Cancelled.

Navigational warnings in force as at 151500UTC MAR 01.

Auscoast

2000 321.

2001 006 013 034 038 043 046 051 058 064 069 071 074 076 077 081 082 083.

Navarea X

001 002 003 004.

Summary of mobile drilling rigs as at 151500UTC MAR 01.

Name	Position
Ocean Bounty	10° 32'.3 S 126° 09'.4 E
Ocean Legend	19° 42'.3 S 116° 42'.4 E
Ocean General	19° 43'.3 S 116° 39'.6 E
Ron Tappmeyer	20° 17'.9 S 116° 15'.3 E
Ensco 56	20° 38'.2 S 115° 43'.6 E
Marine 500	21° 32'.0 S 113° 48'.7 E

NAVAREA XIV WARNINGS

042 Cancelled.
043 Cancelled.
044 Cancelled.
045 Cancelled.
046 Cancelled.
047 Cancelled.
048 Cancelled.
049 Cancelled.
051 Cancelled.
050 Cancelled.
052 South Pacific. Space station re-entry is due to occur on 20 March, the predicted area of debris is bounded by 53° 00' S to 23° 00' S and 175° 00' W to 090° 00' W.
053 Cancelled.
054 Cancelled.
054 Cancelled.
056 South Pacific. Space station re-entry is due to occur on 20 March, the predicted area of debris is bounded by 53° 00' S to 23° 00' S and 175° 00' W to 090° 00' W. Central impact area is 47° 00' S 141° 00' W.

Navarea XIV warnings in force as at 150001UTC MAR 01.

032 037 056

IV

HYDROGRAPHIC REPORTS

<i>Locality</i>	<i>Report</i>	<i>Ship/Authority</i>	<i>Observer</i>
Pacific Ocean- Port Villa	Buoyage	HMAS <i>Mermaid</i>	PJ Thacker
PNG- Port Moresby	Depth	HMAS <i>Mermaid</i>	
QLD- Eden Reef	Photo		
NT- Roper River Croker Island Port Essington	Local Knowledge Reef Jetty	MV <i>Fourcroy</i> MV <i>Caledon Bay</i> HMAS <i>Shepparton</i>	M Bresman M Bresman
WA- Napier Broome Bay	Shoal	SV <i>Sonnet</i>	M Raynes