



Australian Notices to Mariners are the authority for correcting Australian Charts

AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 2000 - Copyright restrictions apply to Notices to Mariners

Notices 201-226

Published fortnightly by the Australian Hydrographic Office

G. J. GERAGHTY,
Hydrographer, RAN

- SECTIONS. I. **Australian Notices to Mariners, including blocks and notes.**
 III. **Navigational Warnings.**
 IV. **Hydrographic Reports.**

New Zealand Notices to Mariners

The substance of these notices should be inserted on the charts affected.

Notices to Mariners information relating to British Admiralty Publications unavailable on this web site at this stage but still available in printed form:-

- Section II. Corrections to Admiralty List of Lights, Vol K.**
Section V. Corrections to Admiralty List of Radio Signals.
Section VI. Corrections to Sailing Directions.

Bearings are referred to the true compass and are reckoned clockwise from 000° (North) to 359°: those relating to lights are given as seen by an observer from seaward. The range quoted for a light is its nominal range. Fog signals are sounded only during thick or foggy weather, unless otherwise stated. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star () adjacent to the number of a notice indicates that the notice is based on original information.*

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC OFFICE, Locked Bag 8801 South Coast Mail Centre, NSW 2521 (Fax 02-4221 8599), e-mail hni.hydro@navy.gov.au or, alternatively by filling in and submitting the **Hydrographic Notes forms, immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868).**

Copies of these notices can be obtained from the AUSTRALIAN HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong, and Agents for the sale of charts and hydrographic publications.

The Commonwealth of Australia is the owner of, or is otherwise responsible for, the copyright in this work. It is protected under the Copyright Act 1968 and international convention. Except as expressly authorised below, the work may not be copied, reproduced, adapted, changed or commercially exploited, in whole or in part, or the format in which it is stored altered, without the prior written permission of the Australian Hydrographic Office. The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit.

© Commonwealth of Australia 2000

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 7

31 March 2000

Notices	Aus Chart
201	Aus 136,337,733,754, BA3994, BA4074
202	Aus 236
203	Aus 235
204	Aus 243
205	Aus 249
206	Aus 253
207	Aus 254
208	Aus 379,380,505,506,620,621,4620,4621, INT 621
209	Aus 381,567
210	Aus 680
211	Aus 303
212	Aus 112
213	Aus 755
214	Aus 755
215	Aus 167
216	Aus 168
217	Aus 154
218(T).....	Aus 195
219(T).....	Aus 244,245
220(T).....	Aus 371,825
221(T).....	Aus 830,831
222(P)	Aus 280,374,833
223(P)	Aus 323,733
224(T).....	Aus 143,157
225(T).....	Summer time
226(P)	Australian National Tide Tables - Electronic Version (ETT 2000) - Anomalies

201 AUSTRALIA - Publications.

HS RAN (00/1750). (AH99/139)

New edition

<i>Chart</i>	<i>Published</i>	<i>Title and description of amendments</i>	<i>Scale</i>	<i>Folio</i>	<i>Index Chart</i>	<i>Price</i>
Aus 733	4/2/00	Australia - North West Coast - Western Australia - Buccaneer Archipelago and King Sound	1:150 000	3	Aus 5020A	\$25.00

*General updating throughout. Chart is referred to
WGS.*

New edition to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>
Aus 136	Australia - South Coast - South Australia – Approaches to Whyalla and Port Pirie Plans Approaches to Port Pirie Port Bonython Whyalla Port Pirie Wharves	1:75 000 1:25 000 1:25 000 1:18 750 1:7 500
Aus 337	Australia - South Coast - Western Australia - King George Sound to Investigator Island Plans Bremer Bay Bremer Bay Boat Harbour	1:300 000 1:50 000 1:10 000
Aus 754	Australia - West Coast - Western Australia - Lancelin to Cape Peron	1:150 000

Chart permanently withdrawn

<i>Chart</i>	<i>On publication of new edition</i>
Aus 733	Aus 733
BA 3994	Aus 399
BA 4074	Aus 4074 (INT 74)

202* AUSTRALIA - QUEENSLAND - Moreton Bay - Canaipa Passage - Light beacons.

Queensland Transport Notice 84/2000 (00/1251). (AH 99/16)

Aus 236 [169/2000]

Substitute	light beacon, <i>Fl. R.</i> 2.5s, with port lateral topmark, for port lateral beacon	27° 37'.65 S	153° 24'.13 E
	light beacon, <i>Fl. R.</i> 3s, with port lateral topmark, for port lateral beacon	27° 38'.14 S 27° 39'.33 S	153° 24'.69 E 153° 23'.73 E
	light beacon, <i>Fl. G.</i> 3s, with starboard lateral topmark, for starboard lateral beacon	27° 38'.61 S 27° 38'.86 S	153° 25'.13 E 153° 24'.59 E
	special light beacon, <i>Fl. Y.</i> 3s, with topmark, for special beacon	27° 38'.64 S	153° 24'.99 E
Insert	light beacon, <i>Fl. G.</i> 3s, with starboard lateral topmark	27° 39'.16 S	153° 23'.97 E
Delete	starboard lateral beacon	27° 39'.25 S	153° 23'.90 E

203* AUSTRALIA - QUEENSLAND - Point Cartwright - Obstruction.

Former Notice - 478(T)/1999 is cancelled

Queensland Transport Notice 62/2000 (00/1107). (AH 99/176)

Aus 235 [701/1999]

Substitute	foul symbol for 20 ₁ m	26° 39'.2 S	153° 12'.7 E
------------	-----------------------------------	-------------	--------------

204* AUSTRALIA - QUEENSLAND - Bundaberg - Long Reach - Lights.
Queensland Transport Notice 92/2000 (00/1351). (AH 99/16)

Aus 243 [493/1999]

Insert	light beacon, <i>Fl. Y. 3s</i>	24° 46'.892 S	152° 23'.009 E
		24° 46'.989 S	152° 23'.029 E

205* AUSTRALIA - QUEENSLAND - Blackwood Shoals - Depth.
AHO (00/1449). (AH 99/176)

Aus 249 [136/2000]

Insert	contour to enclose depth 10m	20° 58'.68 S	149° 19'.77 E
--------	------------------------------	--------------	---------------

206* AUSTRALIA - QUEENSLAND - Whitsunday Passage - Transit line.
Capt ACC Hurry (00/1626). (AH 99/12)

Aus 253 [173/2000]

Amend	legend, to 105°, centred on	20° 13'.95 S	148° 53'.85 E
-------	-----------------------------	--------------	---------------

207* AUSTRALIA - QUEENSLAND - Hayman Island - Blue Pearl Bay - Buoys.
HMAS *Paluma* (00/1247). (AH 99/14)

Aus 254 (plan, Stonehaven Anchorage) [137/2000]

Move	buoy	20° 02'.82 S	148° 52'.85 E
	to	20° 02'.794 S	148° 52'.829 E
	buoy	20° 02'.53 S	148° 52'.87 E
	to	20° 02'.485 S	148° 52'.874 E

208* PAPUA NEW GUINEA - Hood Point to Redscar Bay - Lights.
List of Lights Vol K/2000 -- 3457,3458,3459.1,3464,3464.4,3465,3466
DOT&CAPNG (99/6849). (AH 99/196)

Aus 379 [711/1997]

Insert	port lateral light beacon, <i>Fl. R. 2.5s</i> , without topmark	8° 51'.3 S	146° 32'.1 E
--------	---	------------	--------------

Amend	light range to 10M	8° 49'.9 S	146° 31'.7 E
		9° 16'.4 S	146° 54'.0 E
		9° 25'.8 S	146° 52'.9 E
		9° 32'.4 S	147° 07'.9 E
		9° 29'.8 S	147° 11'.3 E

Aus 380 [104/1999]

Amend	light range to 10M	9° 32'.4 S	147° 07'.9 E
		9° 29'.8 S	147° 11'.3 E
		10° 06'.2 S	147° 43'.6 E

Aus 505 [711/1997]

Amend	light range to 10M	9° 25'.8 S	146° 52'.9 E
		9° 32'.4 S	147° 07'.9 E
		9° 29'.8 S	147° 11'.3 E
		10° 06'.2 S	147° 43'.6 E

Aus 506 [725/1998]

Amend	light range to 10M	10° 06'.2 S	147° 43'.6 E
-------	--------------------	-------------	--------------

Aus 620 [496/1997]

Insert	port lateral light beacon, <i>Fl. R. 2.5s 5M</i> , without topmark	8° 51'.3 S	146° 32'.1 E
--------	--	------------	--------------

Amend	light range to 10M	8° 49'.9 S	146° 31'.7 E
-------	--------------------	------------	--------------

(Notice 208 - continued)

Aus 620 (plan, Vari Vari Anchorage)

Amend	light range to 10M	9° 16'.4 S	146° 54'.0 E
-------	--------------------	------------	--------------

Aus 621 [711/1997]

Amend	light range to 10M	9° 32'.4 S	146° 08'.0 E
		9° 29'.8 S	147° 11'.3 E

Aus 4620 [681/1999]

Amend	light range to 10M	8° 49'.9 S	146° 31'.7 E
		9° 16'.4 S	146° 54'.0 E

Aus 4621 (INT 621) [44/2000]

Amend	light range to 10M	8° 49'.9 S	146° 31'.7 E
		9° 16'.4 S	146° 54'.0 E

209* PAPUA NEW GUINEA - Brumer Island - Depths.

HMAS' *Mermaid* & *Paluma* HI 301 (MMI 3-20891) (00/553). (AH 99/499)

Aus 381 [91/2000]

Substitute	depth, 7fm, for 8fm	10° 45'.9 S	150° 35'.3 E
Insert	depth, 9 ₅ fm, enclosed by contour	10° 47'.82 S	150° 30'.08 E
Delete	depth 13fm Rep (1982) and enclosing contour	10° 48'.8 S	150° 19'.1 E
	depth 17fm and enclosing contour	10° 50'.9 S	150° 27'.4 E
	depth 10fm and enclosing contour	10° 47'.2 S	150° 30'.4 E

Aus 567 [104/1999]

Substitute	depth, 7fm, for 8fm	10° 45'.9 S	150° 35'.3 E
Insert	depth, 9 ₅ fm, enclosed by contour	10° 47'.73 S	150° 30'.08 E
Delete	depth 13fm Rep (1982) and enclosing contour	10° 48'.7 S	150° 19'.1 E
	depth 17fm and enclosing contour	10° 50'.8 S	150° 27'.4 E
	depth 10fm and enclosing contour	10° 47'.2 S	150° 30'.4 E

210* PAPUA NEW GUINEA - New Britain - Dawapia Rocks - Light beacon.

List of Lights Vol K/2000 -- 3493.20

AMSA (99/7581). (AH 99/45)

Aus 680 [45/2000]

Insert	light beacon, Fl(2) R. 6s, with port lateral topmark	4° 14'.140 S	152° 10'.125 E
Delete	beacon	4° 14'.16 S	152° 10'.13 E

Aus 680 (plan, Simpson and Matupit Harbours)

Insert	light beacon, Fl(2) R. 6s 4m 4M, with port lateral topmark	4° 14'.140 S	152° 10'.125 E
Delete	beacon	4° 14'.16 S	152° 10'.13 E

211* AUSTRALIA - QUEENSLAND - Karumba - Light beacons.

Queensland Transport Notice 596/1999 & 16/2000 (99/9530 & 00/240). (AH 99/15)

Aus 303 [181/2000]

Insert	safe water mark light beacon, Iso. 4s, without topmark	17° 25'.53 S	140° 43'.17 E
Amend	light beacon to Dir Q	17° 26'.82 S	140° 45'.52 E
	light beacon to Dir Iso. 2s	17° 27'.17 S	140° 46'.18 E
	bearing, to Dir 119° 03', centred on	17° 24'.0 S	140° 40'.5 E
Delete	safe water light buoy	17° 25'.6 S	140° 43'.3 E

212* WESTERN AUSTRALIA - Rottnest Island - Beacons.

Transport WA (00/1350). (AH 99/29)

Aus 112 [529/1999]

Insert	south cardinal beacon, with topmark	31° 59'.74 S	115° 32'.72 E
	west cardinal beacon, with topmark	31° 59'.64 S	115° 32'.65 E
	starboard lateral beacon, with topmark	31° 59'.21 S	115° 32'.10 E

213* WESTERN AUSTRALIA - Bunbury - Lights altered.

Transport WA Chart WA 776 (00/1350). (AH 99/29)

Aus 755 [656/1999]

Amend	light to, <i>F. Bu</i>	33° 18'.84 S	115° 39'.57 E
		33° 19'.07 S	115° 39'.69 E

214* WESTERN AUSTRALIA - Bussleton - Light buoy withdrawn.

Transport WA Chart WA859 (00/1350). (AH 99/30)

Aus 755 [213/2000]

Delete	special spar light buoy	33° 37'.60 S	115° 22'.78 E
--------	-------------------------	--------------	---------------

215* AUSTRALIA - TASMANIA - Port Dalrymple - Sawyers Point - Harbour works completed.

Port of Launceston Pty Ltd (00/1587). (AH 00/82)

Aus 167 [249/1999]

Substitute	firm line for pecked line between	41° 08'.378 S	146° 51'.295 E
		41° 08'.393 S	146° 51'.299 E
		41° 08'.367 S	146° 51'.442 E
		41° 08'.352 S	146° 51'.438 E
Delete	firm line between	41° 08'.378 S	146° 51'.295 E
		41° 08'.352 S	146° 51'.438 E

Aus 167 (plan, Bell Bay)

Substitute	firm line for pecked line between	41° 08'.378 S	146° 51'.295 E
		41° 08'.393 S	146° 51'.299 E
		41° 08'.367 S	146° 51'.442 E
		41° 08'.352 S	146° 51'.438 E
Delete	legend, Works in Progress (1997), centred on	41° 08'.36 S	146° 51'.35 E

216* AUSTRALIA - TASMANIA - Tamar River - Oak Bluff - Light discontinued; leading beacons.

Port of Launceston Pty Ltd (00/1330). (AH 99/38)

Aus 168 [729/1999]

Substitute	beacon, with legend <i>2Bns</i> , for sector light	(a) 41° 13'.18 S	146° 54'.72 E
Insert	pecked line from beacon at (a) in a direction 330° 15' for 250 metres, thence a firm line for 560 metres, with legend <i>150° 15'</i>		

217* AUSTRALIA - VICTORIA - Port Phillip - Station Pier - Harbour works.

Maunsell McIntyre Pty Ltd (MMI 2-20899) (00/1667). (AH 98/328)

Aus 154 [152/2000]

Insert	accompanying block	37° 50'.7 S	144° 55'.9 E
--------	--------------------	-------------	--------------

218(T)/2000 AUSTRALIA - NEW SOUTH WALES - Port Kembla - Light buoy moved.

Date - Until further notice

Port Kembla Port Corp (00/1474). (AH 99/18)

The starboard lateral light buoy (34° 27'.38 S 150° 53'.24 E) has been temporarily moved to 34° 27'.343 S 150° 53'.201 E.

Chart temporarily affected - Aus 195.

219(T)/2000 AUSTRALIA - QUEENSLAND - Gladstone - South Trees Point - Harbour works.

Date - Until further notice

Queensland Transport Notice 99/2000 (00/1529). (AH 99/208)

A pile driving barge is conducting maintenance at South Trees East Wharf (23° 51'.12 S 151° 18'.76 E).

Mariners should navigate with caution in the vicinity.

Chart temporarily affected - Aus 244 - Aus 245.

220(T)/2000 AUSTRALIA - QUEENSLAND - Edwin Rock - Wreck salvaged.

Former Notice - 665(T)/1999 is cancelled

Queensland Transport (00/1666). (AH 98/292)

Cancel this notice on receipt.

Chart formerly affected - Aus 371 - Aus 825

221(T)/2000 AUSTRALIA - QUEENSLAND - Low Isle - Waverider buoy withdrawn.

Former Notice - 120(T)/1999 is cancelled

Queensland Transport (00/1625). (AH 98/16)

Cancel this notice on receipt.

Chart formerly affected - Aus 830 - Aus 831

222(P)/2000 AUSTRALIA - QUEENSLAND - Stainer Island - Light to be established.

Date - On or about 12 July 2000

Former Notice - 132(P)/2000 is cancelled

AMSA ATH 2000/02 (00/413 & 00/1800). (AH 99/15)

A light, *Fl. WGR. 10s 13m 14-10M*, will be established in position 13° 58'.2 S 143° 50'.3 E, with sectors as follows:

<i>Green</i>	129° - 144° (15°)
<i>White</i>	144° - 148° (4°)
<i>Red</i>	148° - 155° (7°)
<i>White</i>	155° - 129° (334°)

Chart which will be affected - Aus 280 - Aus 374 - Aus 833.

223(P)/2000 WESTERN AUSTRALIA - King Sound - Depths.

Former Notice - 302(P)/1999 is cancelled

AHO (99/2912). (AH 97/95)

Cancel this notice on receipt.

Chart formerly affected - Aus 323 - Aus 733

224(T)/2000 AUSTRALIA - VICTORIA - Port Phillip - Point Richards Channel - Light beacon destroyed.

Date - Until further notice

Victorian Notice 11/00 (00/1907). (AH 99/21)

No2 port lateral light beacon (38° 05'.2 S 144° 38'.5 E) has been destroyed. A port lateral light buoy, *Fl(2) R. 6s*, has been established in situ.

Chart temporarily affected - Aus 143 - Aus 157.

225(T)/2000 AUSTRALIA - Summer time.

Former Notice - 742(T)/1999 is cancelled

AHO (00/1921). (AH 99/259)

Cancel this notice on receipt.

226(P)/2000 AUSTRALIA - Australian National Tide Tables - Electronic Version (ETT 2000) - Anomalies.

AHO (00/1902). (AH 98/313)

Users of Australian National Tide Tables - Electronic Version (ETT 2000) are advised of anomalies in predictions for Secondary Ports and in Universal Time at all ports. These anomalies are most evident in northern areas and where the tidal range is large.

Predictions for Standard Ports in Local Time are not affected. These predictions for Standard Ports are identical for those published in ANTT 2000 and can thus be used as an official nautical publication.

The predictions for the Secondary Ports and all predictions using Universal Time are based on source data of lower and variable quality and should be used with caution.

The problem is being investigated and advice will be made as soon as possible.

III NAVIGATION WARNINGS

The following radio messages have been received during the period to 17 March 2000. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNINGS

076 Cancelled.
077 NE Coast. 14.5 metre trawler sunk in position 17° 19'.7 S 146° 04'.8 E.
078 Cancelled.
079 NW Coast. Seismic survey vessel *Acadian Searcher* towing 2.5M cable in area 11° 52' S to 12° 40' S and 128° 00' E to 129° 44' E.
080 Cancelled.
081 Cancelled.
082 E Coast. Gneering Shoal light buoy (26° 39'.2 S 153° 12'.6 E) temporarily withdrawn.
083 Cancelled.
084 Cancelled.
085 Cancelled.
086 Cancelled.
087 Cancelled.
088 Cancelled.
089 NW Coast. Seismic survey vessel *Geco Beta* towing 3.0M cable in area 17° 48' S to 18° 41' S and 116° 02' E to 117° 06' E.
090 Cancelled.
091 Cancelled.
092 NW Coast. Drill Rig *Sedco 702* in position 21° 11'.3 S 114° 41'.5 E. 2.5M clearance requested.

NAVAREA X WARNINGS

006 Drill Rig *Ocean Bounty* in position 10° 52'.8 S 126° 35'.1 E. 2.5M clearance requested.
007 Drill Rig *Ocean Epoch* in position 32° 15'.0 S 165° 36'.0 E at 102359UUTC relocating to Port Moresby.

Navigational warnings in force as at 161500UTC MAR 00.

Auscoast

2000 030 052 054 055 056 057 065 067 070 074 077 079 082 089 092.

Navarea X

2000 005 006 007

Summary of mobile drilling rigs as at 161500UTC MAR 00.

Name	Position
Ocean Bounty	10° 52'.8 S 126° 35'.1 E
Ocean General	11° 57'.0 S 124° 43'.9 E
Sedco 703	13° 49'.5 S 123° 11'.3 E
Ensco 56	20° 05'.9 S 116° 04'.7 E
Marine 500	20° 06'.8 S 114° 37'.1 E
Sedco 702	21° 11'.3 S 114° 41'.5 E

NAVAREA XIV WARNINGS

073 Cancelled.
074 Cancelled.
075 Cancelled.
076 Cancelled.
077 Cancelled.
078 Cancelled.
079 Cancelled.
080 Cancelled.
081 Cancelled.
082 Cancelled.
083 Cancelled.
084 Cancelled.
085 Cancelled.
086 Cancelled.
087 New Zealand. North Island. East Coast. Seismic survey vessel *Geco My* towing a 2M cable in area between 44° 00' S to 45° 00' S and 171° 50' E to 173° 10' E. within 10 miles of 40° 40' S 176° 40' E.
088 Cancelled.
089 Cancelled.
090 Cancelled.
091 Cancelled.

092	Cancelled.
093	Cancelled.
094	Cancelled.
095	Cancelled..
096	Cancelled.
097	Cancelled.
098	Cancelled.
099	Cancelled.
100	Cancelled.
101	Cancelled.
102	Cancelled.
103	Cancelled.
104	Cancelled.
105	Cancelled.
106	Cancelled.
107	Cancelled.
108	Cancelled.
109	Cancelled.
110	Cancelled.
111	Cancelled.
112	New Zealand. South Island. Kahurangi Point light K4505 (40° 47' S 172° 13' E) unlit.
113	South Pacific. MV <i>Vegabon</i> , 1 POB, overdue Fiji to Tonga.
114	Cancelled.
115	Cancelled.
116	Cancelled.
117	Cancelled.
118	South Pacific. Solo power in black 9 metre vessel enroute to Cape Horn position 49° 57' S 158° 33' W at 160801UTC MAR.

Navarea XIV warnings in force as at 160001UTC MAR 00.

2000 087, 112, 113, 118

IV

HYDROGRAPHIC REPORTS

<i>Locality</i>	<i>Report</i>	<i>Ship/Authority</i>	<i>Observer</i>
QLD- Whitsunday Passage	Leading line		ACC Hurry
NSW- Jervis Bay	Buoy	DFMJB	