

Australian Notices to Mariners are the authority for correcting Australian Charts

AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 2000 - Copyright restrictions apply to Notices to Mariners



Notices 262-280

Published fortnightly by the Australian Hydrographic Office

G. J. GERAGHTY,
Hydrographer, RAN

- SECTIONS. I. **Australian Notices to Mariners, including blocks and notes.**
 III. **Navigational Warnings.**
 IV. **Hydrographic Reports.**

New Zealand Notices to Mariners

The substance of these notices should be inserted on the charts affected.

Notices to Mariners information relating to British Admiralty Publications unavailable on this web site at this stage but still available in printed form:-

- Section II. Corrections to Admiralty List of Lights, Vol K.**
Section V. Corrections to Admiralty List of Radio Signals.
Section VI. Corrections to Sailing Directions.

Bearings are referred to the true compass and are reckoned clockwise from 000° (North) to 359°: those relating to lights are given as seen by an observer from seaward. The range quoted for a light is its nominal range. Fog signals are sounded only during thick or foggy weather, unless otherwise stated. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star () adjacent to the number of a notice indicates that the notice is based on original information.*

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC OFFICE, Locked Bag 8801 South Coast Mail Centre, NSW 2521 (Fax 02-4221 8599), e-mail hni.hydro@navy.gov.au or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms, immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

Copies of these notices can be obtained from the AUSTRALIAN HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong, and Agents for the sale of charts and hydrographic publications.

The Commonwealth of Australia is the owner of, or is otherwise responsible for, the copyright in this work. It is protected under the Copyright Act 1968 and international convention. Except as expressly authorised below, the work may not be copied, reproduced, adapted, changed or commercially exploited, in whole or in part, or the format in which it is stored altered, without the prior written permission of the Australian Hydrographic Office. The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit.

© Commonwealth of Australia 2000

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 9

28 April 2000

Notices	Aus Chart
262	Aus 6,57,304,605,616
263	Amendment to Annual Notices to Mariners No9
264	Aus 236
265	Aus 254
266	Aus 50,323,324
267	Aus 739,740
268	Aus 58
269	Aus 336,758
270	Aus 177
271	Aus 167,799
272(T).....	Aus 195
273(T).....	Aus 220,813,814
274(T).....	Aus 259
275(T).....	Aus 262,830
276(P)	Aus 373,374,832
277(P)	Aus 373,374,832
278(T).....	Aus 378,502
279(T).....	Aus 111,117
280(T).....	Aus 154

262 AUSTRALIA - Publications.

AHO (00/2491) & Admiralty Edition 13/2000 (00/2800). (AH 99/139, 99/226 & 99/229)

New edition

<i>Chart</i>	<i>Published</i>	<i>Title and description of amendments</i>	<i>Scale</i>	<i>Folio</i>	<i>Index Chart</i>	<i>Price</i>
Aus 605	3/3/00	Australia – Southern Ocean - Approaches to Heard Island Plans: Heard and McDonald Islands Atlas Cove	1:1 500 000 1:150 000 1:50 000	1	Aus 5020B	\$25.00

General updating throughout.

New chart to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>
Aus 304	Australia - North Coast - Queensland and Northern Territory – Wellesley Islands to Vanderlin Island	1:300 000

New edition to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>
Aus 6	Australia - North Coast - Queensland - Approaches to Karumba Inset: Norman River Plan: Karumba	1:25 000 1:25 000 1:15 000
Aus 57	Australia - North West Coast - Western Australia – Dampier Archipelago	1:75 000
Aus 616	Australia - East Coast - Plans in the Coral Sea (Sheet 4) Plans: Osprey Reef and Shark Reef Bougainville Reef Herald Cays North East Cay Anchorage Entrance to Osprey Reef	 1:100 000 1:75 000 1:75 000 1:25 000 1:20 000

New edition of British Admiralty publication

<i>NP No</i>	<i>Title</i>	<i>Date</i>	<i>RRP (UK)</i>	<i>Remarks</i>
NP 288	Admiralty List of Radio Signals Satellite Navigation Systems	30/3/00	£10:50	The 1999/00 edition is thereby cancelled.

Chart permanently withdrawn

<i>Chart</i>	<i>On publication of new edition</i>
Aus 605	Aus 605

263 AUSTRALIA - Publications - Amendment to Annual Notices to Mariners No9.

HMAS *Huon* (00/2201) & Designated Airspace Handbook (00/2543). (AH 97/125 & 99/400)

Amend page 67 YMMM/R322A Western Port to read YMMM/R323A *Western Port*
and YMMM/R322B Western Port to read YMMM/R323B *Western Port*

Page 68 delete YMMM/R327 Point Nepean

Substitute accompanying Diagram 11 for Diagram 11 on [page 79](#)

264* AUSTRALIA - QUEENSLAND - Moreton Bay - Peel Island - Light beacon; beacon.

Queensland Transport Notices 133 (00/2502) & 138 (00/2545). (AH 99/16)

Aus 236 [202/2000]

Insert	light beacon, <i>Fl. Y. 3s</i>	27° 28'.98 S	153° 20'.40 E
		27° 30'.20 S	153° 19'.37 E
	beacon, with starboard lateral topmark	27° 31'.00 S	153° 21'.36 E

265* AUSTRALIA - QUEENSLAND - Fitzalan Passage - Tidal stream.
AHO (00/2275). (AH 99/452)

Aus 254 (plan, Fitzalan Passage) [207/2000]

Insert	flood arrow, rate <i>1.2 kn</i> , in direction 162° and ebb arrow, rate <i>2.5 kn</i> , in direction 333°	20° 19'.20 S	148° 56'.51 E
--------	--	--------------	---------------

266* WESTERN AUSTRALIA - Lacepede Channel to Cape Bossut - Pearl culture.
Transport WA (99/4467). (AH 99/215)

Aus 50 [134/1999]

Insert	pecked magenta line, with legend <i>Pearl Culture</i> (see Note), between	17° 58'.80 S	122° 02'.00 E
		17° 58'.90 S	122° 03'.30 E
		17° 59'.90 S	122° 03'.40 E
		17° 59'.60 S	122° 02'.44 E
		18° 00'.86 S	122° 02'.20 E
		18° 00'.80 S	122° 01'.50 E
	pecked magenta line, with legend <i>Pearl Culture</i> (see Note), between	18° 04'.12 S	121° 52'.50 E
		18° 05'.00 S	121° 53'.90 E
		18° 06'.20 S	121° 53'.09 E
	and	18° 06'.20 S	121° 52'.80 E
		18° 06'.00 S	121° 52'.50 E

Aus 323 [527/1999]

Insert	legend, <i>Pearling</i> (see Note), in magenta, centred on	17° 01' S	122° 00' E
--------	--	-----------	------------

Aus 324 [162/1998]

Insert	pecked magenta line, with legend <i>Pearl Culture</i> (see Note), between	18° 22'.80 S	121° 52'.50 E
		18° 23'.25 S	121° 53'.00 E
		18° 24'.75 S	121° 51'.50 E
		18° 26'.50 S	121° 53'.00 E
		18° 27'.60 S	121° 52'.00 E
		18° 25'.70 S	121° 50'.50 E
		18° 25'.30 S	121° 50'.00 E

267* WESTERN AUSTRALIA - Port Hedland - Maintained depth.
AHO (00/2538). (AH 99/394)

Aus 739 [379/1999]

Amend	legend Dredged to 14.1m, to <i>Maintained depth 14.1m</i> , centred on	20° 14' S	118° 33' E
-------	---	-----------	------------

Aus 740 [379/1999]

Amend	legend Dredged to 14.1m, to <i>Maintained depth 14.1m</i> , centred on	20° 14' S	118° 33' E
-------	---	-----------	------------

268* WESTERN AUSTRALIA - Dampier - Port limits; pilot boarding places; anchorage.

Dampier Port Authority (00/2018 & 00/2020). (AH 00/100 & 00/101)

Aus 58 [705/1999]

Insert	pecked magenta line between	20° 21'.190 S	116° 51'.030 E
		20° 20'.500 S	116° 50'.000 E
		20° 22'.400 S	116° 47'.333 E
		20° 31'.245 S	116° 41'.645 E
		20° 26'.500 S	116° 41'.000 E
	pecked magenta line between	20° 26'.105 S	116° 36'.950 E
		20° 36'.825 S	116° 38'.645 E
		20° 36'.825 S	116° 37'.500 E
		20° 24'.00 S	116° 42'.90 E
Delete	pecked magenta line between	20° 21'.37 S	116° 49'.83 E
		20° 22'.40 S	116° 47'.33 E
		20° 26'.00 S	116° 36'.96 E
	pecked magenta line between	20° 26'.00 S	116° 41'.00 E
		20° 31'.25 S	116° 41'.65 E
		20° 37'.95 S	116° 38'.00 E
	pecked magenta line between	20° 36'.83 S	116° 37'.50 E
		20° 19'.5 S	116° 46'.3 E
		20° 25'.3 S	116° 47'.3 E
	legend (Provisional) centred on	20° 28'.8 S	116° 41'.4 E
		20° 32'.7 S	116° 41'.0 E
		20° 38'.5 S	116° 49'.0 E
	note PILOTS centred on pilot boarding place, with desig and legend (see Note), centred on	20° 22'.20 S	116° 43'.70 E
		20° 24'.80 S	116° 42'.15 E
		20° 25'.50 S	116° 44'.45 E
		20° 30'.90 S	116° 44'.00 E
		20° 38'.61 S	116° 39'.00 E
	anchor berth, desig AB, centred on	20° 23'.1 S	116° 41'.6 E

Note: charts Aus 57 and Aus 741 will be updated by new edition.

269* WESTERN AUSTRALIA - Casurania Isles - Depths.

Transport WA (00/2488). (AH 99/169)

Aus 336 [498/1994]

Insert	accompanying block	35° 03' S	116° 45' E
--------	------------------------------------	-----------	------------

Aus 758 [742/1989]

Insert	accompanying block	35° 03' S	116° 45' E
--------	------------------------------------	-----------	------------

270* AUSTRALIA - TASMANIA - Macquarie Harbour - Beacons.
PD&A Burnie (99/9103). (AH 99/38)

Aus 177 [270/1999]

Move	beacon	42° 14'.9 S	145° 17'.9 E
	to	42° 14'.86 S	145° 17'.80 E
	beacon	42° 13'.0 S	145° 21'.5 E
	To	42° 12'.24 S	145° 20'.95 E
Renumber	No 3A light beacon to No 3	42° 15'.0 S	145° 16'.9 E
	No 7 light beacon to No 6	42° 13'.9 S	145° 19'.1 E
Delete	depth 2 ₄ fm	42° 14'.8 S	145° 17'.8 E

Aus 177 (plan, Entrance to Macquarie Harbour)

Renumber	Wall Bn to No1	42° 14'.39 S	142° 14'.66 E
Amend	topmark to triangle	42° 14'.03 S	145° 13'.88 E
		42° 14'.25 S	145° 14'.50 E
	topmark to inverted triangle	42° 14'.02 S	145° 13'.86 E
Delete	beacon	(a) 42° 12'.88 S	145° 13'.36 E
	beacon	(b) 42° 13'.05 S	145° 13'.30 E
	beacon	(c) 42° 13'.48 S	145° 13'.77 E
	beacon	(d) 42° 13'.97 S	145° 13'.73 E
	pecked line between beacon (a) and	42° 12'.93 S	145° 13'.40 E
	pecked line between beacon (b) and	42° 13'.50 S	145° 13'.83 E
	leading line, with legend 260°, emanating from beacon (c)		
	pecked line between beacon (d) and	42° 14'.02 S	145° 13'.86 E

271* AUSTRALIA - TASMANIA - Launceston - She-Oak Point - Leading line.

List of Lights Vol K/2000 -- 3569.9,3570
Port of Launceston (98/21869). (AH 99/38)

Aus 167 [215/2000]

Insert	pecked line in a direction 307° 41' for 3350 metres, thence a firm line for 7900 metres, with legend 127° 41', from light	(a) 41° 04'.80 S	146° 48'.46 E
Delete	leading line, with legend 128° 14', emanating from the light at (a)		

Aus 799 [417/1999]

Insert	pecked line in a direction 307° 41' for 2.6M, thence a firm line for 6.4M, with legend 127° 41', from light	(a) 41° 04'.80 S	146° 48'.46 E
Delete	leading line, with legend 128° 14', emanating from the light at (a)		

272(T)/2000 AUSTRALIA - NEW SOUTH WALES - Port Kembla - Dredging completed.

Former Notice - 154(T)/2000 is cancelled
Port Kembla Port Corp (00/2639). (AH 00/50)

Cancel this notice on receipt.

Chart formerly affected - Aus 195

273(T)/2000 AUSTRALIA - NEW SOUTH WALES - Tweed River - Dredging.

Date - Until 31 October 2000
Kinhill Pty Ltd (00/2489). (AH 99/145)

Dredgers *Port Frederick* and *Faucon* are operating at the entrance of the Tweed River (28° 10'.3 S 153° 33'.4 E). The dredgers are discharging off Coolangatta Beach between 28° 10'.0 S 153° 33'.3 E and 28° 09'.7 S 153° 32'.2 E.

The dredgers will maintain radio watch on VHF Ch 16.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 220 - Aus 813 - Aus 814.

274(T)/2000 AUSTRALIA - QUEENSLAND - Lucinda - Harbour works.

Queensland Transport Notice 130/2000 (00/2502). (AH 00/138)

Maintenance works are in progress at the wharf (18° 31'.4 S 146° 19'.8 E). The wharf face is marked by lights, Q. Y.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 259.

275(T)/2000 AUSTRALIA - QUEENSLAND - Cairns - Sea trials cancelled.

Former Notice - 105(T)/2000 is cancelled
Queensland Transport Notice 10/2000 (00/192). (AH 00/17)

Cancel this notice on receipt.

Chart formerly affected - Aus 262 - Aus 830

276(P)/2000 AUSTRALIA - QUEENSLAND - Maxwell Reef - Light to be established.

Date - On or about 1 July 2000
Former Notice - 130(P)/2000 is cancelled
AMSA (00/2631). (AH 00/137)

A light, *Fl. WR. 10s 9m 11/8M*, will be established in position 14° 47'.2 S 145° 18'.8 E, with sectors as follows:

White 152° - 140° (348°)

Red 140° - 152° (12°)

Chart which will be affected - Aus 373 - Aus 374 - Aus 832.

277(P)/2000 AUSTRALIA - QUEENSLAND - Megaera Reef - Light to be replaced.

Date - On or about 6 June 2000
Former Notice - 131(P)/2000 is cancelled
AMSA (00/2631). (AH 00/137)

The light (14° 28'.73 S 144° 56'.94 E) will be replaced by a new light, *Fl. WGR. 2.5s 9m 9/7M*, with sectors as follows:

Green 270° - 280° (10°)

White 280° - 123° (203°)

Red 123° - 133° (10°)

White 133° - 270° (137°)

Chart which will be affected - Aus 373 - Aus 374 - Aus 832.

278(T)/2000 PAPUA NEW GUINEA - Gulf of Papua - Scientific instrument recovered.

Former Notice - 400(T)/1999 is cancelled

Lawson and Treloar Pty Ltd (00/2467). (AH 99/351)

Cancel this notice on receipt.

Chart formerly affected - Aus 378 - Aus 502

279(T)/2000 WESTERN AUSTRALIA - Cockburn Sound - Garden Island - Colpoys Point - Mooring buoy removed.

Date - Until further notice

MHQ Aust West (00/2633). (AH 99/30)

Mooring buoy A (32° 13'.74 S 115° 42'.40 E) has been temporarily removed.

Chart temporarily affected - Aus 111 - Aus 117.

280(T)/2000 AUSTRALIA - VICTORIA - Port Phillip - River Yarra - Newport - Buoys; channel depth.

Former Notice - 164(T)/2000 is cancelled

Victorian Notice 9/2000 (00/1963). (AH99/24)

A south cardinal buoy exists in position 37° 51'.098 S 144° 54'.381 E.

Two starboard lateral buoys (37° 50'.897 S 144° 54'.009 E and 37° 51'.072 S 144° 54'.290 E) have been established to mark the channel limit.

Maximum depth within the channel is *1.7 metres*.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 154.

III NAVIGATION WARNINGS

The following radio messages have been received during the period to 14 April 2000. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNINGS

108 NW Coast. Unlit yellow mooring buoy established in position 19° 37'.6 S 116° 30'.7 E.
109 Cancelled.
110 Cancelled.
111 Cancelled.
112 NW Coast. Drill Rig *Marine 500* in position 19° 50'.9 S 114° 28'.9 E. 2.5M clearance requested.

NAVAREA X WARNINGS

Nil issued.

Navigational warnings in force as at 131500UTC APR 00.

Auscoast

2000 054 055 057 070 089 100 103 108 112.

Navarea X

2000 009 012.

Summary of mobile drilling rigs as at 131500UTC APR 00.

Name	Position
Ocean General	11° 55'.9 S 125° 00'.6 E
Ocean Bounty	12° 40'.8 S 124° 29'.4 E
Sedco 703	13° 49'.5 S 123° 11'.3 E
Ensco 56	20° 05'.9 S 116° 04'.7 E
Marine 500	19° 50'.9 S 114° 28'.9 E
Sedco 702	21° 11'.3 S 114° 41'.5 E

NAVAREA XIV WARNINGS

148 Cancelled.
149 Cancelled.
150 Cancelled.
151 Cancelled.
152 Cancelled.
153 Cancelled.
154 Cancelled.
155 Cancelled.
156 Cancelled.
157 Cancelled.

Navarea XIV warnings in force as at 130001UTC APR 00.

2000 129.

IV

HYDROGRAPHIC REPORTS

Nil