



Australian Notices to Mariners are the authority for correcting Australian Charts and Publications

AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 2007 - Copyright restrictions apply to Notices to Mariners

Notices 379 - 416

Published fortnightly by the Australian Hydrographic Service

R. NAIRN
Hydrographer of Australia

- SECTIONS.**
- I. Australian Notices to Mariners, including blocks and notes.**
 - II. Amendments to Admiralty List of Lights and Fog Signals, Vol K**
 - III. Navigational Warnings.**
 - IV. Hydrographic Reports.**
 - V. Amendments to Admiralty List of Radio Signals (NP 281(2), 282, 283(2), 285, 286(4))**
 - VI. Amendments to Admiralty Sailing Directions (NP 9, 13, 14, 15, 33, 34, 35, 36, 39, 44, 51, 60, 61, 62, 100, 136)**

[British Admiralty Notices to Mariners](#)
[New Zealand Notices to Mariners](#)

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward. Positions quoted in permanent notices relate to the horizontal datum for the chart(s). When preliminary or temporary notices affect multiple charts, positions will be provided in relation to only one horizontal datum and that datum will be specified. When the multiple charts do not have a common horizontal datum, mariners will be required to adjust the position(s) for those charts not on the specified datum. The range quoted for a light is its nominal range. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star () adjacent to the number of a notice indicates that the notice is based on original information.*

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 Wollongong, NSW 2500 (Fax 02-4221 8599, e-mail Hydro.NTM@defence.gov.au or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

Copies of these notices can be obtained from the AUSTRALIAN HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong; Distributors for the sale of Australian Navigational Products; AHS website www.hydro.gov.au or register for eNotices at www.hydro.gov.au/enotices/enotices.htm.

The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all significant information affecting AHS products which the AHS has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHS regards third parties from which it receives information as reliable, however the AHS cannot verify all such information and errors may therefore exist. The AHS does not accept liability for errors in third party information.

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Service. Copyright in some of the material in this publication may be owned by another party and permission for the reproduction of that material must be obtained from the owner.

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 9

11 May 2007

Notices	Aus Chart
379	Aus 143, 155, 158, 623, 766, AU305154, 305155, 306156, 308154, 309144, 309145, 410148, 5XX193, 5164P1, 5178P3, 5178P4
380	Aus 182, 357A, 545
381	Aus 192
382	Aus 219
383	Aus 820
384	Aus 250
385	Aus 821, 825
386	Aus 371
387	Aus 836
388	Aus 292, 293
389	Aus 621
390	Aus 380, 505, 506
391	Aus 381, 567, 625, 629
392	Aus 395, 397, 461
393	Aus 301, 376
394	Aus 112, 754, AX63112
395	Aus 4070, 4074, INT 70, 74
396	Aus 777, 778
397	Aus 348
398	Aus 169
399	Aus 169
400	Aus 150, 151
401(T)	Aus 236
402(T)	Aus 236
403(T)	Aus 238
404(T)	Aus 244, 245, 246
405(T)	Aus 248, 260, 261, 367, 820, 822, AX 60260, 67248, 67261
406(P)	Aus 292, 293, 376, 839
407(P)	Aus 292, 293, 296, 299, 376, 700
408(T)	Aus 376
409(T)	Aus 57, 58, 59
410(T)	Aus 57, 58, 59
411(T)	Aus 57, 58, 59
412(T)	Aus 179, 800
413(T)	Aus 168
414(T)	Aus 168
415(T)	Aus 143
416(T)	Aus 150, 151, 152

Aus Chart	Notices	INT Chart	Notices
Aus 57.....	409(T), 410(T), 411(T)	INT 70	395
Aus 58.....	409(T), 410(T), 411(T)	INT 74	395
Aus 59.....	409(T), 410(T), 411(T)		
Aus 112.....	394		
Aus 143.....	379, 415(T)		
Aus 150.....	400, 416(T)		
Aus 151.....	400, 416(T)		
Aus 152.....	416(T)		
Aus 155.....	379		
Aus 158.....	379		
Aus 168.....	413(T), 414(T)		
Aus 169.....	398, 399		
Aus 179.....	412(T)		
Aus 182.....	380	ENC Cell	Notices
Aus 192.....	381	AU305154	379
Aus 219.....	382	AU305155	379
Aus 236.....	401(T), 402(T)	AU306156	379
Aus 238.....	403(T)	AU308154	379
Aus 244.....	404(T)	AU309144	379
Aus 245.....	404(T)	AU309145	379
Aus 246.....	404(T)	AU410148	379
Aus 248.....	405(T)	AU5XX193.....	379
Aus 250.....	384	AU5164P1.....	379
Aus 260.....	405(T)	AU5178P3.....	379
Aus 261.....	405(T)	AU5178P4.....	379
Aus 292.....	388, 406(P), 407(P)		
Aus 293.....	388, 406(P), 407(P)		
Aus 296.....	407(P)		
Aus 299.....	407(P)		
Aus 301.....	393		
Aus 348.....	397		
Aus 357A	380		
Aus 367.....	405(T)		
Aus 371.....	386		
Aus 376.....	393, 406(P), 407(P), 408(T)		
Aus 380.....	390		
Aus 381.....	391		
Aus 395.....	392		
Aus 397.....	392		
Aus 461.....	392		
Aus 505.....	390		
Aus 506.....	390		
Aus 545.....	380		
Aus 567.....	391		
Aus 621.....	389		
Aus 623.....	379		
Aus 625.....	391		
Aus 629.....	391		
Aus 700.....	407(P)		
Aus 754.....	394		
Aus 766.....	379		
Aus 777.....	396		
Aus 778.....	396		
Aus 800.....	412(T)		
Aus 820.....	383, 405(T)		
Aus 821.....	385		
Aus 822.....	405(T)		
Aus 825.....	385		
Aus 836.....	387		
Aus 839.....	406(P)		
Aus 4070.....	395		
Aus 4074.....	395		
AX 60260	405(T)		
AX 63112	394		
AX 67248	405(T)		
AX 67261	405(T)		

379 AUSTRALIA - Products

AHS (A239954, A241056, A241109, A241227, A241250, A241273)

New Electronic Navigation Chart (Seafarer ENC)

<i>Cell Name</i>	<i>Released</i>	<i>Title</i>
AU305154	February 2007	South Pacific Ocean - Cell 2
AU305155	February 2007	South Pacific Ocean - Tulun Islands
AU306156	February 2007	South Pacific Ocean - Cell 1
AU308154	February 2007	Solomon Sea - Cell 1
AU309144	February 2007	Gulf of Papua - Cell 1
AU309145	February 2007	Gulf of Papua - Cell 2
AU410148	February 2007	Solomon Sea - Dyke Ackland Bay
AU5XX193	April 2007	Jervis Bay
AU5164P1	April 2007	Tasmania - Devonport
AU5178P3	April 2007	Tasmania - Stanley Harbour
AU5178P4	April 2007	King Island - Grassy Harbour

New Chart to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Expected Publication Date</i>	<i>Expected Stock Availability</i>
Aus 623	Papua New Guinea - South Coast - Approaches to Marshall Lagoon	1:50 000	11/5/2007	22/6/2007
Aus 766	Australia - Tasmania - Mistaken Cape to Wardlaws Point	1:150 000	27/4/2007	8/6/2007

New Edition to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Expected Publication Date</i>	<i>Expected Stock Availability</i>
Aus 143	Australia - South Coast - Victoria - Port Phillip Plans:	1:100 000	27/4/2007	8/6/2007
	Patterson River	1:10 000		
	Sorrento	1:10 000		
	Blairgowrie	17 5000		
	Mornington	1:7 500		
	Queenscliff	1:5 000		
Aus 155	Australia - South Coast - Victoria - Approaches to Melbourne Plans:	1:37 500	27/4/2007	8/6/2007
	Brighton Harbour	1:10 000		
	St Kilda Harbour	1:10 000		
	Sandringham	1:10 000		
	Altona	1:7 500		
Aus 158	Australia - South Coast - Victoria - Port Phillip South and West Channels	1:37 500	27/4/2007	8/6/2007

For further details refer to the AHS website at www.hydro.gov.au for new edition and new chart stock arrival information.

When placing orders with a chart agent, mariners should advise whether their order pertains to the current edition or the new edition.

380* AUSTRALIA - Miscellaneous correction

AHS (A238055, A238056, A239930)

Aus 182 (plan, Lakes Entrance) [226/2007]Substitute [accompanying note](#) for The Bar - Lakes Entrance note 37° 54'.2 S 147° 59'.5 E**Aus 357A [1227/2006]**Substitute [accompanying note](#) for The Bar - Lakes Entrance note 38° 19'.0 S 146° 30'.0 E**Aus 545 [NC 2/2/2007]**

Insert	magenta limits, with legend Aus 668 in SW corner, between	3° 36'.00 S	152° 24'.90 E
		3° 36'.00 S	152° 23'.75 E
		3° 40'.43 S	152° 23'.75 E
		3° 40'.43 S	152° 24'.90 E

381* AUSTRALIA - NEW SOUTH WALES - Twofold Bay - Whale Spit - Light buoy established

NSW Maritime (A238584 to A234586)

Aus 192 [1214/2006]Insert special spar light buoy, *Fl.Y.3s*, without topmark 37° 05'.655 S 149° 53'.941 E

Delete depth 1.5m 37° 05'.68 S 149° 53'.94 E

382* AUSTRALIA - NEW SOUTH WALES - Camden Haven - Light buoys established

Maritime NSW (A235739, A2373087 - A237309)

Aus 219 (plan, Camden Haven) [32/2007]

Insert	port lateral cylindrical light buoy, <i>Fl.R.3s</i> , without topmark	31° 38'.547 S	152° 49'.129 E
	starboard lateral conical light buoy, <i>Fl.G.3s</i> , without topmark	31° 38'.545 S	152° 48'.975 E

Delete	buoy	31° 38'.54 S	152° 49'.15 E
	buoy	31° 38'.48 S	152° 49'.14 E

383* AUSTRALIA - QUEENSLAND - Yeppoon - Lights discontinued

Maritime Safety Queensland Notice 229/2007 (A238843)

Aus 820 [260/2007]

Delete light 23° 08'.2 S 150° 45'.0 E

384* AUSTRALIA - QUEENSLAND - Hay Point - Depth

Potrs Corp Queensland mA115142 (A238783, A238784, A239935)

Aus 250 (plan, Hay Point) [623/2006]

Insert depth, 8.2m, enclosed by contour 21° 15'.465 S 149° 18'.488 E

385* AUSTRALIA - QUEENSLAND - Tideway Reef - ShoalMV *Lady Basten* (A239346)**Aus 821 [86/2007]**

Insert	danger line between	20° 01'.72 S	149° 41'.65 E
		20° 01'.44 S	149° 41'.60 E
		20° 01'.29 S	149° 41'.17 E
		20° 01'.58 S	149° 41'.09 E

Aus 825 [217/2007]

Insert	danger line between	20° 01'.72 S	149° 41'.65 E
		20° 01'.44 S	149° 41'.60 E
		20° 01'.29 S	149° 41'.17 E
		20° 01'.58 S	149° 41'.09 E

386* AUSTRALIA - QUEENSLAND - Gould Reef - Wreck

Former Notice - 402(T)/2006 is cancelled

Maritime Safety Queensland (A190303, A238856, A238857). The wreck is the FV *Celia Grove*.**Aus 371** [1183/2006]

Insert	safe clearance depth, 13 fm, enclosed by danger circle, with legend <i>Wk</i> (see INT1 K30)	19° 18'.44 S	148° 46'.12 E
--------	---	--------------	---------------

387* AUSTRALIA - QUEENSLAND - Black Rock Entrance to Olinda Entrance - Depths

LADS (mA109774, mA115072 and mA115336)

Aus 836 [NE 3/3/2006]

Insert	accompanying block	11° 15'.0 S	144° 04'.0 E
--------	------------------------------------	-------------	--------------

388* AUSTRALIA - TORRES STRAIT - Wednesday Island - DepthACV *Holdfast Bay* (A238752)**Aus 292** [190/2007]

Insert	upright sounding, 2 ₄ m, enclosed by broken contour	10° 32'.55 S	142° 19'.62 E
--------	--	--------------	---------------

Aus 293 [1278/2006]

Insert	upright sounding, 2 ₄ m, enclosed by broken contour	10° 32'.641 S	142° 19'.559 E
--------	--	---------------	----------------

389* PAPUA NEW GUINEA - Port Moresby - Depths

Port of Brisbane Corporation mA114826 (A238696)

Aus 621 [129/2007]

Insert	accompanying block	9° 28'.0 S	147° 09'.0 E
--------	------------------------------------	------------	--------------

390* PAPUA NEW GUINEA - Hood Point - Light altered

PNG NMSA Notice 07-108 (A234935)

Aus 380 [340/2007]

Amend	light to Q(2)10s 10M	10° 06'.3 S	147° 43'.5 E
-------	----------------------	-------------	--------------

Aus 505 [NC 2/2/2007]

Insert	light, Q(2)10s 22m 10M, with arc of vis 283° - 158°	10° 06'.22 S	147° 43'.59 E
--------	---	--------------	---------------

Delete	light with sector	10° 06'.3 S	147° 43'.6 E
--------	-------------------	-------------	--------------

Aus 506 [1184/2006]

Amend	light to Q(2)10s 72ft 10M	10° 06'.3 S	147° 43'.1 E
-------	---------------------------	-------------	--------------

391* PAPUA NEW GUINEA - Kaba Eru Eru - Light altered

PNG NMSA Notice 07-110 (A237810)

Aus 381 [302/2007]

Amend	light range to 6M	10° 34'.5 S	150° 41'.9 E
-------	-------------------	-------------	--------------

Aus 567 [1054/2005]

Insert	light beacon, Fl.5s 6M	10° 34'.40 S	150° 42'.07 E
--------	------------------------	--------------	---------------

Delete	depth 5fm	10° 34'.39 S	150° 42'.09 E
	light	10° 34'.5 S	150° 42'.0 E

Aus 625 [131/2007]

Insert	light beacon, Fl.5s 23ft 6M	10° 34'.416 S	150° 42'.111 E
--------	-----------------------------	---------------	----------------

Delete	light	10° 34'.47 S	150° 42'.05 E
	depth 7fm	10° 34'.39 S	150° 42'.12 E

Aus 629 [625/2006]

Insert	light beacon, Fl.5s 6M	10° 34'.38 S	150° 41'.98 E
--------	------------------------	--------------	---------------

Delete	light	10° 34'.4 S	150° 41'.9 E
--------	-------	-------------	--------------

392* PAPUA NEW GUINEA - NEW BRITAIN - Wununula Point to Cape Liguana - Depths
 HMAS' *Mermaid* and *Paluma* (A239931)

Aus 395 [302/2007]

Insert	depth, 604fm	4° 41'.20 S	151° 32'.45 E
	depth, 912fm	4° 35'.30 S	151° 25'.07 E
	depth, 710fm	4° 32'.63 S	151° 30'.48 E
	depth, 544fm	4° 33'.31 S	151° 34'.32 E
	depth, 565m	4° 26'.46 S	151° 31'.51 E
	depth, 757fm	4° 27'.28 S	151° 24'.56 E
	depth, 759fm	4° 21'.02 S	151° 28'.55 E
	depth, 727fm	4° 04'.00 S	151° 39'.24 E
	depth, 529fm	4° 07'.08 S	151° 43'.87 E
	depth, 383fm	4° 04'.08 S	151° 49'.76 E
	depth, 289fm	4° 08'.05 S	151° 52'.86 E
	depth, 364fm	4° 02'.99 S	151° 59'.14 E
	depth, 317fm	4° 11'.22 S	151° 51'.68 E
	depth, 370fm	4° 12'.66 S	151° 54'.83 E
Delete	legend, Reef reported to extend 3 miles further westward (1952) (E.D.)	4° 34'.5 S	151° 35'.0 E
	legend, UNSURVEYED (see Note)	4° 39'.0 S	151° 31'.5 E

Aus 397 [302/2007]

Insert	depth, 604fm	4° 41'.20 S	151° 32'.45 E
	depth, 912fm	4° 35'.30 S	151° 25'.07 E
	depth, 710fm	4° 32'.63 S	151° 30'.48 E
	depth, 544fm	4° 33'.31 S	151° 34'.32 E
	depth, 565fm	4° 26'.46 S	151° 31'.51 E
	depth, 757fm	4° 27'.28 S	151° 24'.56 E
	depth, 759fm	4° 21'.02 S	151° 28'.55 E
	depth, 727fm	4° 04'.00 S	151° 39'.24 E
	depth, 529fm	4° 07'.08 S	151° 43'.87 E
	depth, 383fm	4° 04'.08 S	151° 49'.76 E
	depth, 289fm	4° 08'.05 S	151° 52'.86 E
	depth, 364fm	4° 02'.99 S	151° 59'.14 E
	depth, 317fm	4° 11'.22 S	151° 51'.68 E
	depth, 370fm	4° 12'.66 S	151° 54'.83 E
Delete	legend, Reef reported to extend 3 miles further westward 1952 ED	4° 33'.0 S	151° 35'.0 E
	legend Unsurveyed (see Note)	4° 26'.0 S	151° 30'.0 E
	legend Unsurveyed (see Note)	4° 04'.5 S	151° 42'.0 E

Aus 461 [220/2007]

Insert	depth 604fm	4° 41'.20 S	151° 33'.45 E
	depth 912fm	4° 35'.30 S	151° 26'.07 E
	depth 710fm	4° 32'.63 S	151° 31'.48 E
	depth 565fm	4° 26'.46 S	151° 32'.51 E
	depth 759fm	4° 21'.02 S	151° 29'.55 E
	depth 727fm	4° 04'.00 S	151° 40'.24 E
	depth 529fm	4° 07'.08 S	151° 44'.87 E
	depth 383fm	4° 04'.08 S	151° 50'.76 E
	depth 289fm	4° 08'.05 S	151° 53'.86 E

393* AUSTRALIA - TORRES STRAIT - Hocking Patches - Depths
 HMAS' Shepparton and Benalla HI 417 (A229280)

Aus 301 [268/2007]

Insert	depth, 9 ₇ m, enclosed by contour	10° 42'.33 S	141° 36'.86 E
	depth, 9 ₉ m, enclosed by contour	10° 41'.40 S	141° 34'.74 E
	depth, 9 ₈ m, enclosed by contour	10° 40'.44 S	141° 36'.36 E

Delete	depth, 11 ₂ m, with legend SD	10° 42'.1 S	141° 36'.5 E
	depth, 10 ₃ m, with legend SD	10° 40'.0 S	141° 35'.8 E

Aus 376 [344/2007]

Insert	depth, 9 ₇ m, enclosed by contour	10° 42'.24 S	141° 36'.91 E
	depth, 9 ₉ m, enclosed by contour	10° 41'.31 S	141° 34'.79 E
	depth, 9 ₈ m, enclosed by contour	10° 40'.35 S	141° 36'.41 E

Delete	depth 11 ₂ m with legend SD	10° 42'.0 S	141° 36'.6 E
	depth 10 ₃ m with legend SD	10° 39'.9 S	141° 35'.9 E

394* AUSTRALIA - WESTERN AUSTRALIA - Swanbourne - Firing danger area altered
 Department of Defence (A237574)

Aus 112 [1283/2006]

Insert	firing danger area between	31° 58'.368 S	115° 45'.250 E
		31° 58'.901 S	115° 44'.599 E
		31° 58'.901 S	115° 43'.350 E
		31° 56'.550 S	115° 43'.350 E
		31° 56'.550 S	115° 44'.899 E
		31° 57'.054 S	115° 45'.210 E

Delete	firing danger area centred on	31° 58'.0 S	115° 44'.0 E
--------	-------------------------------	-------------	--------------

Aus 754 [1283/2006]

Insert	firing danger area between	31° 58'.37 S	115° 45'.25 E
		31° 58'.90 S	115° 44'.60 E
		31° 58'.90 S	115° 43'.35 E
		31° 56'.55 S	115° 43'.35 E
		31° 56'.55 S	115° 44'.90 E
		31° 57'.05 S	115° 45'.21 E

Delete	firing danger area centred on	31° 58'.0 S	115° 44'.0 E
--------	-------------------------------	-------------	--------------

AX 63112 [1283/2006]

Insert	firing danger area between	31° 58'.368 S	115° 45'.250 E
		31° 58'.901 S	115° 44'.599 E
		31° 58'.901 S	115° 43'.350 E
		31° 56'.550 S	115° 43'.350 E
		31° 56'.550 S	115° 44'.899 E
		31° 57'.054 S	115° 45'.210 E

Delete	firing danger area centred on	31° 58'.0 S	115° 44'.0 E
--------	-------------------------------	-------------	--------------

395* SOUTHERN OCEAN - Iles Kerguelen - Depth
 AHS (A224394)

Aus 4070 (INT 70) [30/2007]

Substitute	depth, 19m, for depth 18m	49° 29'.9 S	71° 26'.5 E
------------	---------------------------	-------------	-------------

Aus 4074 (INT 74) [30/2007]

Substitute	depth, 19m, for depth 18m	49° 29'.9 S	71° 26'.5 E
------------	---------------------------	-------------	-------------

396* AUSTRALIA - SOUTH AUSTRALIA - Spencer Gulf - Buoyage numbered
AMSA ATH 6/2007 (A231336)

Aus 777 [358/2007]

Insert	legend <i>DW1</i> at light buoy	34° 04'.0 S	136° 59'.3 E
	legend <i>SG2</i> at light buoy	33° 48'.1 S	137° 26'.1 E

Aus 778 [NE 2/2/2007]

Insert	legend <i>SG2</i> at light buoy	33° 48'.1 S	137° 26'.1 E
	legend <i>SG3</i> at light buoy	33° 40'.5 S	37° 29'.0 E
	legend <i>Y1</i> at light buoy	33° 16'.8 S	137° 32'.3 E
	legend <i>Y3</i> at light buoy	33° 15'.2 S	137° 32'.9 E
	starboard lateral pillar light buoy, <i>Fl(2)G.5s Y2</i>	33° 15'.82 S	137° 32'.74 E

Delete	depth 19 ₄ m	33° 16'.0 S	137° 32'.9 E
--------	-------------------------	-------------	--------------

Aus 778 (plan, Yarraville Shoal)

Insert	legend <i>Y1</i> at light buoy	33° 16'.8 S	137° 32'.3 E
	legend <i>Y2</i> at light buoy	33° 15'.8 S	137° 32'.7 E
	legend <i>Y3</i> at light buoy	33° 15'.2 S	137° 32'.9 E

397* AUSTRALIA - SOUTH AUSTRALIA - Port Macdonnell - Depths
Jeanes and Sommerville mA114782 (A241439)

Aus 348 (plan, Port Macdonnell) [355/2006]

Insert	accompanying block	38° 04'.0 S	140° 42'.5 E
--------	------------------------------------	-------------	--------------

398* AUSTRALIA - TASMANIA - Schouten Island - Hen and Chicken Bay - Contour
AHS (A238837)

Aus 169 (plan, Schouten Passage) [98/2007]

Insert	contour between	42° 20'.41 S	148° 17'.67 E
		42° 20'.55 S	148° 17'.77 E
		42° 20'.56 S	148° 18'.00 E
		42° 20'.61 S	148° 18'.12 E
		42° 20'.91 S	148° 18'.37 E
		42° 21'.20 S	148° 18'.47 E

399* AUSTRALIA - TASMANIA - Buoy established
Former Notice - 296(T)/2007 is cancelled
Marine and Safety Tasmania (A237783, A238641, A238642)

Aus 169 (plan, Georges Bay) [398/2007]

Substitute	starboard lateral conical buoy, <i>No11</i> , with topmark for No11 beacon	41° 19'.64 S	148° 16'.54 E
------------	--	--------------	---------------

400* AUSTRALIA - VICTORIA - Western Port - Grant Hill to Tortoise Head - Beacons discontinued
AHS (A239933)

Aus 150 [143/2007]

Delete	beacon	38° 30'.9 S	145° 07'.6 E
	beacon	38° 24'.5 S	145° 16'.3 E

Aus 151 [143/2007]

Delete	beacon	38° 30'.94 S	145° 07'.56 E
	beacon	38° 24'.53 S	145° 16'.36 E

401(T)/2007 AUSTRALIA - QUEENSLAND - Moreton Bay - North Stradbroke Island - Dunwich - Shoaling

Maritime Safety Queensland Notice 237(T)/2007 (A239923)

Shoaling, least depth 0.2m LAT, exists in vicinity of 27° 29'.44 S 153° 23'.76 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 236

402(T)/2007 AUSTRALIA - QUEENSLAND - Moreton Bay - Victoria Point - Obstruction; buoy

Maritime Safety Queensland Notice 251(T)/2007 (A241632)

A special buoy, marking an underwater obstruction, exists in position 27° 34'.92 S 153° 19'.10 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 236

403(T)/2007 AUSTRALIA - QUEENSLAND - Brisbane River - Hamilton Reach - Wreck

Maritime Safety Queensland Notice 238(T)/2007 (A239922)

A wreck exists in vicinity of 27° 26'.84 S 153° 04'.70 E.

Mariners are advised to navigate with caution in the area and contact Forgacs dockyard and Brisbane Harbour before using No4 Cairncross dockyard facility.

Chart temporarily affected – Aus 238

404(T)/2007 AUSTRALIA - QUEENSLAND - Gladstone - Navaid upgrade

Former Notice - 1239(P)/2006 is cancelled

Maritime Safety Queensland Notice 252/2007 (A241726)

Leading lights (Dir 293.6°) have been established in Targinie Channel in positions:

<i>Position</i>	<i>Characteristics</i>	<i>Remarks</i>
23° 46'.907 S 151° 10'.019 E	<i>Q.Bu (F day (occas)) & Fl(2)4s</i>	Front Lead
23° 46'.600 S 151° 09'.265 E	<i>Iso.Bu.2s (F day (occas)) & Fl(2)6s</i>	Rear Lead

Targinie Channel leading lights (Dir 113.6°) have been altered:

<i>Position</i>	<i>Characteristics</i>	<i>Remarks</i>
23° 48'.849 S 151° 14'.847 E	<i>Q. (F day (occas)) & Fl.Y.2.5s</i>	Front Lead
23° 49'.153 S 151° 15'.602 E	<i>Iso.2s (F day (occas)) & Fl.Y.2.5s</i>	Rear Lead

No2 light buoy (23° 48'.12 S 151° 12'.91 E) has been moved to 23° 48'.388 S 151° 13'.561 E.

Light beacons have been established in Targinie Channel in positions:

<i>Position</i>	<i>Characteristics</i>	<i>Number</i>	<i>Remarks</i>
23° 48'.241 S 151° 13'.584 E	<i>Fl.G.4s</i>	T1	light beacon with topmark
23° 48'.042 S 151° 12'.979 E	<i>Fl.G.4s</i>	T3	light beacon with topmark
23° 48'.136 S 151° 12'.933 E	<i>Fl.R.4s</i>	T4	light beacon with topmark

Light beacons and buoys in Targinie Channel have been renumbered:

<i>Position</i>	<i>Characteristics</i>	<i>Old Number</i>	<i>New Number</i>
23° 47'.84 S 151° 12'.47 E	<i>Fl.G.4s</i>	T1	T5
23° 47'.93 S 151° 12'.42 E	<i>Fl.R.4s</i>	T4	T6
23° 47'.64 S 151° 11'.99 E	<i>Fl.G.4s</i>	T3	T7
23° 47'.74 S 151° 11'.94 E	<i>Fl.R.4s</i>	T6	T8
23° 47'.52 S 151° 11'.43 E	<i>Fl.R.4s</i>	T8	T10

Clinton Bypass Channel leading lights have been altered:

<i>Position</i>	<i>Characteristics</i>	<i>Remarks</i>
23° 48'.357 S 151° 14'.163 E	<i>Q (F day (occas)) & Fl.G.4s</i>	C5 Front lead (Dir 314°)
23° 48'.011 S 151° 13'.773 E	<i>Iso.2s (F day (occas))</i>	Rear lead (Dir 314°)
23° 49'.249 S 151° 15'.055 E	<i>Q.Bu (F day (occas)) & Fl.R.4s</i>	CB2 Front lead (Dir 302.7°)
23° 49'.008 S 151° 14'.647 E	<i>Iso.Bu.2s (F day (occas)) & VQ(9)10s</i>	C3 Rear lead (Dir 302.7°)

Leading lights (Dir 133.9°) have been established in Clinton Channel in positions:

<i>Position</i>	<i>Characteristics</i>	<i>Remarks</i>
23° 50'.183 S 151° 16'.225 E	<i>F.R (F.Y day)</i>	Front Lead
23° 50'.273 S 151° 16'.325 E	<i>F.R (F.Y day)</i>	Rear Lead

Leading lights (Dir 120°) have been established in Clinton Swing Basin in positions:

<i>Position</i>	<i>Characteristics</i>	<i>Remarks</i>
23° 49'.409 S 151° 15'.687 E	<i>Q.Bu (F day (occas)) & Fl(2)4s</i>	Front Lead
23° 49'.530 S 151° 15'.916 E	<i>Iso.Bu.2s (F day (occas)) & Fl(2)8s</i>	Rear Lead

Leading lights (Dir 120°) have been established at Fishermans Landing Wharf in positions:

<i>Position</i>	<i>Characteristics</i>	<i>Remarks</i>
*23° 47'.316 S 151° 10'.633 E	<i>F.G (F.Y day)</i>	Front Lead
*23° 47'.298 S 151° 10'.559 E	<i>F.G (F.Y day)</i>	Rear Lead

Ripple Rock light beacon (23° 48'.18 S 151° 13'.59 E) has been permanently discontinued.

*Indicates revised entry.

The navaid changes have been incorporated in the new editions of charts Aus 244 and Aus 245, which will be available shortly. Notice to Mariners 337/2007 refers.

Chart temporarily affected – Aus 244 – Aus 245 – Aus 246

405(T)/2007 AUSTRALIA - QUEENSLAND - Shoalwater Bay - Military exercise
 Maritime Safety Queensland Notice 232(T)/2007 (A238844)

A prohibited area, including all waters contained within the following boundary, is declared from 9 June to 8 July 2007:

22° 46'.47 S 150° 48'.47 E
 22° 47'.04 S 150° 53'.21 E
 22° 40'.47 S 150° 55'.02 E
 22° 20'.00 S 150° 45'.03 E
 22° 10'.02 S 150° 30'.06 E
 22° 15'.02 S 150° 19'.87 E
 22° 16'.77 S 150° 12'.06 E
 22° 20'.27 S 150° 12'.00 E
 22° 21'.31 S 150° 10'.52 E

Chart temporarily affected – Aus 248 – Aus 260 – Aus 261 – Aus 367 – Aus 820 – Aus 822 – AX 60260 – AX 67248 – AX 67261

406(P)/2007 AUSTRALIA - TORRES STRAIT - East Strait Island - Light characteristic to be altered

Date - On or about 23 April 2007
 AMSA (A241191)

The light K3258.1 (10° 29'.77 S 142° 27'.07 E (WGS 84 datum)) will be altered to *LFl.10s 14M*.

Chart which will be affected – Aus 292 – Aus 293 – Aus 376 – Aus 839

407(P)/2007 AUSTRALIA - TORRES STRAIT - Goods Island - Light characteristic to be altered

Date - On or about 26 April 2007
 AMSA ATH 2007/18 (A241633)

The light K3270.1 (10° 33'.90 S 142° 09'.12 E (WGS 84 datum)) will be altered to *Fl.2.5s 14M*.

All other attributes and sectors will remain the same.

Chart which will be affected – Aus 292 – Aus 293 – Aus 296 – Aus 299 – Aus 376 – Aus 700

408(T)/2007 AUSTRALIA - TORRES STRAIT - Sketty Belle Shoal - Hulk

AMSA (A241044, A241731)

An unlit semi-submerged fishing vessel, 70m in length, is anchored in the vicinity of 10° 15'.5 S 141° 29'.6 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 376

409(T)/2007 AUSTRALIA - WESTERN AUSTRALIA - Dampier - Drilling operations completed

Former Notice - 1007(T)/2006 is cancelled
 Dampier Port Authority (A239924)

Cancel this notice on receipt

Chart formerly affected – Aus 57 – Aus 58 – Aus 59

410(T)/2007 AUSTRALIA - WESTERN AUSTRALIA - Dampier - Dredging operations; harbour works completed

Former Notice - 886(T)/2006 is cancelled
 Dampier Port Authority (A239924)

Cancel this notice on receipt

Chart formerly affected – Aus 57 – Aus 58 – Aus 59

411(T)/2007 AUSTRALIA - WESTERN AUSTRALIA - Dampier - Obstruction cleared

Former Notice - 170(T)/2007 is cancelled
 Dampier Port Authority (A239924)

Cancel this notice on receipt

Chart formerly affected – Aus 57 – Aus 58 – Aus 59

412(T)/2007 AUSTRALIA - TASMANIA - Flinders Island - Lady Barron - Harbour works*Date - Until 31 May 2007*

Marine and Safety Tasmania Notice M45-07 (A240957)

Harbour works are in progress in vicinity of 40° 12'.83 S 148° 14'.67 E. Submerged mooring wires and anchors exist within a 200m radius of the work barge.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 179 – Aus 800

413(T)/2007 AUSTRALIA - TASMANIA - Tamar River - Batman Bridge - Clearance restored*Former Notice - 1205(T)/2006 is cancelled*

Marine and Safety Tasmania (A238831)

Cancel this notice on receipt

Chart formerly affected – Aus 168

414(T)/2007 AUSTRALIA - TASMANIA - Tamar River - Light buoy replaced in position*Former Notice - 1261(T)/2006 is cancelled*

Marine and Safety Tasmania Notice M44-07 (A239820)

Cancel this notice on receipt

Chart formerly affected – Aus 168

415(T)/2007 AUSTRALIA - VICTORIA - Port Phillip - Daveys Bay - Harbour works*Former Notice - 894(T)/2006 is cancelled*

Victorian Notice 50(T)/2007 (A241272)

Work vessel *Pinder*, and floating plant, are undertaking jetty construction works in vicinity of 38° 09'.83 S 145° 05'.40 E.

All vessels display appropriate lights and shapes.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 143

416(T)/2007 AUSTRALIA - VICTORIA - Western Port - Navaid replacement completed*Former Notice - 679(T)/2006 is cancelled*

Victorian Notice 48/2007 (A239916)

Cancel this notice on receipt

Chart formerly affected – Aus 150 – Aus 151 - Aus 152

II

AMENDMENTS TO ADMIRALTY LIST OF LIGHT AND FOG SIGNALS VOLUME K 2007/08

Edition No 9 dated 11 May 2007

Last Amendment: Edition No 8 dated 27 April 2007

K1365-75	- Wini	9 10-98 S 124 29-49 E	Fl W 4s	14	7	White metal lattice tower 10	<i>fl 0-5</i>	
*	*	*	*	*	*	*		*
K1365-8	- Tg Batu Putih	9 03-17 S 124 42-50 E	Fl W 3-5s	20	12	White metal lattice tower 16	<i>fl 1</i>	
*	*	*	*	*	*	*		*
K1402	- Tg Padangtikar	0 39-50 S 109 14-83 E	Fl W 3s	15	12	White framework tower, black bands 15	<i>fl 0-5</i>	
					*			
K1426-5	Pulau Kelambau (Kalambau)	4 56-08 S 115 38-00 E	Fl W 5s	15	12	White beacon	<i>fl 0-5.</i> Ra refl. TE 2007	*
K1427-4	Pulau Payongpayongan	4 22-78 S 115 50-08 E	Fl W 6s	32	15	White metal framework tower 10	<i>fl 0-5</i>	
	*				*			
K1445	Pulau Larilarian	3 31-00 S 117 27-67 E	Fl W 5s	32	12	White metal framework tower 30	<i>fl 0-5.</i> TE 2007	*
K1488-8	Pulau Liutang (I)	2 28-12 S 119 07-03 E	Fl W 5s	90	23	White metal lattice tower 15	<i>fl 0-5</i>	
					*			
K3349	- Tg Sabra	2 16-90 S 132 17-30 E	Fl W 5s	16	11	White metal framework tower 15	<i>fl 0-5.</i> Vis 311°-119°(168°). Reported TE 2007	*
K3352	- Tg Karakra	2 17-52 S 132 40-60 E	Fl W 3s	13	12	..	<i>fl 0-6.</i> Reported TE 2007	*
K3450-5	Rossel Islands. Adele Island	11 26-70 S 154 24-10 E	Fl W 8s	43	16	Framework tower 31	<i>fl 0-5.</i> TE 2007	*
K3490-14	- Kimbe Bay. Bialla. No 3	5 18-59 S 150 59-14 E	Fl G 5s	5	3	Pile 5	<i>fl 0-2</i>	*
K3490-26	- Kimbe Bay. Bialla. No 9	5 17-62 S 150 59-69 E	Q G	6	3	Pile 6		*
K3504	- Gazelle Peninsula. Cape Gazelle	4 19-37 S 152 23-78 E	Fl(2) W 6s	5	10	White GRP hut 2	<i>fl 0-3, ec 1, fl 0-3, ec 4-4.</i> TE 2007	*
K3506	- Cape Orford	5 26-73 S 152 05-04 E	Fl(3) W 15s	94	10	White GRP hut 2	<i>(fl 0-5, ec 1-5) x 2, fl 0-5, ec 10-5.</i> Vis 222°-060°(198°)	*

Volume K *continued*

K3510-6	- Nusaum Island. S end	2 38·31 S 150 38·53 E	Q R	7	4	White mast 7	Vis 239°-075°(196°)	
								*
K3511	- Steffen Strait. W side	2 42·53 S 150 36·86 E	Fl(2)W Bs	13	10	White 3-pile 13	<i>fl 0·5, ec 1, fl 0·5, ec 6.</i> Ra refl	
								*
K4706·5	- Black Rocks. SE of Malololailai Island	17 47·36 S 177 12·74 E	Aero F W	3	5	Wooden post on concrete base		
		*	*					
K4789·3	Port de Pandop. Pier. Head (F)	20 34·90 S 164 16·40 E	Fl G 4s	..	3	..	<i>fl 0·5</i>	
								*
K4789·6	Tiébaghi Transporter Bridge. Head (F)	20 29·70 S 164 10·20 E	Fl(3) G 10s	..	4	..	<i>fl 0·5.</i> Occas	
*	*	*	*	*	*		*	*
K4789·8	Paagoumène. Jetty (F)	20 29·74 S 164 10·23 E	Fl(3) G 10s					
*	*	*	*	*	*		*	*

III

NAVIGATION WARNINGS

The following radio messages have been received during the period to 27 April 2007. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNING

065 Cancelled.
 066 Cancelled.
 067 Cancelled.
 068 Cancelled.
 069 SW Coast. Pelsaert Island light K1753.6 (28° 59'.13 S 113° 57'.74 E) range altered to 18M, racon (X) established.
 070 Cancelled.
 071 NW Coast. Drill ship *Ocean Epoch* in position 13° 35'.9 S 123° 21'.9 E. 2.5M clearance requested.
 072 Cancelled.
 073 SW Coast. North Island light K1739.4 (28° 17'.8 S 113° 35'.4 E) range altered to 18M.
 074 Cancelled.
 075 Cancelled.
 076 NW Coast. Drill ship *Songa Venus* in position 13° 46'.9 S 123° 13'.8 E. 2.5M clearance requested.
 077 Cancelled.
 078 SW Coast. North Island racon (N) established in position 28° 17'.8 S 113° 35'.4 E.
 079 NW Coast. Airlie Island light K1698 (21° 19'.4 S 115° 10'.0 E) range altered to 16M
 080 NE Coast. East Strait Island main light K3258.1 (10° 29'.8 S 142° 27'.0 E) altered to LFI.10s14; sector light discontinued.

NAVAREA X WARNINGS

Nil issued.

Navigational warnings in force as at 270001UTC APR 07.

Auscoast

036 037 043 044 049 050 055 058 059 060 062 063 064 069 071 073 076 078 079 080.

Navarea X

Nil

Summary of mobile drilling rigs as at 270001UTC APR 07.

Name	Position
Stena Clyde	12° 17'.7 S 124° 19'.9 E
Ocean Epoch	13° 35'.9 S 123° 21'.9 E
Songa Venus	13° 46'.9 S 123° 13'.8 E
Ocean Bounty	19° 29'.0 S 116° 36'.6 E
Chikyu	19° 54'.7 S 115° 07'.5 E
Sedco 703	20° 08'.2 S 115° 02'.4 E
Ensco 106	20° 30'.0 S 115° 25'.8 E
Atwood Eagle	21° 22'.9 S 113° 49'.1 E
Nan Hai VI	21° 25'.4 S 114° 04'.1 E
Wildcraft	29° 15'.0 S 114° 44'.6 E

NAVAREA XIV WARNINGS

017 Cancelled.
 018 Cancelled.
 019 Cancelled.
 020 Cancelled.
 021 Cancelled.
 022 South Pacific. French Polynesia. Area dangerous to navigation from rocket carrier elements in area 15° 30' S 140° 00' W, 16° 30' S 140° 00' W, 11° 00' S 120° 00' W, 12° 00' S 120° 00' W and 15° 30' S 140° 00' W.

Navarea XIV warnings in force as at 270001UTC APR 07.

2006 049.
 2007 005 007 010 022.

HYDROGRAPHIC REPORTS

<i>Locality</i>	<i>Report</i>	<i>Ship/Authority</i>	<i>Observer</i>
QLD- Badu Island	Rock	RNOTI	

AMENDMENTS TO ADMIRALTY LIST OF RADIO SIGNALS 2007

Edition No 9 dated 11 May 2007

VOLUME 1, PART 2, NP 281(2), 2006/07

Published BA Wk 26/06
(Last Amendments: Edition No 8 dated 27 April 2007)

MARITIME RADIO STATIONS

Page 134, GREENLAND (DENMARK), AMMASSALIK, Contacts table.

Delete row 2 and replace by:

 +299 982455	 +299 981719
---	---

Asiaat Radio Ad16/07

VOLUME 2, NP 282, 2007/08

Published BA Wk 13/07
(Last Amendments: Edition No 8 dated 27 April 2007)

RADAR BEACONS

Page 92, CHINA section.

Insert:

Quezuijianzi Lt Bn Racon 37°54'·83N 120°43'·04E **82103**
Q

Chinese Notice 10/260/07 Ad16/07

Page 98, KOREA, SOUTH section.

82905 Ulsan Eastwards, Platform

Delete morse ident **DD** and replace by **D**

(former amendment Ad13/07)

Korean Notice 12/191/07 Ad17/07

Page 92, CHINA section.

Insert:

Houji Dao Lt Racon 38°03'·48N 120°38'·42E **82107**
Z

Chinese Notice 10/259/07 Ad16/07

LEGAL TIME

Page 214, Australia.

Delete (i) Western Australia entry and replace by:

(i) Western Australia	-08	-09	28 Oct 2007 0200h	30 March 2008 0300h
-----------------------	-----	-----	-------------------	---------------------

OAG Worldwide Ltd Ad16/07

Page 214, Australia, (ii) South Australia, (iv) Australian Capital Territory (Canberra), New South Wales, Victoria and (vi) Tasmania.

Delete entries and replace by:

(ii) South Australia	-09½	-10½	Last Sun in Oct 0200h	Last Sun in March 0300h
----------------------	------	------	-----------------------	-------------------------

(iv) Australian Capital Territory (Canberra), New South Wales, Victoria	-10	-11	Last Sun in Oct 0200h	Last Sun in March 0300h
---	-----	-----	-----------------------	-------------------------

(vi) Tasmania	-10	-11	First Sun in Oct 0200h	Last Sun in March 0300h
---------------	-----	-----	------------------------	-------------------------

OAG Worldwide Ltd Ad17/07

Page 215, Brazil, (i) Eastern (except ii) and (iii) Western (except iv).

Delete entries and replace by:

(i)	Eastern (except ii)	+03	+02	Third Sun in Oct 0001h	16 Feb 2008 2359h
(iii)	Western (except iv)	+04	+03	Third Sun in Oct 0001h	16 Feb 2008 2359h

OAG Worldwide Ltd Ad17/07

Page 215, Chile, Daylight Saving Time, Begins column.

Delete 15 Oct 2006 0001h and replace by: 14 Oct 2007 0001h

OAG Worldwide Ltd Ad16/07

Page 216, Easter I. (Isla de Pascua), Daylight Saving Time, Begins column.

Delete 15 Oct 2006 0001h and replace by: 14 Oct 2007 0001h

OAG Worldwide Ltd Ad16/07

Page 216, Falkland Is, Daylight Saving Time, Ends column.

Delete 15 April 2007 0200h and replace by: Third Sun in April 0200h

OAG Worldwide Ltd Ad17/07

Page 217, Guatemala.

Delete entry and replace by:

Guatemala	+06			
-----------	-----	--	--	--

OAG Worldwide Ltd Ad17/07

Page 217, Honduras.

Delete and replace by:

Honduras	+06			
----------	-----	--	--	--

OAG Worldwide Ltd Ad16/07

Page 217, Israel.

Delete entry and replace by:

Israel	-02	-03	28 March 2008 0200h	16 Sept 2007 0200h
--------	-----	-----	---------------------	--------------------

OAG Worldwide Ltd Ad17/07

Page 219, Nicaragua.

Delete entry and replace by:

Nicaragua	+06			
-----------	-----	--	--	--

OAG Worldwide Ltd Ad17/07

Page 221, Syria.

Delete and replace by:

Syria	-02	-03	1 April each year 0001h	30 Sept each year 2359h
-------	-----	-----	-------------------------	-------------------------

OAG Worldwide Ltd Ad17/07

VOLUME 6, PART 4, NP 286(4), 2006/07

Published BA Wk 35/06

(Last Amendments: Edition No 8 dated 27 April 2007)

Page 22, AUSTRALIA, GLADSTONE, Queensland, Pilots, PROCEDURE.

Delete section (7) and replace by:

(7) **Pilot boards** by helicopter if vessel suitable, or otherwise by PV, in the following positions:

- (a) Alpha: 23°51'00S 151°31'50E
- (b) Bravo: 23°51'88S 151°32'70E
- (c) Charlie: 23°53'00S 151°33'00E
- (d) Delta: 23°55'00S 151°31'00E

Australian Notice 7/306/07 Ad17/07

Page 27, AUSTRALIA, HAY POINT, Queensland, Pilots and Port, PROCEDURE.

Delete section (11) and replace by:

(11) **Pilot boards** from Pilot launch or Helicopter in the following Pilot Boarding Positions, radius 0.5 n miles centred on:

- (a) Bravo: 21°13'5S 149°20'7E
- (b) Charlie: 21°16'3S 149°21'0E

Australian Notice 4/185/07 Ad16/07

Page 305, NEW ZEALAND, WESTPORT, Pilots and Port, PROCEDURE.

Delete section (7) and replace by:

(7) **Pilot boards** in position 41°42'11S 171°33'13E (2.2 n miles NW of the main West Breakwater Lt).

New Zealand Chart NZ 7132 & Hr Mr Westport 4/185/07 Ad16/07

AMENDMENTS TO ADMIRALTY SAILING DIRECTIONS 2007

NP 14 Australia Pilot Volume II (2004 Edition)

Tasmania - D'Entrecasteaux Channel — Light

218

Paragraph 9.35 5 lines 1-2 *Replace by:*

- 5 SE of Arch Rock (2¼ miles NNE), 15 m high,
from which a light (E cardinal) is displayed.
Anchorage may be obtained in a depth of
11 m...

Australian Notice 06/270/07

[Ad 17/07]

Tasmania - Mercury Passage — Wreck

246

Paragraph 10.13 3 line 3 *Replace by:*

...marine farm (10.11) and a submerged wreck
(3½ miles NE), or NW towards Spring Bay (42°33'S...

Australian Notice 06/271/07

[Ad 17/07]